

**AGMA CLASS II
GENERAL PURPOSE**

0.25 HP

RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL	INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
					63L/4VR TEFC 230/460V 5:1 CT	71S/4VN TEFC 230/460V 10:1 CT	NORD MOTOR		BALDOR	
							63L/4VR 56C TEFC 230/460V 5:1 CT	71S/4VN 56C TEFC 230/460V 10:1 CT	N/A TEFC 230/460V 4:1 CT	
1,244	12	16.6	1.35	SK11E	\$ 513	\$ 535	\$ 674	\$ 691	N/A	\$ 485
1,091	14	15.8	1.54							
928	16	15.2	1.81							
824	18	14.7	2.04							
724	21	14.1	2.32							
594	25	13.2	2.83							
569	27	13.7	2.95	SK02	555	574	695	712	N/A	506
497	30	13.1	3.38							
432	35	12.5	3.89							
398	38	11.4	4.22							
374	40	25.9	4.49	SK12	590	611	728	745	N/A	539
349	43	10.9	4.82	SK02	555	574	695	712	N/A	506
302	50	9.5	5.57							
275	55	8.7	6.10							
244	62	8.2	6.89							
215	70	7.5	7.80							
205	74	7.1	8.19							
181	83	6.5	9.28							
169	89	6.0	9.95							
149	101	5.5	11.27							
131	115	5.1	12.82							
105	143	4.2	15.95							
82	185	3.3	20.59							
73	208	3.1	23.13							
69	219	3.6	24.39							
61	247	2.9	27.52							
57	266	3.1	29.61							
50	300	2.7	33.42							
40	374	2.2	41.58							
39	387	3.5	43.09	SK12	590	611	728	745	N/A	539
35	430	3.6	47.87							
31	484	3.0	53.84							
27	552	2.3	61.35							
25	615	2.7	68.40	SK13	837	840	892	909	N/A	703
23	653	1.8	72.63	SK12	590	611	728	745	N/A	539
20	768	1.9	85.47	SK13	837	840	892	909	N/A	703

**AGMA CLASS II
GENERAL PUROSE**

0.33 HP

RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL	INTEGRAL		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
					NORD MOTOR		NORD MOTOR		BALDOR	
					71S/4VR TEFC 230/460V 5:1 CT	71L/4VN TEFC 230/460V 10:1 CT	71S/4VR 56C TEFC 230/460V 5:1 CT	71L/4VN 56C TEFC 230/460V 10:1 CT	IDNM3534 56C TENV 230/460V 20:1 CT	
1,267	17	12.8	1.35	SK11E						
1,110	19	12.2	1.54							
945	22	11.8	1.81		\$ 535	\$ 544	\$ 691	\$ 692	\$ 982	\$ 485
838	25	11.4	2.04							
737	29	10.9	2.32							
604	35	10.2	2.83							
580	36	10.6	2.95	SK02						
506	42	10.1	3.38							
440	48	9.7	3.89							
405	52	8.8	4.22							
355	59	8.5	4.82							
307	69	7.3	5.57							
280	75	6.7	6.10							
248	85	6.3	6.89							
219	96	5.8	7.80							
209	101	5.5	8.19							
184	114	5.0	9.28		574	583	712	713	1,003	506
172	122	4.6	9.95							
152	139	4.3	11.27							
133	158	3.9	12.82							
107	196	3.2	15.95							
83	253	2.6	20.59							
74	284	2.4	23.13							
70	300	2.6	24.39							
62	338	2.3	27.52							
58	364	2.1	29.61							
51	411	2.1	33.42							
49	431	3.0	35.07	SK12	611	620	745	746	1,036	539
41	511	1.7	41.58	SK02	574	583	712	713	1,003	506
40	530	2.7	43.09	SK12	611	620	745	746	1,036	539
37	565	4.6	45.90	SK22	774	783	901	902	1,192	695
32	662	2.3	53.84	SK12	611	620	745	746	1,036	539
31	680	4.1	55.28	SK22	774	783	901	902	1,192	695
28	755	1.8	61.35	SK12	611	620	745	746	1,036	539
24	859	2.7	69.81	SK22	774	783	901	902	1,192	695
24	893	1.4	72.63	SK12	611	620	745	746	1,036	539
20	1,061	2.1	86.30	SK22	774	783	901	902	1,192	695

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,515	\$1,515	\$1,515	\$1,515

**AGMA CLASS II
GENERAL PURPOSE**

0.5 HP

AGMA CLASS II GENERAL PURPOSE 0.5 HP					INTEGRAL		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
					NORD MOTOR		NORD MOTOR		BALDOR MOTOR		
					71L/4VR TEFC 230/460V 5:1 CT	80S/4VN TEFC 230/460V 10:1 CT	71L/4VR 56C TEFC 230/460V 5:1 CT	80S/4VN 56C TEFC 230/460V 10:1 CT	VNM3538 56C TENV 230/460V CONSTANT	IDNM3538 56C TENV 230/460V 20:1 CT	
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL							
1,274	24	8.5	1.35	SK11E	\$ 544	\$ 588	\$ 692	\$ 732	\$ 901	\$ 1,066	\$ 485
1,117	28	8.3	1.54								
950	33	8.0	1.81								
843	37	7.7	2.04								
741	42	7.4	2.32								
608	51	6.9	2.83								
583	53	7.2	2.95	SK02	583	624	713	753	922	1,087	506
509	61	6.9	3.38								
442	70	6.6	3.89								
408	76	6.0	4.22								
357	87	5.8	4.82								
309	100	5.0	5.57								
282	110	4.5	6.10								
250	124	4.3	6.89								
221	140	3.9	7.80								
210	147	3.7	8.19								
185	167	3.4	9.28								
173	179	3.1	9.95								
153	203	2.9	11.27								
134	231	2.7	12.82								
108	287	2.2	15.95								
103	301	4.5	16.73	SK12	620	662	746	786	955	1,120	539
92	338	4.2	18.79								
84	371	1.7	20.59	SK02	583	624	713	753	922	1,087	506
81	383	3.8	21.28	SK12	620	662	746	786	955	1,120	539
74	416	1.6	23.13	SK02	583	633	713	753	922	1,087	506
71	439	1.8	24.39								
66	467	2.6	25.92	SK12	620	662	746	786	955	1,120	539
63	495	1.5	27.52	SK02	583	633	713	753	922	1,087	506
59	525	2.1	29.15	SK12	620	662	746	786	955	1,120	539
58	533	1.5	29.61	SK02	583	633	713	753	922	1,087	506
55	561	2.6	31.19	SK12	620	662	746	786	955	1,120	539
49	631	2.1	35.07								
45	690	2.3	38.31								
40	776	1.8	43.09								
37	826	3.1	45.90	SK22	783	826	902	942	1,111	1,276	695
36	862	1.8	47.87	SK12	620	662	746	786	955	1,120	539
32	969	1.6	53.84								
31	995	2.8	55.28	SK22	783	826	902	942	1,111	1,276	695
25	1,257	1.8	69.81								
20	1,553	1.4	86.30								
19	1,592	1.9	88.45	SK23	983	1,024	1,216	1,256	1,425	1,590	1,009
17	1,811	1.6	100.60								

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,524	\$1,524	\$1,524	\$1,524

**AGMA CLASS II
GENERAL PURPOSE**

0.75 HP

AGMA CLASS II GENERAL PURPOSE 0.75 HP					INTEGRAL		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
					NORD MOTOR		NORD MOTOR		BALDOR MOTOR		
					80S/4VR TEFC 230/460V 5:1 CT	80L/4VN TEFC 230/460V 10:1 CT	80S/4VR 56C TEFC 230/460V 5:1 CT	80LH/4VN 56C TEFC 230/460V 10:1 CT	VM3542 56C TENV 230/460V CONSTANT	IDNM3542 56C TENV 230/460V 20:1 CT	
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL							
1,267	36	5.6	1.35	SK11E							
1,110	42	5.5	1.54								
945	49	5.3	1.81		\$ 588	\$ 597	\$ 732	\$ 803	\$ 893	\$ 1,133	\$ 485
838	55	5.1	2.04								
737	63	4.9	2.32								
604	76	4.6	2.83								
580	80	4.7	2.95	SK02							
506	91	4.5	3.38								
440	105	4.3	3.89								
405	114	3.9	4.22								
355	130	3.8	4.82								
307	150	3.3	5.57		624	633	753	824	914	1,154	506
280	165	3.0	6.10								
248	186	2.8	6.89								
219	211	2.6	7.80								
209	221	2.5	8.19								
184	251	2.2	9.28								
172	269	2.1	9.95								
160	289	4.0	10.70	SK12	662	671	786	857	947	1,187	539
152	304	1.9	11.27	SK02	624	633	753	824	914	1,154	506
133	346	1.7	12.82								
128	362	3.6	13.39	SK12	662	671	786	857	947	1,187	539
107	431	1.4	15.95	SK02	624	633	753	824	914	1,154	506
102	452	2.9	16.73	SK12							539
91	507	2.7	18.79		662	671	786	857	947	1,187	
80	575	2.5	21.28								
69	668	3.2	24.73	SK22	826	836	942	1,013	1,103	1,343	695
66	700	1.7	25.92	SK12	662	671	786	857	947	1,187	539
58	791	3.2	29.31	SK22	826	836	942	1,013	1,103	1,343	695
55	842	1.7	31.19	SK12	662	671	786	857	947	1,187	539
48	960	3.0	35.55	SK22							695
40	1,156	2.5	42.82								
37	1,239	2.0	45.90		826	836	942	1,013	1,103	1,343	
31	1,493	1.9	55.28								
30	1,553	3.4	57.53	SK32							919
27	1,735	3.2	64.26								
24	1,965	2.5	72.76		962	971	1,166	1,237	1,327	1,567	
21	2,194	2.0	81.27								
19	2,381	1.9	88.18	SK33N							1,058
15	3,029	1.6	112.18		1,233	1,242	1,305	1,376	1,466	1,706	

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,560	\$1,560	\$1,560	\$1,560

**AGMA CLASS II
GENERAL PURPOSE**

1 HP

AGMA CLASS II GENERAL PURPOSE 1 HP					INTEGRAL		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 56C	REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
					NORD MOTOR		NORD MOTOR		BALDOR MOTOR					
					80L/4VR	90S/4VN	80LH/4VR	90SH/4VN	VM3546T	VEM3546	IDNM3581T			
					TEFC	TEFC	143TC	145TC	143TC	56C	143TC			
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL	230/460V 5:1 CT	230/460V 10:1 CT	230/460V 5:1 CT	230/460V 10:1 CT	230/460V CONSTANT	230/460V 10:1 CT	230/460V 20:1 CT			
1,222	51	4.1	1.35	SK11E										
1,071	59	3.9	1.54											
912	69	3.8	1.81											
809	78	3.7	2.04		\$ 597	\$ 652	\$ 803	\$ 851	\$ 1,003	\$ 1,200	\$ 1,806	\$ 485	\$ 485	
711	88	3.5	2.32											
583	108	3.3	2.83											
559	112	3.4	2.95	SK02										
488	129	3.3	3.38											
424	148	3.1	3.89											
391	161	2.8	4.22											
342	184	2.7	4.82		633	683	825	873	1,025	1,221	1,828	\$ 506	\$ 507	
296	212	2.4	5.57											
270	232	2.2	6.10											
239	263	2.0	6.89											
227	277	3.9	7.28	SK12	671	724	886	934	1,086	1,254	1,889	539	568	
212	297	1.9	7.80	SK02	633	683	825	873	1,025	1,221	1,828	506	507	
210	299	3.7	7.85	SK12	671	724	886	934	1,086	1,254	1,889	539	568	
201	312	1.8	8.19	SK02	633	683	825	873	1,025	1,221	1,828	506	507	
193	326	3.5	8.56	SK12	671	724	886	934	1,086	1,254	1,889	539	568	
178	354	1.6	9.28	SK02	633	683	825	873	1,025	1,221	1,828	506	507	
171	368	3.2	9.65	SK12	671	724	886	934	1,086	1,254	1,889	539	568	
166	379	1.5	9.95	SK02	633	683	825	873	1,025	1,221	1,828	506	507	
154	408	2.9	10.70	SK12	671	724	886	934	1,086	1,254	1,889	539	568	
146	429	1.4	11.27	SK02	633	683	825	873	1,025	1,221	1,828	506	507	
123	510	2.6	13.39	SK12										
99	637	2.1	16.73											
88	716	2.0	18.79		671	724	886	934	1,086	1,254	1,889	539	568	
78	811	1.8	21.28											
67	942	2.3	24.73	SK22										
56	1,117	2.3	29.31		836	890	1,013	1,061	1,213	1,410	2,016	695	695	
46	1,354	2.1	35.55											
43	1,477	2.7	38.76	SK32	971	1,026	1,237	1,285	1,437	1,634	2,240	919	919	
39	1,631	1.8	42.82	SK22										
36	1,749	1.5	45.90		836	890	1,013	1,061	1,213	1,410	2,016	695	695	
29	2,192	2.5	57.53	SK32										
26	2,448	2.3	64.26		971	1,026	1,237	1,285	1,437	1,634	2,240	919	919	
24	2,672	3.6	70.12	SK43	1,604	1,658	1,832	1,880	2,032	2,229	2,835	1,514	1,514	
23	2,772	1.8	72.76	SK32	971	1,026	1,237	1,285	1,437	1,634	2,240	919	919	
21	3,046	3.4	79.96	SK43	1,604	1,658	1,832	1,880	2,032	2,229	2,835	1,514	1,514	
20	3,096	1.5	81.27	SK32	971	1,026	1,237	1,285	1,437	1,634	2,240	919	919	
19	3,360	1.4	88.18	SK33N	1,242	1,296	1,569	1,617	1,769	1,773	2,572	1,058	1,251	
17	3,618	3.0	94.96	SK43										
15	4,096	2.4	107.51		1,604	1,658	1,832	1,880	2,032	2,229	2,835	1,514	1,514	

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,600	\$1,600	\$1,600	\$1,600

Nord High Efficiency		80LH/4VR	90SH/4VN
230/460V or 575V	ADD:	\$125	\$141

**AGMA CLASS II
GENERAL PURPOSE**

1.5 HP

AGMA CLASS II GENERAL PURPOSE 1.5 HP					INTEGRAL NORD MOTOR		C-FACE					REDUCER w/NEMA C-FACE ADAPTER FRAME 56C	REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
							NORD MOTOR		BALDOR MOTOR				
					90S/4VR TEFC 230/460V 5:1 CT	90L/4VN TEFC 230/460V 10:1 CT	90SH/4VR 145TC TEFC 230/460V 5:1 CT	90LH/4VN 145TC TEFC 230/460V 10:1 CT	VM3554T 145TC TEFC 230/460V CONSTANT	VEM3554 56C TEFC 230/460V 10:1 CT	IDNM3584T 145TC TENV 230/460V 20:1 CT		
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL									
1,230	75	4.3	1.35	SK11E									
1,078	86	4.1	1.54										
917	101	3.9	1.81										
814	113	3.8	2.04										
716	129	3.2	2.32										
587	157	3.0	2.83										
563	164	2.4	2.95	SK02									
491	188	2.3	3.38										
427	216	2.1	3.89										
417	221	3.9	3.98	SK12									
393	235	1.9	4.22	SK02									
384	240	4.0	4.32	SK12									
370	250	3.8	4.49										
344	268	1.8	4.82	SK02									
337	274	3.7	4.93	SK12									
298	310	1.6	5.57	SK02									
287	322	3.3	5.79	SK12									
254	363	3.0	6.53										
241	383	1.4	6.89	SK02									
228	405	2.6	7.28	SK12									
211	436	2.6	7.85										
194	476	2.4	8.56										
172	537	2.2	9.65										
155	595	1.9	10.70										
152	605	3.8	10.89	SK22									
136	678	3.7	12.20										
124	744	1.7	13.39	SK12									
113	817	3.6	14.69	SK22									
99	930	1.4	16.73	SK12									
83	1,114	2.2	20.03	SK22									
70	1,320	2.0	23.74										
67	1,375	1.5	24.73										
62	1,477	2.5	26.57	SK32									
61	1,515	3.2	27.24										
58	1,601	2.0	28.80	SK22									
57	1,630	1.5	29.31										
55	1,692	2.6	30.43	SK32									
53	1,732	2.6	31.16										
50	1,838	1.8	33.05										
47	1,977	1.4	35.55	SK22									
45	2,070	2.5	37.23	SK32									
43	2,155	1.8	38.76										
36	2,572	2.3	46.25										
36	2,575	1.8	46.31										
29	3,199	1.7	57.53										
27	3,373	2.6	60.66	SK42									
26	3,573	1.5	64.26	SK32									
22	4,163	2.2	74.87	SK42									
20	4,732	1.5	85.10										

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$1,716	\$1,716	\$1,716	\$1,716

Nord High Efficiency		90SH/4VR	90LH/4VN
230/460V or 575V	ADD:	\$141	\$141

**AGMA CLASS II
GENERAL PURPOSE**

2 HP

AGMA CLASS II GENERAL PURPOSE 2 HP					INTEGRAL		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 56C* OR 140TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
					NORD MOTOR		NORD MOTOR		BALDOR MOTOR					
					90L/4VR TEFC 230/460V 5:1 CT	100L/4VN TEFC 230/460V 10:1 CT	90LH/4VR 145TC TEFC 230/460V 5:1 CT	100LH/4VN 182TC TEFC 230/460V 10:1 CT	VM3558T 145TC TEFC 230/460V CONSTANT	VEM3558 56C* TEFC 230/460V 10:1 CT	IDNM3587T 145TC TENV 230/460V 20:1 CT			
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL										
1,230	102	3.2	1.35	SK11E										
1,078	117	3.1	1.54											
917	137	3.0	1.81											
814	155	2.8	2.04											
716	176	2.4	2.32											
587	215	2.2	2.83											
563	224	1.8	2.95	SK02										
491	256	1.8	3.38											
427	295	1.6	3.89			691	N/A	904	N/A	1,061	1,345	2,030	507	N/A
393	320	1.4	4.22											
344	365	1.4	4.82											
337	374	2.7	4.93	SK12*										
287	439	2.5	5.79			731	823	965	1,058	1,122	1,406	2,091	568 *	596
254	495	2.3	6.53											
242	520	3.1	6.86	SK22	898	993	1,092	1,189	1,249	1,533	2,218	695	727	
228	552	2.0	7.28	SK12*	731	823	965	1,058	1,122	1,406	2,091	568 *	596	
219	574	2.9	7.57	SK22	898	993	1,092	1,189	1,249	1,533	2,218	695	727	
211	595	1.9	7.85	SK12*	731	823	965	1,058	1,122	1,406	2,091	568 *	596	
196	643	2.8	8.48	SK22	898	993	1,092	1,189	1,249	1,533	2,218	695	727	
194	649	1.8	8.56	SK12*										
172	731	1.6	9.65			731	823	965	1,058	1,122	1,406	2,091	568 *	596
155	811	1.5	10.70											
152	825	2.9	10.89	SK22										
136	925	2.8	12.20											
113	1,114	2.7	14.69			898	993	1,092	1,189	1,249	1,533	2,218	695	727
99	1,270	2.4	16.75											
89	1,415	3.0	18.67	SK32	1,034	1,129	1,316	1,415	1,473	1,757	2,442	919	953	
83	1,518	1.7	20.03	SK22	898	993	1,092	1,189	1,249	1,533	2,218	695	727	
80	1,569	2.9	20.70	SK32										
72	1,752	2.9	23.12			1,034	1,129	1,316	1,415	1,473	1,757	2,442	919	953
70	1,799	1.6	23.74	SK22	898	993	1,092	1,189	1,249	1,533	2,218	695	727	
62	2,014	1.9	26.57	SK32	1,034	1,129	1,316	1,415	1,473	1,757	2,442	919	953	
58	2,183	1.5	28.80	SK22	898	993	1,092	1,189	1,249	1,533	2,218	695	727	
55	2,307	2.0	30.43	SK32	N/A	N/A	1,316	1,415	1,473	1,757	2,442	919	953	
47	2,672	4.1	35.25	SK42	1,324	1,419	1,721	1,862	1,878	2,162	2,847	1,324	1,400	
45	2,822	1.8	37.23	SK32										
36	3,506	1.7	46.25			1,034	1,129	1,316	1,415	1,473	1,757	2,442	919	953
33	3,864	2.5	50.98	SK42	1,324	1,419	1,721	1,862	1,878	2,162	2,847	1,324	1,400	
28	4,417	2.3	58.27	SK43	1,666	1,761	1,911	2,009	2,068	2,352	3,037	1,514	1,547	
27	4,598	1.9	60.66	SK42										
22	5,675	1.7	74.87			1,324	1,419	1,721	1,862	1,878	2,162	2,847	1,324	1,400
21	6,061	1.9	79.96	SK43	1,666	1,761	1,911	2,009	2,068	2,352	3,037	1,514	1,547	
19	6,589	2.3	86.92	SK53										
17	7,238	2.7	95.49			2,190	2,288	2,551	2,650	2,708	2,992	3,677	2,154	2,188
16	8,025	2.5	105.87											

*SK12-56C Subtract \$29 from 140TC price above (568 - 29 = \$539)

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$1,737	\$1,744	\$1,737	\$1,744

Nord High Efficiency		90LH/4VR	100LH/4VN
230/460V or 575V	ADD:	\$141	\$167

**AGMA CLASS II
GENERAL PURPOSE**

3 HP

AGMA CLASS II GENERAL PURPOSE 3 HP					INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
					100L/4VR TEFC 230/460V 5:1 CT	100LA/4VN TEFC 230/460V 10:1 CT	NORD MOTOR		BALDOR MOTOR				
							100LH/4VR 182TC TEFC 230/460V 5:1 CT	112MH/4VN 184TC TEFC 230/460V 10:1 CT	VM3611T 182TC TEFC 230/460V CONSTANT	VEM3661T 182TC TEFC 230/460V 10:1 CT	IDNM3661T 184TC TENV 230/460V 20:1 CT		
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL									
1,263	146	3.0	1.35	SK11E	\$ 754	\$ 779	\$ 1,012	\$ 1,234	\$ 1,219	\$ 1,685	\$ 2,546	\$ 550	
1,107	166	2.6	1.54										
942	195	2.4	1.81										
836	220	2.3	2.04										
735	251	1.6	2.32										
602	306	1.5	2.83										
576	320	2.8	2.96	SK12	823	846	1,058	1,280	1,265	1,731	2,592	596	
503	366	2.6	3.39										
428	430	2.3	3.98										
395	467	2.1	4.32										
380	485	2.1	4.49										
369	499	2.6	4.62	SK22	993	1,018	1,189	1,411	1,396	1,862	2,723	727	
346	532	1.9	4.93	SK12	823	846	1,058	1,280	1,265	1,731	2,592	596	
329	559	2.4	5.18	SK22	993	1,018	1,189	1,411	1,396	1,862	2,723	727	
294	625	3.0	5.79										
294	625	1.7	5.79	SK12	823	846	1,058	1,280	1,265	1,731	2,592	596	
262	703	2.8	6.51	SK22	993	1,018	1,189	1,411	1,396	1,862	2,723	727	
261	705	1.5	6.53	SK12	823	846	1,058	1,280	1,265	1,731	2,592	596	
249	741	3.0	6.86	SK22	993	1,018	1,189	1,411	1,396	1,862	2,723	727	
225	818	2.6	7.57										
201	916	2.4	8.48										
157	1,176	2.3	10.89										
140	1,318	2.1	12.20										
117	1,571	3.1	14.55	SK32	1,129	1,154	1,415	1,637	1,622	2,088	2,949	953	
116	1,587	1.8	14.69	SK22	993	1,018	1,189	1,411	1,396	1,862	2,723	727	
113	1,623	2.7	15.03	SK32	1,129	1,154	462	1,637	1,622	2,088	2,949	953	
105	1,755	3.1	16.25										
102	1,799	2.5	16.66										
91	2,016	2.7	18.67										
82	2,236	2.5	20.70										
78	2,362	3.4	21.87	SK42	1,419	1,444	1,862	2,084	2,069	2,535	3,396	1,400	
74	2,497	2.2	23.12	SK32	1,129	1,154	1,415	1,637	1,622	2,088	2,949	953	
70	2,636	2.8	24.41	SK42	1,419	1,444	1,862	2,084	2,069	2,535	3,396	1,400	
69	2,664	2.9	24.67										
63	2,942	1.8	27.24	SK32	1,129	1,154	1,415	1,637	1,622	2,088	2,949	953	
58	3,163	2.8	29.29	SK42	1,419	1,444	1,862	2,084	2,069	2,535	3,396	1,400	
56	3,290	2.8	30.46										
48	3,807	2.8	35.25										
41	4,459	2.3	41.29										
35	5,281	3.1	48.90	SK52	1,848	1,873	2,227	2,449	2,434	2,900	3,761	1,765	
33	5,506	1.7	50.98	SK42	1,419	1,444	1,862	2,084	2,069	2,535	3,396	1,400	
32	5,811	2.8	53.81	SK52	1,848	1,873	2,227	2,449	2,434	2,900	3,761	1,765	
29	6,430	2.5	59.54										
24	7,710	1.8	71.39										
22	8,484	1.6	78.56										
20	9,387	1.6	86.92										
18	10,313	1.9	95.49	SK53	2,288	2,314	2,650	2,872	2,857	3,323	4,184	2,188	
16	11,434	1.7	105.87										

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$2,014	\$2,021	\$2,014	\$2,021

Nord High Efficiency		100LH/4VR	112MH/4VN
230/460V or 575V	ADD:	\$167	\$287

**AGMA CLASS II
GENERAL PURPOSE**

5 HP

AGMA CLASS II GENERAL PURPOSE 5 HP					INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
					100LA/4VR TEFC 230/460V 5:1 CT	132S/4VN TEFC 230/460V 10:1 CT	NORD MOTOR		BALDOR MOTOR					
							112MH/4VR 184TC TEFC 230/460V 5:1 CT	132SH/4VN 213TC TEFC 230/460V 10:1 CT	VM3615T 184TC TEFC 230/460V CONSTANT	VEM3665T 184TC TEFC 230/460V 10:1 CT	IDNM3665T 184TC TENV 230/460V 20:1 CT			
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL										
1,182	263	2.0	1.46	SK21E	\$ 937	N/A	\$ 1,318	N/A	\$ 1,400	\$ 1,795	\$ 2,860	\$ 634	N/A	
932	333	1.7	1.85											
829	374	2.1	2.08	SK31E	983	1,389	1,451	N/A	1,533	1,928	2,993	767	N/A	
829	374	1.6	2.08		937	N/A	1,318	N/A	1,400	1,795	2,860	634	N/A	
713	436	1.5	2.42	SK21E										
669	464	1.9	2.58	SK31E	983	1,389	1,451	N/A	1,533	1,928	2,993	767	N/A	
618	502	2.0	2.79	SK22	1,018	N/A	1,411	N/A	1,493	1,888	2,953	727	N/A	
583	533	1.7	2.96		846	N/A	1,280	N/A	1,362	1,757	2,822	596	N/A	
509	610	1.6	3.39	SK12										
489	635	1.8	3.53	SK22	1,018	N/A	1,411	N/A	1,493	1,888	2,953	727	N/A	
460	675	2.2	3.75	SK32	1,154	1,560	1,637	1,957	1,719	2,114	3,179	953	1,027	
435	715	1.7	3.97	SK22	1,018	N/A	1,411	N/A	1,493	1,888	2,953	727	N/A	
389	797	2.1	4.43	SK32	1,154	1,560	1,637	1,957	1,719	2,114	3,179	953	1,027	
373	832	1.6	4.62		1,018	N/A	1,411	N/A	1,493	1,888	2,953	727	N/A	
333	932	1.5	5.18	SK22										
327	950	2.3	5.28											
314	990	1.9	5.50	SK32	1,154	1,560	1,637	1,957	1,719	2,114	3,179	953	1,027	
303	1,026	2.2	5.70											
298	1,042	1.8	5.79											
265	1,172	1.7	6.51											
251	1,235	1.8	6.86	SK22	1,018	N/A	1,411	N/A	1,493	1,888	2,953	727	N/A	
228	1,363	1.6	7.57											
203	1,526	1.5	8.48											
176	1,764	1.9	9.80	SK32	1,154	1,560	1,637	1,957	1,719	2,114	3,179	953	1,027	
158	1,960	1.4	10.89	SK22	1,018	N/A	1,411	N/A	1,493	1,888	2,953	727	N/A	
147	2,108	1.9	11.71											
119	2,619	1.9	14.55											
115	2,705	1.6	15.03											
106	2,925	1.9	16.25	SK32	1,154	1,560	1,637	1,957	1,719	2,114	3,179	953	1,027	
104	2,999	1.5	16.66											
92	3,361	1.6	18.67											
83	3,726	1.5	20.70											
79	3,937	2.1	21.87											
71	4,394	1.7	24.41											
59	5,272	1.7	29.29	SK42	1,444	1,849	2,084	2,410	2,166	2,561	3,626	1,400	1,480	
57	5,483	1.7	30.46											
49	6,345	1.7	35.25											
48	6,485	1.9	36.03											
45	6,921	2.1	38.45											
35	8,802	1.9	48.90	SK52	1,873	2,295	2,449	2,770	2,531	2,926	3,991	1,765	1,840	
32	9,686	1.7	53.81											
29	10,717	1.5	59.54											
27	11,317	2.3	62.87											
22	13,943	2.1	77.46	SK63	3,270	3,693	3,765	4,081	3,847	4,242	5,307	3,081	3,151	
20	15,671	1.7	87.06											
16	19,420	1.6	107.89											

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$2,206	\$2,226	\$2,206	\$2,226

Nord High Efficiency		112MH/4VR	132SH/4VN
230/460V or 575V	ADD:	\$131	\$324

**AGMA CLASS II
GENERAL PURPOSE**

7.5 HP

AGMA CLASS II GENERAL PURPOSE 7.5 HP					INTEGRAL		C-FACE					REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
					NORD MOTOR		NORD MOTOR		BALDOR MOTOR				
					132S/4VR TEFC 230/460V 5:1 CT	132M/4VN TEFC 230/460V 10:1 CT	132SH/4VR 213TC TEFC 230/460V 5:1 CT	132MH/4VN 215TC TEFC 230/460V 10:1 CT	CM3710T 213TC TEFC 230/460V CONSTANT	VEM3770T 213TC TEFC 230/460V 10:1 CT	IDNM2237T 254TC TENV 230/460V 20:1 CT		
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL									
1,248	371	3.3	1.39	SK31E									
986	470	2.8	1.76		\$ 1,389	\$ 1,478	\$ 1,771	\$ 1,847	\$ 1,808	\$ 2,440	N/A	\$ 841	N/A
834	555	2.6	2.08										
672	689	2.3	2.58										
586	790	3.4	2.96	SK32									
463	1,001	3.2	3.75										
392	1,183	2.9	4.43										
329	1,410	3.4	5.28		1,560	1,650	1,957	2,033	1,994	2,626	N/A	1,027	N/A
315	1,469	2.6	5.50										
304	1,522	3.2	5.70										
275	1,685	2.9	6.31										
238	1,944	3.5	7.28	SK42	1,849	1,939	2,410	2,486	2,447	3,079	4,602	1,480	1,515
220	2,109	2.7	7.90	SK32	1,560	1,650	1,957	2,033	1,994	2,626	N/A	1,027	N/A
208	2,232	2.3	8.36										
204	2,270	3.2	8.50	SK42	1,849	1,939	2,410	2,486	2,447	3,079	4,602	1,480	1,515
177	2,617	2.1	9.80	SK32	1,560	1,650	1,957	2,033	1,994	2,626	N/A	1,027	N/A
170	2,723	3.2	10.20	SK42	1,849	1,939	2,410	2,486	2,447	3,079	4,602	1,480	1,515
148	3,127	2.0	11.71	SK32	1,560	1,650	1,957	2,033	1,994	2,626	N/A	1,027	N/A
141	3,279	3.2	12.28	SK42	1,849	1,939	2,410	2,486	2,447	3,079	4,602	1,480	1,515
129	3,591	4.6	13.45	SK52	2,295	2,388	2,770	2,846	2,807	3,439	4,963	1,840	1,876
124	3,738	4.5	14.00										
121	3,839	2.6	14.38	SK42									
115	4,037	2.7	15.12										
98	4,729	2.2	17.71		1,849	1,939	2,410	2,486	2,447	3,079	4,602	1,480	1,515
97	4,785	1.8	17.92								N/A	N/A	N/A
81	5,741	1.8	21.50								N/A		
80	5,789	2.8	21.68	SK52							4,963		1,876
73	6,387	2.6	23.92										
72	6,427	2.3	24.07		2,295	2,388	2,770	2,846	2,807	3,439	N/A	1,840	N/A
66	7,065	2.3	26.46										
60	7,703	2.3	28.85								N/A		N/A
56	8,253	3.5	30.91	SK63	3,693	3,786	4,081	4,157	4,118	4,750	7,033	3,151	3,946
54	8,568	1.4	32.09	SK52	2,295	2,388	2,770	2,846	2,807	3,439	N/A	1,840	N/A
48	9,641	3.2	36.11	SK63	3,693	3,786	4,081	4,157	4,118	4,750	7,033	3,151	3,946
47	9,796	1.7	36.69	SK52							N/A		N/A
45	10,266	1.4	38.45		2,295	2,388	2,770	2,846	2,807	3,439	N/A	1,840	N/A
43	10,779	1.5	40.37								4,963		1,876
40	11,596	2.8	43.43	SK63	3,693	3,786	4,081	4,157	4,118	4,750	7,033	3,151	3,946
38	12,191	3.9	45.66	SK73	4,564	4,657	4,962	5,038	4,999	5,631	7,811	4,032	4,724
34	13,545	2.4	50.73	SK63	3,693	3,786	4,081	4,157	4,118	4,750	7,033	3,151	3,946
33	13,948	3.5	52.24	SK73	4,564	4,657	4,962	5,038	4,999	5,631	7,811	4,032	4,724
32	14,370	2.2	53.82	SK63	3,693	3,786	4,081	4,157	4,118	4,750	7,033	3,151	3,946
29	16,143	3.0	60.46	SK73	4,564	4,657	4,962	5,038	4,999	5,631	7,811	4,032	4,724
28	16,786	1.9	62.87	SK63	3,693	3,786	4,081	4,157	4,118	4,750	7,033	3,151	3,946
23	19,990	2.3	74.87	SK73	4,564	4,657	4,962	5,038	4,999	5,631	7,811	4,032	4,724
19	24,398	1.9	91.38										

Nord SK205E VFD				
3PH, 380-480V	ADD:	\$2,585	\$2,585	\$2,585

Nord High Efficiency		132SH/4VR	132MH/4VN
230/460V or 575V	ADD:	\$324	\$168

**AGMA CLASS II
GENERAL PURPOSE**

10 HP

AGMA CLASS II GENERAL PURPOSE 10 HP					INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
							NORD MOTOR		BALDOR MOTOR					
					132M/4VR TEFC 230/460V 5:1 CT	160M/4VN TEFC 230/460V 10:1 CT	132MH/4VR 215TC TEFC 230/460V 5:1 CT	160MH/4VN 254TC TW TEFC 230/460V 10:1 CT	CM3714T 215TC TEFC 230/460V CONSTANT	VEM3774T 215TC TEFC 230/460V 10:1 CT	IDNM2238T 256TC TENV 230/460V 20:1 CT			
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL										
1,230	512	3.0	1.41	SK41E	\$ 1,757	\$ 2,386	\$ 2,138	\$ 3,202	\$ 2,280	\$ 2,903	\$ 4,455	\$ 1,132	\$ 1,225	
1,157	545	3.0	1.50											
1,064	592	2.9	1.63											
953	661	2.7	1.82											
811	777	2.6	2.14											
694	908	2.4	2.50											
586	1,074	2.5	2.96	SK32	1,650	N/A	2,033	N/A	2,175	2,798	N/A	1,027	N/A	
463	1,361	2.4	3.75											
392	1,608	2.2	4.43											
329	1,917	2.5	5.28											
315	1,997	2.0	5.50											
304	2,069	2.4	5.70											
302	2,087	3.0	5.75	SK42	1,939	2,568	2,486	3,492	2,628	3,251	4,745	1,480	1,515	
280	2,247	2.7	6.19											
261	2,414	2.9	6.65											
257	2,447	2.2	6.74	SK32	1,650	N/A	2,033	N/A	2,175	2,798	N/A	1,027	N/A	
238	2,643	2.6	7.28	SK42	1,939	2,568	2,486	3,492	2,628	3,251	4,745	1,480	1,515	
220	2,868	2.0	7.90	SK32	1,650	N/A	2,033	N/A	2,175	2,798	N/A	1,027	N/A	
208	3,035	1.7	8.36											
204	3,086	2.4	8.50	SK42	1,939	2,568	2,486	3,492	2,628	3,251	4,745	1,480	1,515	
177	3,557	1.6	9.80	SK32	1,650	N/A	2,033	N/A	2,175	2,798	N/A	1,027	N/A	
170	3,703	2.4	10.20	SK42	1,939	2,568	2,486	3,492	2,628	3,251	4,745	1,480	1,515	
141	4,458	2.4	12.28											
121	5,220	2.0	14.38											
115	5,489	2.0	15.12											
98	6,429	1.6	17.71											
97	6,465	2.6	17.81	SK52	2,388	3,042	2,846	3,853	2,988	3,611	5,106	1,840	1,876	
97	6,505	1.4	17.92	SK42	1,939	2,568	2,486	3,492	2,628	3,251	4,745	1,480	1,515	
89	7,115	2.4	19.60	SK52	2,388	3,042	2,846	3,853 N/A	2,988	3,611	5,106 N/A	1,840	1,876 N/A	
80	7,870	2.1	21.68											
73	8,683	1.9	23.92											
72	8,737	1.7	24.07											
66	9,605	1.7	26.46											
60	10,473	1.7	28.85					N/A			N/A		N/A	
52	12,066	3.2	33.24	SK73	4,657	5,310	5,038	6,701	5,180	5,803	7,954	4,032	4,724	
46	13,660	3.0	37.63											
40	15,765	2.1	43.43	SK63	3,786	4,439	4,157	5,923	4,299	4,922	7,176	3,151	3,946	
34	18,415	1.8	50.73											
32	19,537	1.7	53.82											
29	21,947	2.3	60.46	SK73	4,657	5,310	5,038	6,701	5,180	5,803	7,954	4,032	4,724	
23	27,178	1.7	74.87											
22	29,265	2.7	80.62	SK83	6,435	7,088	7,787	8,799	7,929	8,552	10,052	6,781	6,822	
19	33,171	1.4	91.38	SK73	4,657	5,310	5,038	6,701	5,180	5,803	7,954	4,032	4,724	
17	37,752	2.1	104.00	SK83	6,435	7,088	7,787	8,799	7,929	8,552	10,052	6,781	6,822	

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$2,845	N/A	\$2,845	N/A

Nord High Efficiency		132MH/4VR	160MH/4VN
230/460V or 575V	ADD:	\$324	\$350

**AGMA CLASS II
GENERAL PURPOSE**

15 HP

AGMA CLASS II GENERAL PURPOSE 15 HP					INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
							NORD MOTOR		BALDOR MOTOR				
					160M/4VR TEFC 230/460V 4:1 CT	160L/4VN TEFC 230/460V 10:1 CT	160MH/4VR 254TC TW TEFC 230/460V 5:1 CT	160LH/4VN 256TC TW TEFC 230/460V 10:1 CT	CM2333T 254TC TEFC 230/460V CONSTANT	CEM2333T 254TC TEFC 230/460V 10:1 CT	IDNM2333T 254TC TENV 230/460V 20:1 CT		
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL									
1,255	736	2.1	1.41	SK41E	\$ 2,386	\$ 2,761	\$ 3,202	\$ 3,974	\$ 3,559	\$ 4,367	\$ 4,552	\$ 1,225	
1,180	783	2.1	1.50										
1,086	851	2.0	1.63										
973	950	2.0	1.82										
827	1,117	1.9	2.14										
708	1,305	1.8	2.50										
619	1,493	2.6	2.86	SK51E	2,484	2,859	3,418	4,190	3,775	4,583	4,768	1,441	
586	1,576	3.4	3.02	SK42	2,568	2,943	3,492	4,264	3,849	4,657	4,842	1,515	
551	1,676	3.3	3.21										
506	1,827	3.2	3.50										
455	2,031	3.1	3.89										
386	2,391	2.9	4.58										
370	2,500	3.4	4.79										
347	2,662	3.2	5.10										
331	2,793	2.6	5.35										
308	3,002	3.3	5.75										
286	3,231	2.9	6.19										
276	3,351	3.5	6.42	SK52	3,042	3,431	3,853	4,625	4,210	5,018	5,203	1,876	
266	3,471	3.0	6.65	SK42	2,568	2,943	3,492	4,264	3,849	4,657	4,842	1,515	
243	3,800	2.5	7.28										
230	4,019	3.4	7.70	SK52	3,042	3,431	3,853	4,625	4,210	5,018	5,203	1,876	
208	4,437	2.1	8.50	SK42	2,568	2,943	3,492	4,264	3,849	4,657	4,842	1,515	
174	5,324	1.9	10.20										
144	6,410	1.6	12.28										
132	7,021	2.3	13.45	SK52	3,042	3,431	3,853	4,625	4,210	5,018	5,203	1,876	
126	7,308	1.8	14.00										
112	8,248	3.1	15.80	SK62	4,193	4,582	5,816	6,588	6,173	6,981	7,166	3,839	
102	9,067	3.0	17.37	SK63	4,439	4,827	5,923	6,695	6,280	7,088	7,273	3,946	
99	9,297	1.8	17.81	SK52	3,042	3,431	3,853	4,625	4,210	5,018	5,203	1,876	
90	10,231	1.6	19.60										
85	10,842	2.4	20.77	SK63	4,439	4,827	5,923	6,695	6,280	7,088	7,273	3,946	
82	11,317	1.4	21.68	SK52	3,042	3,431	3,853	4,625	4,210	5,018	5,203	1,876	
67	13,718	2.0	26.28	SK63	4,439	4,827	5,923	6,695	6,280	7,088	7,273	3,946	
57	16,135	1.9	30.91										
49	18,849	1.7	36.11										
41	22,670	1.4	43.43										
39	23,835	1.9	45.66	SK73	5,310	5,700	6,701	7,473	7,058	7,866	8,051	4,724	
34	27,269	1.8	52.24										
29	31,560	1.5	60.46										
29	32,307	2.4	61.89	SK83	7,088	7,479	8,799	9,571	9,156	9,964	10,149	6,822	
25	36,665	2.1	70.24										
24	37,829	3.0	72.47	SK93	9,797	10,187	11,506	12,278	11,863	12,671	12,856	9,529	
22	42,084	1.8	80.62	SK83	7,088	7,479	8,799	9,571	9,156	9,964	10,149	6,822	
19	48,723	2.5	93.34	SK93	9,797	10,187	11,506	12,278	11,863	12,671	12,856	9,529	
17	54,288	1.5	104.00	SK83	7,088	7,479	8,799	9,571	9,156	9,964	10,149	6,822	
16	56,971	1.8	109.14	SK93	9,797	10,187	11,506	12,278	11,863	12,671	12,856	9,529	

Nord High Efficiency		160MH/4VR	160LH/4VN
230/460V or 575V	ADD:	\$350	\$350

**AGMA CLASS II
GENERAL PURPOSE**

20 HP

AGMA CLASS II GENERAL PURPOSE 20 HP					INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
							NORD MOTOR		BALDOR MOTOR				
					RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL	TEFC 230/460V 4:1 CT	TEBC 230/460V 20:1 CT	160L/H4VR 256TC TW TEFC 230/460V 5:1 CT	
1,252	1,005	1.6	1.41	SK41E	\$ 2,761	\$ 3,271	\$ 3,974	\$ 4,484	\$ 3,943	\$ 4,426	\$ 5,821	\$ 1,225	
1,177	1,070	1.6	1.50										
1,083	1,162	1.5	1.63										
970	1,298	1.5	1.82										
825	1,526	1.4	2.14										
706	1,783	2.1	2.50	SK51E	2,859	3,369	4,190	4,700	4,159	4,642	6,037	1,441	
617	2,039	2.0	2.86										
584	2,153	2.5	3.02	SK42	2,943	3,453	4,264	4,774	4,233	4,716	6,111	1,515	
550	2,289	2.4	3.21										
504	2,496	2.3	3.50										
454	2,774	2.2	3.89										
433	2,909	2.6	4.08	SK52	3,431	3,941	4,625	5,135	4,594	5,077	6,472	1,876	
403	3,123	3.0	4.38										
383	3,287	2.5	4.61										
368	3,415	2.5	4.79	SK42	2,943	3,453	4,264	4,774	4,233	4,716	6,111	1,515	
347	3,622	2.9	5.08	SK52	3,431	3,941	4,625	5,135	4,594	5,077	6,472	1,876	
346	3,636	2.4	5.10	SK42	2,943	3,453	4,264	4,774	4,233	4,716	6,111	1,515	
330	3,815	1.9	5.35										
315	3,993	2.3	5.60	SK52	3,431	3,941	4,625	5,135	4,594	5,077	6,472	1,876	
305	4,128	2.8	5.79										
285	4,413	2.2	6.19	SK42	2,943	3,453	4,264	4,774	4,233	4,716	6,111	1,515	
275	4,577	2.6	6.42	SK52	3,431	3,941	4,625	5,135	4,594	5,077	6,472	1,876	
265	4,741	2.2	6.65	SK42	2,943	3,453	4,264	4,774	4,233	4,716	6,111	1,515	
242	5,191	1.8	7.28										
229	5,490	2.6	7.70	SK52	3,431	3,941	4,625	5,135	4,594	5,077	6,472	1,876	
200	6,296	2.3	8.83										
167	7,544	2.1	10.58										
152	8,264	2.7	11.59	SK62	4,582	5,092	6,588	7,098	6,557	7,040	8,435	3,839	
131	9,590	1.7	13.45	SK52	3,431	3,941	4,625	5,135	4,594	5,077	6,472	1,876	
127	9,925	2.5	13.92	SK62	4,582	5,092	6,588	7,098	6,557	7,040	8,435	3,839	
126	9,982	1.7	14.00	SK52	3,431	3,941	4,625	5,135	4,594	5,077	6,472	1,876	
112	11,265	2.4	15.80	SK62	4,582	5,092	6,588	7,098	6,557	7,040	8,435	3,839	
102	12,385	2.2	17.37	SK63	4,827	5,337	6,695	7,205	6,664	7,147	8,542	3,946	
97	12,934	2.1	18.14	SK62	4,582	5,092	6,588	7,098	6,557	7,040	8,435	3,839	
85	14,809	1.9	20.77	SK63	4,827	5,337	6,695	7,205	6,664	7,147	8,542	3,946	
80	15,672	1.8	21.98										
67	18,738	1.5	26.28										
62	20,192	2.2	28.32	SK73	5,700	6,210	7,473	7,983	7,442	7,925	9,320	4,724	
57	22,039	1.4	30.91	SK63	4,827	5,337	6,695	7,205	6,664	7,147	8,542	3,946	
53	23,700	1.9	33.24	SK73	5,700	6,210	7,473	7,983	7,442	7,925	9,320	4,724	
47	26,830	1.6	37.63										
45	27,864	2.5	39.08	SK83	7,479	7,989	9,571	10,081	9,540	10,023	11,418	6,822	
40	31,643	2.5	44.38										
39	32,556	1.5	45.66	SK73	5,700	6,210	7,473	7,983	7,442	7,925	9,320	4,724	
34	36,727	2.1	51.51	SK83	7,479	7,989	9,571	10,081	9,540	10,023	11,418	6,822	
29	44,128	1.8	61.89										
25	50,081	1.6	70.24										
24	51,671	2.3	72.47	SK93	10,187	10,697	12,278	12,788	12,247	12,730	14,125	9,529	
22	57,482	1.4	80.62	SK83	7,479	7,989	9,571	10,081	9,540	10,023	11,418	6,822	
19	66,551	1.9	93.34	SK93	10,187	10,697	12,278	12,788	12,247	12,730	14,125	9,529	

Nord High Efficiency 230/460V or 575V ADD:	160LH/4VR	160LH/4VZF
	\$350	\$350

**AGMA CLASS II
GENERAL PURPOSE**

25 HP

AGMA CLASS II GENERAL PURPOSE 25 HP					INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC
					180MX/4VR TEFC 230/460V 4:1 CT	180LX/4VN TEFC 230/460V 10:1 CT	NORD MOTOR		BALDOR MOTOR				
							180MH/4VR 284TC TW TEFC 230/460V 5:1 CT	180LH/4VN 286TC TW TEFC 230/460V 10:1 CT	CM4103T 284TC TEFC 230/460V CONSTANT	CEM4103T 284TC TEFC 230/460V 10:1 CT	IDM4103T-M13C* 286TC TEBC 230/460V 20:1 CT		
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL									
1,411	1,100	2.2	1.24	SK51E	\$ 3,079	\$ 3,231	INQUIRE	INQUIRE	\$ 5,583	\$ 6,373	\$ 8,270	\$ 2,140	
1,215	1,277	2.1	1.44										
1,151	1,348	2.0	1.52										
1,067	1,455	1.9	1.64										
962	1,614	1.8	1.82										
850	1,827	1.8	2.06										
700	2,218	1.7	2.50										
629	2,466	3.1	2.78	SK52	3,659	3,818			5,918	6,708	8,605	2,475	
542	2,865	2.9	3.23										
515	3,016	2.9	3.40										
477	3,255	2.8	3.67										
429	3,619	2.7	4.08										
400	3,885	2.9	4.38										
380	4,089	2.5	4.61										
344	4,506	2.6	5.08										
313	4,967	2.1	5.60										
302	5,136	2.4	5.79										
287	5,402	2.4	6.09										
273	5,695	2.3	6.42										
241	6,448	2.1	7.27										
227	6,830	2.0	7.70										
199	7,788	3.4	8.78										SK62
198	7,832	1.9	8.83	SK52	3,659	3,818			5,918	6,708	8,605	2,475	
165	9,384	1.6	10.58										
151	10,280	2.6	11.59	SK62	4,811	4,969			7,324	8,114	10,011	3,881	
130	11,930	1.4	13.45	SK52	3,659	3,818			5,918	6,708	8,605	2,475	
122	12,711	2.8	14.33	SK72	5,629	5,787			7,911	8,701	10,598	4,468	
111	14,015	1.9	15.80	SK62	4,811	4,969			7,324	8,114	10,011	3,881	
104	14,955	2.4	16.86	SK72	5,629	5,787			7,911	8,701	10,598	4,468	
101	15,354	1.8	17.31	SK63	5,056	5,214			7,431	8,221	10,118	3,988	
97	15,966	2.7	18.00	SK73	5,928	6,086			8,206	8,996	10,893	4,763	
96	16,090	1.7	18.14	SK62	4,811	4,969			7,324	8,114	10,011	3,881	
84	18,423	1.5	20.77	SK63	5,056	5,214			7,431	8,221	10,118	3,988	
80	19,496	1.4	21.98										
75	20,703	2.1	23.34	SK73	5,928	6,086			8,206	8,996	10,893	4,763	
62	25,120	1.7	28.32										
53	29,484	1.5	33.24										
45	34,664	2.3	39.08	SK83	7,705	7,863			10,566	11,356	13,253	7,123	
39	39,365	2.0	44.38										
34	45,689	1.7	51.51										
28	54,896	1.4	61.89										
25	62,427	2.8	70.38	SK103	14,989	15,148			16,523	17,313	19,210	13,080	
24	64,281	1.8	72.47	SK93	10,416	10,574			13,013	13,803	15,700	9,570	
21	72,202	2.5	81.40	SK103	14,989	15,148			16,523	17,313	19,210	13,080	

* M13C = NEMA C-FACE: PLEASE ALLOW ADDITIONAL WEEK FOR DELIVERY.

Nord High Efficiency		180MH/4VR	180LH/4VN
230/460V or 575V	ADD:	\$664	\$664

**AGMA CLASS II
GENERAL PURPOSE**

30 HP

AGMA CLASS II GENERAL PURPOSE 30 HP					INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC
							NORD MOTOR		BALDOR MOTOR				
					180LX/4VR TEFC 230/460V 4:1 CT	180LX/4VZF TEBC 230/460V 20:1 CT	180LH/4VR 286TC TW TEFC 230/460V 5:1 CT	180LH/4VZF 286TC TW TEBC 230/460V 20:1 CT	CM4104T 286TC TEFC 230/460V CONSTANT	CEM4104T 284TC TEFC 230/460V 10:1 CT	IDM4104T-M13C* 284TC TEBC 230/460V 20:1 CT		
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL									
1,415	1,304	1.8	1.24	SK51E	\$ 3,231	\$ 3,917	INQUIRE	INQUIRE	\$ 6,070	\$ 7,018	\$ 8,995	\$ 2,140	
1,219	1,515	1.7	1.44										
1,155	1,599	1.7	1.52										
1,070	1,725	1.6	1.64										
964	1,915	1.5	1.82										
852	2,167	1.5	2.06										
702	2,630	1.4	2.50										
631	2,925	2.6	2.78	SK52	3,818	4,504			6,405	7,353	9,330	2,475	
543	3,398	2.4	3.23										
516	3,577	2.4	3.40										
478	3,861	2.4	3.67										
430	4,292	2.3	4.08										
401	4,608	2.4	4.38										
385	4,797	3.3	4.56	SK62	4,969	5,655			7,811	8,759	10,736	3,881	
381	4,850	2.1	4.61	SK52	3,818	4,504			6,405	7,353	9,330	2,475	
345	5,344	2.2	5.08										
332	5,565	2.9	5.29	SK62	4,969	5,655			7,811	8,759	10,736	3,881	
313	5,891	1.7	5.60	SK52	3,818	4,504			6,405	7,353	9,330	2,475	
303	6,091	2.0	5.79										
288	6,407	2.0	6.09										
276	6,680	2.5	6.35										
273	6,754	1.9	6.42	SK52	3,818	4,504			6,405	7,353	9,330	2,475	
241	7,648	1.8	7.27										
232	7,953	3.3	7.56	SK62	4,969	5,655			7,811	8,759	10,736	3,881	
228	8,100	1.7	7.70	SK52	3,818	4,504			6,405	7,353	9,330	2,475	
199	9,289	1.6	8.83										
166	11,099	2.4	10.55	SK62	4,969	5,655			7,811	8,759	10,736	3,881	
151	12,193	2.2	11.59										
140	13,171	2.7	12.52	SK72	5,787	6,473			8,398	9,346	11,323	4,468	
126	14,644	1.8	13.92	SK62	4,969	5,655			7,811	8,759	10,736	3,881	
122	15,075	2.3	14.33	SK72	5,787	6,473			8,398	9,346	11,323	4,468	
111	16,622	1.6	15.80	SK62	4,969	5,655			7,811	8,759	10,736	3,881	
104	17,737	2.0	16.86	SK72	5,787	6,473			8,398	9,346	11,323	4,468	
97	19,083	1.4	18.14	SK62	4,969	5,655			7,811	8,759	10,736	3,881	
75	24,554	1.8	23.34	SK73	6,086	6,772			8,693	9,641	11,618	4,763	
62	29,793	1.5	28.32										
54	34,211	2.2	32.52	SK83	7,863	8,549			11,053	12,001	13,978	7,123	
45	41,112	1.9	39.08										
40	46,688	1.6	44.38										
38	48,992	2.2	46.57	SK93	10,574	11,260			13,500	14,448	16,425	9,570	
34	54,189	1.4	51.51	SK83	7,863	8,549			11,053	12,001	13,978	7,123	
33	55,735	3.1	52.98	SK103	15,148	15,834			17,010	17,958	19,935	13,080	
33	56,598	1.9	53.80	SK93	10,574	11,260			13,500	14,448	16,425	9,570	
29	63,867	2.7	60.71	SK103	15,148	15,834			17,010	17,958	19,935	13,080	
28	64,835	1.7	61.63	SK93	10,574	11,260			13,500	14,448	16,425	9,570	
25	74,040	2.3	70.38	SK103	15,148	15,834			17,010	17,958	19,935	13,080	
24	76,238	1.5	72.47	SK93	10,574	11,260			13,500	14,448	16,425	9,570	
22	85,633	2.1	81.40	SK103	15,148	15,834			17,010	17,958	19,935	13,080	

* M13C = NEMA C-FACE: PLEASE ALLOW ADDITIONAL WEEK FOR DELIVERY.

Nord High Efficiency		180LH/4VR	180LH/4VZF
230/460V or 575V	ADD:	\$664	\$729

**AGMA CLASS II
GENERAL PURPOSE**

40 HP

AGMA CLASS II GENERAL PURPOSE 40 HP					INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 320TC
					200L/4VR TEFC 230/460V 4:1 CT	200L/4VZF TEBC 230/460V 20:1 CT	NORD OR OTHER "INQUIRE"	BALDOR MOTOR			
								CM4110T 324TC TEFC 230/460V CONSTANT	CEM4110T 324TC TEFC 230/460V 10:1 CT	IDM4110T-M13C* 324TC TEBC 230/460V 20:1 CT	
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL							
599	4,200	3.3	2.97	SK62	\$ 6,790	\$ 7,956	INQUIRE	\$ 9,231	\$ 10,403	\$ 13,134	\$ 4,188
539	4,666	3.2	3.30								
478	5,260	3.1	3.72								
455	5,529	3.0	3.91								
440	5,727	2.9	4.05								
390	6,448	2.8	4.56								
336	7,480	2.2	5.29								
318	7,918	2.9	5.60	SK72	7,680	8,846		9,796	10,968	13,699	4,753
280	8,979	1.9	6.35	SK62	6,790	7,956		9,231	10,403	13,134	4,188
277	9,078	2.7	6.42	SK72	7,680	8,846		9,796	10,968	13,699	4,753
256	9,827	3.3	6.95								
235	10,690	2.6	7.56	SK62	6,790	7,956		9,231	10,403	13,134	4,188
217	11,581	3.1	8.19	SK72	7,680	8,846		9,796	10,968	13,699	4,753
203	12,415	2.1	8.78	SK62	6,790	7,956		9,231	10,403	13,134	4,188
188	13,376	2.9	9.46	SK72	7,680	8,846		9,796	10,968	13,699	4,753
169	14,918	1.8	10.55	SK62	6,790	7,956		9,231	10,403	13,134	4,188
164	15,328	2.7	10.84	SK72	7,680	8,846		9,796	10,968	13,699	4,753
154	16,388	1.7	11.59	SK62	6,790	7,956		9,231	10,403	13,134	4,188
142	17,703	2.0	12.52	SK72	7,680	8,846		9,796	10,968	13,699	4,753
128	19,683	1.4	13.92	SK62	6,790	7,956		9,231	10,403	13,134	4,188
124	20,263	1.8	14.33	SK72	7,680	8,846		9,796	10,968	13,699	4,753
106	23,840	1.5	16.86								
99	25,452	1.7	18.00	SK73	7,907	9,073		10,095	11,267	13,998	5,052
86	29,157	1.5	20.62								
85	29,751	2.4	21.04	SK83	9,685	10,851		13,344	14,516	17,247	8,301
73	34,530	2.0	24.42								
64	39,634	1.8	28.03								
66	38,249	2.8	27.05	SK93	12,395	13,561		14,912	16,084	18,815	9,869
57	44,188	2.4	31.25								
55	45,983	1.6	32.52	SK83	9,685	10,851		13,344	14,516	17,247	8,301
47	53,829	3.3	37.90	SK103	16,968	18,134		18,397	19,569	22,300	13,354
45	55,505	1.4	39.08	SK83	9,685	10,851		13,344	14,516	17,247	8,301
45	56,158	1.9	39.54	SK93	12,395	13,561		14,912	16,084	18,815	9,869
39	64,268	2.8	45.25	SK103	16,968	18,134		18,397	19,569	22,300	13,354
38	66,143	1.6	46.57	SK93	12,395	13,561		14,912	16,084	18,815	9,869
34	75,247	2.4	52.98	SK103	16,968	18,134		18,397	19,569	22,300	13,354
33	76,073	1.4	53.80	SK93	12,395	13,561		14,912	16,084	18,815	9,869
29	85,844	2.1	60.71	SK103	16,968	18,134		18,397	19,569	22,300	13,354
25	99,517	1.8	70.38								
22	115,100	1.6	81.40								

* M13C = NEMA C-FACE: PLEASE ALLOW ADDITIONAL WEEK FOR DELIVERY.

Nord High Efficiency 230/460V or 575V	ADD:	200LH/4VR	200LH/4VZF
		\$883	\$883

**AGMA CLASS II
GENERAL PURPOSE**

50 HP

AGMA CLASS II GENERAL PURPOSE 50 HP					INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 320TC
					225S/4VR TEFC 230/460V 4:1 CT	225M/4VN TEFC 230/460V 10:1 CT	NORD OR OTHER "INQUIRE"	BALDOR MOTOR			
								CM4115T 326TC TEFC 230/460V CONSTANT	CEM4115T 326TC TEFC 230/460V 10:1 CT	IDM4115T-M13C* 326TC TEBC 230/460V 20:1 CT	
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL							
594	5,224	2.6	2.97	SK62	\$ 7,700	\$ 8,639	INQUIRE	\$ 9,378	\$ 10,901	\$ 91,590	\$ 4,188
535	5,805	2.5	3.30								
474	6,543	2.4	3.72								
451	6,878	2.3	3.91								
436	7,124	2.3	4.05								
387	8,021	2.2	4.56								
334	9,305	1.8	5.29								
315	9,850	2.3	5.60	SK72	8,590	9,528		9,943	11,466	92,155	4,753
278	11,170	1.5	6.35	SK62	7,700	8,639		9,378	10,901	91,590	4,188
275	11,293	2.1	6.42	SK72	8,590	9,528		9,943	11,466	92,155	4,753
254	12,225	2.6	6.95								
233	13,298	2.0	7.56	SK62	7,700	8,639		9,378	10,901	91,590	4,188
216	14,406	2.4	8.19	SK72	8,590	9,528		9,943	11,466	92,155	4,753
201	15,444	1.7	8.78	SK62	7,700	8,639		9,378	10,901	91,590	4,188
187	16,640	2.3	9.46	SK72	8,590	9,528		9,943	11,466	92,155	4,753
167	18,557	1.5	10.55	SK62	7,700	8,639		9,378	10,901	91,590	4,188
163	19,068	2.1	10.84	SK72	8,590	9,528		9,943	11,466	92,155	4,753
141	22,023	1.6	12.52								
123	25,206	1.4	14.33								
107	29,129	2.0	16.56	SK83	10,595	11,533		13,491	15,014	95,703	8,301
92	33,632	2.8	19.12	SK93	13,304	14,243		15,059	16,582	97,271	9,869
84	37,009	1.9	21.04	SK83	10,595	11,533		13,491	15,014	95,703	8,301
77	40,404	2.6	22.97	SK93	13,304	14,243		15,059	16,582	97,271	9,869
72	42,955	1.6	24.42	SK83	10,595	11,533		13,491	15,014	95,703	8,301
70	44,503	2.7	25.30	SK103	17,878	18,817		18,544	20,067	100,756	13,354
65	47,581	2.2	27.05	SK93	13,304	14,243		15,059	16,582	97,271	9,869
63	49,305	1.4	28.03	SK83	10,595	11,533		13,491	15,014	95,703	8,301
56	54,969	1.9	31.25	SK93	13,304	14,243		15,059	16,582	97,271	9,869
47	66,666	2.6	37.90	SK103	17,878	18,817		18,544	20,067	100,756	13,354
45	69,551	1.5	39.54	SK93	13,304	14,243		15,059	16,582	97,271	9,869
39	79,595	2.2	45.25	SK103	17,878	18,817		18,544	20,067	100,756	13,354
33	93,192	1.9	52.98								
29	106,789	1.6	60.71								
25	123,798	1.4	70.38								

* M13C = NEMA C-FACE: PLEASE ALLOW ADDITIONAL WEEK FOR DELIVERY.

Nord High Efficiency		225SH/4VR	225MH/4VN
230/460V or 575V	ADD:	\$1,217	\$1,217

**AGMA CLASS II
GENERAL PURPOSE**

60 HP

AGMA CLASS II GENERAL PURPOSE 60 HP					INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 360TC
					225M/4VR TEFC 230/460V 4:1 CT	225M/4VZF* TEBC 230/460V 20:1 CT	NORD OR OTHER "INQUIRE"	BALDOR MOTOR		
								CM4314T 364TC TEFC 230/460V CONSTANT	CEM4314T 364TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL						
596	6,335	2.7	2.97	SK62	\$ 8,639	\$ 9,805	INQUIRE	\$ 12,972	\$ 14,747	\$ 5,388
536	7,039	2.5	3.30							
476	7,935	2.3	3.72							
453	8,340	2.1	3.91							
437	8,639	1.9	4.05							
430	8,788	2.7	4.12	SK72	9,528	10,694		13,449	15,224	5,865
388	9,726	1.9	4.56	SK62	8,639	9,805		12,972	14,747	5,388
365	10,345	2.5	4.85	SK72	9,528	10,694		13,449	15,224	5,865
335	11,284	1.5	5.29	SK62	8,639	9,805		12,972	14,747	5,388
316	11,945	2.1	5.60	SK72	9,528	10,694		13,449	15,224	5,865
276	13,694	1.8	6.42							
255	14,824	2.6	6.95							
234	16,125	1.7	7.56	SK62	8,639	9,805		12,972	14,747	5,388
216	17,469	2.4	8.19	SK72	9,528	10,694		13,449	15,224	5,865
202	18,728	1.4	8.78	SK62	8,639	9,805		12,972	14,747	5,388
187	20,178	2.1	9.46	SK72	9,528	10,694		13,449	15,224	5,865
163	23,122	1.8	10.84							
149	25,255	2.5	11.84	SK82	11,234	12,400		15,633	17,408	8,049
124	30,481	1.9	14.29							
107	35,322	1.6	16.56							
93	40,783	2.6	19.12	SK93	14,243	15,409		18,623	20,398	11,039
84	44,878	1.6	21.04	SK83	11,533	12,699		16,639	18,414	9,055
77	48,995	2.2	22.97	SK93	14,243	15,409		18,623	20,398	11,039
72	52,088	1.4	24.42	SK83	11,533	12,699		16,639	18,414	9,055
70	53,965	3.3	25.30	SK103	18,817	19,983		22,008	23,783	14,424
65	57,698	1.9	27.05	SK93	14,243	15,409		18,623	20,398	11,039
57	66,656	1.6	31.25							
47	80,841	2.2	37.90	SK103	18,817	19,983		22,008	23,783	14,424
39	96,518	1.8	45.25							
33	113,006	1.5	52.98							
29	129,494	1.4	60.71							

*Allow 6 week delivery for Nord 60 HP motor with constant velocity fan (225M/4VZF)

Nord High Efficiency	225MH/4VR	225MH/4VZF
230/460V or 575V ADD:	\$1,217	\$1,217