

**AGMA CLASS II
WASHDOWN**

0.25 HP

RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL	INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
					63L/4VR	71S/4VN	NORD MOTOR		BALDOR	
					TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	63L/4VR 56C TEFC 230/460V 5:1 CT	71S/4VN 56C TEFC 230/460V 10:1 CT	N/A TEFC 230/460V 4:1 CT	
1,267	12	16.6	1.35	SK11E	\$ 578	\$ 600	\$ 739	\$ 756	N/A	\$ 550
1,110	14	15.8	1.54							
945	17	15.2	1.81							
838	19	14.7	2.04							
737	21	14.1	2.32							
604	26	13.2	2.83							
580	27	13.7	2.95	SK02	620	639	760	777	N/A	571
506	31	13.1	3.38							
440	36	12.5	3.89							
405	39	11.4	4.22							
381	41	25.9	4.49	SK12	655	676	793	810	N/A	604
355	44	10.9	4.82	SK02	620	639	760	777	N/A	571
307	51	9.5	5.57							
280	56	8.7	6.10							
248	63	8.2	6.89							
219	72	7.5	7.80							
209	75	7.1	8.19							
184	86	6.5	9.28							
172	92	6.0	9.95							
152	104	5.5	11.27							
133	118	5.1	12.82							
107	147	4.2	15.95							
83	190	3.3	20.59							
74	213	3.1	23.13							
70	225	3.6	24.39							
62	254	2.9	27.52							
58	273	3.1	29.61							
51	308	2.7	33.42							
41	383	2.2	41.58							
40	397	3.5	43.09	SK12	655	676	793	810	N/A	604
36	441	3.6	47.87							
32	496	3.0	53.84							
28	565	2.3	61.35							
25	630	2.7	68.40	SK13	902	905	957	974	N/A	768
24	669	1.8	72.63	SK12	655	676	793	810	N/A	604
20	788	1.9	85.47	SK13	902	905	957	974	N/A	768

**AGMA CLASS II
WASHDOWN**

0.33 HP

RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL	INTEGRAL		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
					NORD MOTOR		NORD MOTOR		WEG	
					71S/4VR TEFC 230/460V 5:1 CT	71L/4VN TEFC 230/460V 10:1 CT	71S/4VR 56C TEFC 230/460V 5:1 CT	71L/4VN 56C TEFC 230/460V 10:1 CT	300693305 56C TENV 230/460V 10:1 CT	
1,267	16	12.8	1.35	SK11E	\$ 600	\$ 609	\$ 756	\$ 757	\$ 950	\$ 550
1,110	19	12.2	1.54							
945	22	11.8	1.81							
838	25	11.4	2.04							
737	28	10.9	2.32							
604	34	10.2	2.83							
580	36	10.6	2.95	SK02	639	648	777	778	971	571
506	41	10.1	3.38							
440	47	9.7	3.89							
405	51	8.8	4.22							
355	59	8.5	4.82							
307	68	7.3	5.57							
280	74	6.7	6.10							
248	84	6.3	6.89							
219	95	5.8	7.80							
209	100	5.5	8.19							
184	113	5.0	9.28							
172	121	4.6	9.95							
152	137	4.3	11.27							
133	156	3.9	12.82							
107	194	3.2	15.95							
83	250	2.6	20.59							
74	281	2.4	23.13							
70	297	2.6	24.39							
62	335	2.3	27.52							
58	360	2.1	29.61							
51	406	2.1	33.42							
49	427	3.0	35.07	SK12	676	685	810	811	1,004	604
41	506	1.7	41.58	SK02	639	648	777	778	987	571
40	524	2.7	43.09	SK12	676	685	810	811	1,034	604
37	558	4.6	45.90	SK22	839	848	966	967	1,221	760
32	655	2.3	53.84	SK12	676	685	810	811	1,107	604
31	672	4.1	55.28	SK22	839	848	966	967	1,353	760
28	746	1.8	61.35	SK12	676	685	810	811	1,541	604
24	849	2.7	69.81	SK22	839	848	966	967	1,900	760
24	883	1.4	72.63	SK12	676	685	810	811	2,159	604
20	1,050	2.1	86.30	SK22	839	848	966	967	2,414	760

Nord SK205E VFD

3PH, 200-240V

ADD:

\$1,515

\$1,515

\$1,515

\$1,515

**AGMA CLASS II
WASHDOWN**

0.50 HP

RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL	INTEGRAL		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
					NORD MOTOR		NORD MOTOR		WEG	
					71L/4VR TEFC 230/460V 5:1 CT	80S/4VN TEFC 230/460V 10:1 CT	71L/4VR 56C TEFC 230/460V 5:1 CT	80S/4VN 56C TEFC 230/460V 10:1 CT	300695005 56C TENV 230/460V 10:1 CT	
1,274	25	8.5	1.35	SK11E	\$ 609	\$ 653	\$ 757	\$ 797	\$ 966	\$ 550
1,117	28	8.3	1.54							
950	33	8.0	1.81							
843	37	7.7	2.04							
741	43	7.4	2.32							
608	52	6.9	2.83							
583	54	7.2	2.95	SK02	648	689	778	818	987	571
509	62	6.9	3.38							
442	71	6.6	3.89							
408	77	6.0	4.22							
357	88	5.8	4.82							
309	102	5.0	5.57							
282	112	4.5	6.10							
250	126	4.3	6.89							
221	143	3.9	7.80							
210	150	3.7	8.19							
185	170	3.4	9.28							
173	182	3.1	9.95							
153	206	2.9	11.27							
134	235	2.7	12.82							
108	292	2.2	15.95							
103	307	4.5	16.73	SK12	685	727	811	851	1,020	604
92	344	4.2	18.79							
84	377	1.7	20.59	SK02	648	689	778	818	987	571
81	390	3.8	21.28	SK12	685	727	811	851	1,020	604
74	424	1.6	23.13	SK02	648	698	778	818	987	571
71	447	1.8	24.39							
66	475	2.6	25.92	SK12	685	727	811	851	1,020	604
63	504	1.5	27.52	SK02	648	689	778	818	987	571
59	534	2.1	29.15	SK12	685	727	811	851	1,020	604
58	542	1.5	29.61	SK02	648	689	778	818	987	571
55	571	2.6	31.19	SK12	685	727	811	851	1,020	604
49	643	2.1	35.07							
45	702	2.3	38.31							
40	789	1.8	43.09							
37	841	3.1	45.90	SK22	848	891	967	1,007	1,176	760
36	877	1.8	47.87	SK12	685	727	811	851	1,020	604
32	986	1.6	53.84							
31	1,013	2.8	55.28	SK22	848	891	967	1,007	1,176	760
25	1,279	1.8	69.81							
20	1,581	1.4	86.30							
19	1,621	1.9	88.45	SK23	1,048	1,089	1,281	1,321	1,490	1,074
17	1,843	1.6	100.60							

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,524	\$1,524	\$1,524	\$1,524

**AGMA CLASS II
WASHDOWN

0.75 HP**

AGMA CLASS II WASHDOWN 0.75 HP					INTEGRAL		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
					NORD MOTOR		NORD MOTOR		WEG	
					80S/4VR TEFC 230/460V 5:1 CT	80L/4VN TEFC 230/460V 10:1 CT	80S/4VR 56C TEFC 230/460V 5:1 CT	80LH/4VN 56C TEFC 230/460V 10:1 CT	300697508 56C TENV 230/460V 10:1 CT	
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL						
1,278	37	5.6	1.35	SK11E	\$ 653	\$ 662	\$ 797	\$ 868	\$ 980	\$ 550
1,120	42	5.5	1.54							
953	50	5.3	1.81							
846	56	5.1	2.04							
744	64	4.9	2.32							
610	78	4.6	2.83							
585	81	4.7	2.95	SK02	689	698	818	889	1,001	571
510	93	4.5	3.38							
443	107	4.3	3.89							
409	116	3.9	4.22							
358	132	3.8	4.82							
310	153	3.3	5.57							
283	167	3.0	6.10							
250	189	2.8	6.89							
221	214	2.6	7.80							
211	224	2.5	8.19							
186	254	2.2	9.28							
173	273	2.1	9.95							
161	293	4.0	10.70	SK12	727	736	851	922	1,034	604
153	309	1.9	11.27	SK02	689	698	818	889	1,001	571
135	351	1.7	12.82							
129	367	3.6	13.39	SK12	727	736	851	922	1,034	604
108	437	1.4	15.95	SK02	689	698	818	889	1,001	571
103	458	2.9	16.73	SK12	727	736	851	922	1,034	604
92	515	2.7	18.79							
81	583	2.5	21.28							
70	678	3.2	24.73	SK22	891	901	1,007	1,078	1,190	760
67	710	1.7	25.92	SK12	727	736	851	922	1,034	604
59	803	3.2	29.31	SK22	891	901	1,007	1,078	1,190	760
55	855	1.7	31.19	SK12	727	736	851	922	1,034	604
49	974	3.0	35.55	SK22	891	901	1,007	1,078	1,190	760
40	1,173	2.5	42.82							
38	1,258	2.0	45.90							
31	1,515	1.9	55.28							
30	1,576	3.4	57.53	SK32	1,027	1,036	1,231	1,302	1,414	984
27	1,761	3.2	64.26							
24	1,994	2.5	72.76							
21	2,227	2.0	81.27							
20	2,416	1.9	88.18	SK33N	1,298	1,307	1,370	1,441	1,553	1,123
15	3,074	1.6	112.18							

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,560	\$1,560	\$1,560	\$1,560

**AGMA CLASS II
WASHDOWN**

1 HP

AGMA CLASS II WASHDOWN 1 HP					INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 56C/140TC
							NORD MOTOR		WEG	BALDOR MOTOR			
					80L/4VR TEFC 230/460V 5:1 CT	90S/4VN TEFC 230/460V 10:1 CT	80LH/4VR 143TC TEFC 230/460V 5:1 CT	90SH/4VN 145TC TEFC 230/460V 10:1 CT	300600112 56C TENV 230/460V 10:1 CT	VEWDM3546T 143TC TENV 230/460V 10:1 CT	IDWNM3546T 143TC TENV 230/460V 20:1 CT		
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL									
1,278	49	4.1	1.35	SK11E									
1,120	56	3.9	1.54										
953	66	3.8	1.81										
846	75	3.7	2.04		\$ 662	\$ 717	\$ 868	\$ 916	\$ 1,011	\$ 1,528	\$ 2,108	\$ 550	
744	85	3.5	2.32										
610	103	3.3	2.83										
585	108	3.4	2.95	SK02									
510	123	3.3	3.38										
443	142	3.1	3.89										
409	154	2.8	4.22										
358	176	2.7	4.82		698	748	890	938	1,033	1,550	2,130	\$ 572	
310	204	2.4	5.57										
283	223	2.2	6.10										
250	252	2.0	6.89										
237	266	3.9	7.28	SK12	736	789	951	999	1,094	1,611	2,191	633	
221	285	1.9	7.80	SK02	698	748	890	938	1,033	1,550	2,130	572	
220	287	3.7	7.85	SK12	736	789	951	999	1,094	1,611	2,191	633	
211	299	1.8	8.19	SK02	698	748	890	938	1,033	1,550	2,130	572	
202	313	3.5	8.56	SK12	736	789	951	999	1,094	1,611	2,191	633	
186	339	1.6	9.28	SK02	698	748	890	938	1,033	1,550	2,130	572	
179	353	3.2	9.65	SK12	736	789	951	999	1,094	1,611	2,191	633	
173	364	1.5	9.95	SK02	698	748	890	938	1,033	1,550	2,130	572	
161	391	2.9	10.70	SK12	736	789	951	999	1,094	1,611	2,191	633	
153	412	1.4	11.27	SK02	698	748	890	938	1,033	1,550	2,130	572	
129	489	2.6	13.39	SK12									
103	611	2.1	16.73		736	789	951	999	1,094	1,611	2,191	633	
92	687	2.0	18.79										
81	777	1.8	21.28										
70	904	2.3	24.73	SK22									
59	1,071	2.3	29.31		901	955	1,078	1,126	1,221	1,738	2,318	760	
49	1,299	2.1	35.55										
45	1,416	2.7	38.76	SK32	1,036	1,091	1,302	1,350	1,445	1,962	2,542	984	
40	1,564	1.8	42.82	SK22									
38	1,677	1.5	45.90		901	955	1,078	1,126	1,221	1,738	2,318	760	
30	2,102	2.5	57.53	SK32									
27	2,348	2.3	64.26		1,036	1,091	1,302	1,350	1,445	1,962	2,542	984	
25	2,562	3.6	70.12	SK43	1,669	1,723	1,897	1,945	2,040	2,557	3,137	1,579	
24	2,658	1.8	72.76	SK32	1,036	1,091	1,302	1,350	1,445	1,962	2,542	984	
22	2,921	3.4	79.96	SK43	1,669	1,723	1,897	1,945	2,040	2,557	3,137	1,579	
21	2,969	1.5	81.27	SK32	1,036	1,091	1,302	1,350	1,445	1,962	2,542	984	
20	3,222	1.4	88.18	SK33N	1,307	1,361	1,634	1,682	1,777	2,294	2,874	1,316	
18	3,469	3.0	94.96	SK43									
16	3,928	2.4	107.51		1,669	1,723	1,897	1,945	2,040	2,557	3,137	1,579	

Nord SK205E VFD 3PH, 200-240V		ADD:	\$1,600	\$1,600	\$1,600	\$1,600
----------------------------------	--	------	---------	---------	---------	---------

Nord High Efficiency 230/460V or 575V		ADD:	80LH/4VR \$125	90SH/4VN \$141
--	--	------	-------------------	-------------------

**AGMA CLASS II
WASHDOWN**

1.5 HP

AGMA CLASS II WASHDOWN 1.5 HP					INTEGRAL		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
					NORD MOTOR		NORD MOTOR		WEG	BALDOR MOTOR			
					90S/4VR	90L/4VN	90SH/4VR	90LH/4VN	300619513	VEWDM3554T	IDWNM3554T		
					TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 20:1 CT		
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL									
1,278	74	3.7	1.35	SK11E									
1,120	84	3.5	1.54										
953	99	3.3	1.81										
846	112	3.2	2.04		\$ 717	\$ 724	\$ 916	\$ 947	\$ 1,053	\$ 1,600	\$ 2,267	\$ 550	
744	127	3.2	2.32										
610	155	3.0	2.83										
585	162	2.4	2.95	SK02									
510	185	2.4	3.38		748	756	938	969	1,075	1,622	2,289	572	
443	213	2.1	3.89										
433	218	3.9	3.98	SK12	789	796	999	1,030	1,136	1,683	2,350	633	
409	231	1.9	4.22	SK02	748	756	938	969	1,075	1,622	2,289	572	
399	237	4.0	4.32	SK12	789	796	999	1,030	1,136	1,683	2,350	633	
384	246	3.8	4.49										
358	264	1.9	4.82	SK02	748	756	938	969	1,075	1,622	2,289	572	
350	270	3.7	4.93	SK12	789	796	999	1,030	1,136	1,683	2,350	633	
310	305	1.6	5.57	SK02	748	756	938	969	1,075	1,622	2,289	572	
298	317	3.3	5.79	SK12	789	796	999	1,030	1,136	1,683	2,350	633	
264	358	3.0	6.53										
250	378	1.4	6.89	SK02	748	756	938	969	1,075	1,622	2,289	572	
237	399	2.6	7.28	SK12	789	796	999	1,030	1,136	1,683	2,350	633	
220	430	2.6	7.85										
202	469	2.4	8.56										
179	529	2.2	9.65										
161	586	1.9	10.70										
158	597	3.8	10.89	SK22	955	963	1,126	1,157	1,263	1,810	2,477	760	
141	669	3.7	12.20										
129	734	1.7	13.39	SK12	789	796	999	1,030	1,136	1,683	2,350	633	
117	805	3.6	14.69	SK22	955	963	1,126	1,157	1,263	1,810	2,477	760	
103	917	1.4	16.73	SK12	789	796	999	1,030	1,136	1,683	2,350	633	
86	1,098	2.2	20.03	SK22	955	963	1,126	1,157	1,263	1,810	2,477	760	
73	1,301	2.0	23.74										
70	1,355	1.5	24.73										
65	1,456	2.6	26.57	SK32	1,091	1,099	1,350	1,381	1,487	2,034	2,701	984	
63	1,493	3.2	27.24										
60	1,578	2.0	28.80	SK22	955	963	1,126	1,157	1,263	1,810	2,477	760	
59	1,606	1.5	29.31										
57	1,668	2.6	30.43	SK32	N/A 1,091	N/A 1,099	1,350	1,381	1,487	2,034	2,701	984	
55	1,708	2.6	31.16										
52	1,811	1.8	33.05										
49	1,948	1.4	35.55	SK22	955	963	1,126	1,157	1,263	1,810	2,477	760	
46	2,040	2.5	37.23	SK32	1,091	1,099	1,350	1,381	1,487	2,034	2,701	984	
45	2,124	1.8	38.76										
37	2,535	2.3	46.25										
37	2,538	1.8	46.31										
30	3,153	1.7	57.53										
28	3,324	2.6	60.66	SK42	1,380	1,389	1,755	1,786	1,892	2,439	3,106	1,389	
27	3,522	1.5	64.26	SK32	1,091	1,099	1,350	1,381	1,487	2,034	2,701	984	
23	4,103	2.2	74.87	SK42	1,380	1,389	1,755	1,786	1,892	2,439	3,106	1,389	
20	4,664	1.5	85.10										

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$1,716	\$1,716	\$1,716	\$1,716

Nord High Efficiency		90SH/4VR	90LH/4VN
230/460V or 575V	ADD:	\$141	\$141

AGMA CLASS II WASHDOWN 2 HP					INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
							NORD MOTOR		WEG	BALDOR MOTOR				
					90L/4VR	100L/4VN	90LH/4VR 145TC	100LH/4VN 182TC	300600210 145TC	VEWDM3558T 145TC	IDWNM3609T 182TC			
					TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	TENV 230/460V 20:1 CT			
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL	230/460V 5:1 CT	230/460V 10:1 CT	230/460V 5:1 CT	230/460V 10:1 CT	230/460V 4:1 CT	230/460V 10:1 CT	230/460V 20:1 CT			
1,278	99	3.2	1.35	SK11E	724	819	947	1,077	1,143	1,680	2,506	550	615	
1,120	113	3.1	1.54											
953	132	3.0	1.81											
846	149	2.8	2.04											
744	170	2.4	2.32											
610	207	2.2	2.83											
585	216	1.8	2.95	SK02	756	N/A	969	N/A	1,165	1,702	N/A	572	N/A	
510	247	1.8	3.38											
443	284	1.6	3.89											
409	308	1.4	4.22											
358	352	1.4	4.82											
350	360	2.7	4.93	SK12	796	888	1,030	1,123	1,226	1,763	2,552	633	661	
298	423	2.5	5.79											
264	477	2.3	6.53											
251	501	3.1	6.86	SK22	963	1,058	1,157	1,254	1,353	1,890	2,683	760	792	
237	532	2.0	7.28	SK12	796	888	1,030	1,123	1,226	1,763	2,552	633	661	
228	553	2.9	7.57	SK22	963	1,058	1,157	1,254	1,353	1,890	2,683	760	792	
220	574	1.9	7.85	SK12	796	888	1,030	1,123	1,226	1,763	2,552	633	661	
203	620	2.8	8.48	SK22	963	1,058	1,157	1,254	1,353	1,890	2,683	760	792	
202	626	1.8	8.56	SK12	796	888	1,030	1,123	1,226	1,763	2,552	633	661	
179	705	1.6	9.65											
161	782	1.5	10.70											
158	796	2.9	10.89	SK22	963	1,058	1,157	1,254	1,353	1,890	2,683	760	792	
141	891	2.8	12.20											
117	1,073	2.7	14.69											
103	1,224	2.4	16.75											
92	1,364	3.0	18.67	SK32	1,099	1,194	1,381	1,480	1,577	2,114	2,909	984	1,018	
86	1,464	1.7	20.03	SK22	963	1,058	1,157	1,254	1,353	1,890	2,683	760	792	
83	1,513	2.9	20.70	SK32	1,099	1,194	1,381	1,480	1,577	2,114	2,909	984	1,018	
75	1,689	2.9	23.12											
73	1,735	1.6	23.74	SK22	963	1,058	1,157	1,254	1,353	1,890	2,683	760	792	
65	1,942	1.9	26.57	SK32	1,099	1,194	1,381	1,480	1,577	2,114	2,909	984	1,018	
60	2,104	1.5	28.80	SK22	963	1,058	1,157	1,254	1,353	1,890	2,683	760	792	
57	2,224	2.0	30.43	SK32	N/A	N/A	1,381	1,480	1,577	2,114	2,909	984	1,018	
49	2,576	4.1	35.25	SK42	1,389	1,484	1,786	1,927	1,982	2,519	3,356	1,389	1,465	
46	2,720	1.8	37.23	SK32	1,099	1,194	1,381	1,480	1,577	2,114	2,909	984	1,018	
37	3,380	1.7	46.25											
34	3,725	2.5	50.98	SK42	1,389	1,484	1,786	1,927	1,982	2,519	3,356	1,389	1,465	
30	4,258	2.3	58.27	SK43	1,731	1,826	1,976	2,074	2,172	2,709	3,503	1,579	1,612	
28	4,433	1.9	60.66	SK42	1,389	1,484	1,786	1,927	1,982	2,519	3,356	1,389	1,465	
23	5,471	1.7	74.87											
22	5,843	1.9	79.96	SK43	1,731	1,826	1,976	2,074	2,172	2,709	3,503	1,579	1,612	
20	6,351	2.3	86.92	SK53	2,265	2,363	2,626	2,725	2,822	3,359	4,154	2,229	2,263	
18	6,978	2.7	95.49											
16	7,736	2.5	105.87											
Nord SK205E VFD														
3PH, 380-480V ADD:					\$1,737	\$1,744	\$1,737	\$1,744						
Nord High Efficiency					90LH/4VR	100LH/4VN								
230/460V or 575V ADD:					\$141	\$167								

AGMA CLASS II WASHDOWN 3 HP					INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
							NORD MOTOR		WEG	BALDOR MOTOR			
					100L/4VR TEFC 230/460V 5:1 CT	100LA/4VN TEFC 230/460V 10:1 CT	100LH/4VR 182TC TEFC 230/460V 5:1 CT	112MH/4VN 184TC TEFC 230/460V 10:1 CT	300600307 182TC TEFC 230/460V 4:1 CT	VEWDM3611T 182TC TEFC 230/460V 10:1 CT	IDWNM3611T 184TC TENV 230/460V 20:1 CT		
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL									
1,278	148	3.0	1.35	SK11E									
1,120	169	2.6	1.54										
953	198	2.4	1.81		\$ 819	\$ 844	\$ 1,077	\$ 1,299	\$ 1,552	\$ 2,036	\$ 2,675	\$ 615	
846	224	2.3	2.04										
744	254	1.6	2.32										
610	310	1.5	2.83										
583	324	2.8	2.96	SK12									
509	372	2.6	3.39										
433	436	2.3	3.98		888	911	1,123	1,345	1,598	2,082	2,721	661	
399	474	2.1	4.32										
384	492	2.1	4.49										
373	506	2.6	4.62	SK22	1,058	1,083	1,254	1,476	1,729	2,213	2,852	792	
350	540	1.9	4.93	SK12	888	911	1,123	1,345	1,598	2,082	2,721	661	
333	568	2.4	5.18	SK22	1,058	1,083	1,254	1,476	1,729	2,213	2,852	792	
298	635	3.0	5.79										
298	635	1.7	5.79	SK12	888	911	1,123	1,345	1,598	2,082	2,721	661	
265	714	2.8	6.51	SK22	1,058	1,083	1,254	1,476	1,729	2,213	2,852	792	
264	716	1.5	6.53	SK12	888	911	1,123	1,345	1,598	2,082	2,721	661	
251	752	3.0	6.86	SK22									
228	830	2.6	7.57										
203	929	2.4	8.48		1,058	1,083	1,254	1,476	1,729	2,213	2,852	792	
158	1,194	2.3	10.89										
141	1,337	2.1	12.20										
119	1,595	3.1	14.55	SK32	1,194	1,219	1,480	1,702	1,955	2,439	3,078	1,018	
117	1,610	1.8	14.69	SK22	1,058	1,083	1,254	1,476	1,729	2,213	2,852	792	
115	1,647	2.7	15.03	SK32									
106	1,781	3.1	16.25										
104	1,826	2.5	16.66		1,194	1,219	1,480	1,702	1,955	2,439	3,078	1,018	
92	2,046	2.7	18.67										
83	2,269	2.5	20.70										
79	2,397	3.4	21.87	SK42	1,484	1,509	1,927	2,149	2,402	2,886	3,525	1,465	
75	2,534	2.2	23.12	SK32	1,194	1,219	1,480	1,702	1,955	2,439	3,078	1,018	
71	2,676	2.8	24.41	SK42	1,484	1,509	1,927	2,149	2,402	2,886	3,525	1,465	
70	2,704	2.9	24.67										
63	2,986	1.8	27.24	SK32	1,194	1,219	1,480	1,702	1,955	2,439	3,078	1,018	
59	3,210	2.8	29.29	SK42									
57	3,339	2.8	30.46		1,484	1,509							
49	3,864	2.8	35.25				1,927	2,149	2,402	2,886	3,525	1,465	
42	4,526	2.3	41.29										
35	5,360	3.1	48.90	SK52	1,923	1,948	2,302	2,524	2,777	3,261	3,900	1,840	
34	5,588	1.7	50.98	SK42	1,484	1,509	1,927	2,149	2,402	2,886	3,525	1,465	
32	5,898	2.8	53.81	SK52									
29	6,526	2.5	59.54										
24	7,825	1.8	71.39		1,923	1,948	2,302	2,524	2,777	3,261	3,900	1,840	
22	8,611	1.6	78.56										
20	9,527	1.6	86.92										
18	10,467	1.9	95.49	SK53	2,363	2,389	2,725	2,947	3,200	3,684	4,323	2,263	
16	11,604	1.7	105.87										

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$2,014	\$2,021	\$2,014	\$2,021

Nord High Efficiency		100LH/4VR	112MH/4VN
230/460V or 575V	ADD:	\$167	\$287

**AGMA CLASS II
WASHDOWN**

5 HP

AGMA CLASS II WASHDOWN 5 HP					INTEGRAL		C-FACE					REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
					NORD MOTOR		NORD MOTOR		WEG	BALDOR MOTOR			
					100LA/4VR	132S/4VN	1122MH/4VR 184TC	132SH/4VN 213TC	300600509 184TC	VEWDM3615T 184TC	IDWNM3707T 213TC		
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	TENV 230/460V 20:1 CT		
1,199 946	263 333	2.0 1.7	1.46 1.85	SK21E	\$ 1,002	N/A	\$ 1,383	N/A	\$ 1,839	\$ 2,309	N/A	\$ 699	N/A
841	375	2.1	2.08	SK31E	1,048	1,454	1,516	N/A	1,972	2,442	N/A	832	N/A
841 723	375 436	1.6 1.5	2.08 2.42	SK21E	1,002	N/A	1,383	N/A	1,839	2,309	N/A	699	N/A
678	465	1.9	2.58	SK31E	1,048	1,454	1,516	N/A	1,972	2,442	N/A	832	N/A
627	502	2.2	2.79	SK22	1,083	N/A	1,476	N/A	1,932	2,402	N/A	792	N/A
591 516	533 610	1.7 1.6	2.96 3.39	SK12	911	N/A	1,345	N/A	1,801	2,271	N/A	661	N/A
496	636	1.8	3.53	SK22	1,083	N/A	1,476	N/A	1,932	2,402	N/A	792	N/A
467	675	2.2	3.75	SK32	1,219	1,625	1,702	2,022	2,158	2,628	3,423	1,018	1,092
441	715	1.7	3.97	SK22	1,083	N/A	1,476	N/A	1,932	2,402	N/A	792	N/A
395	798	2.1	4.43	SK32	1,219	1,625	1,702	2,022	2,158	2,628	3,423	1,018	1,092
379 338	832 933	1.6 1.5	4.62 5.18	SK22	1,083	N/A	1,476	N/A	1,932	2,402	N/A	792	N/A
331 318 307	951 990 1,026	1.9 1.9 2.2	5.28 5.50 5.70	SK32	1,219	1,625	1,702	2,022	2,158	2,628	3,423	1,092	1,018
302 269 255 231 206	1,043 1,172 1,235 1,363 1,527	1.8 1.7 1.8 1.6 1.5	5.79 6.51 6.86 7.57 8.48	SK22	1,083	N/A	1,476	N/A	1,932	2,402	N/A	792	N/A
179	1,765	1.9	9.80	SK32	1,219	1,625	1,702	2,022	2,158	2,628	3,423	1,018	1,092
161	1,961	1.4	10.89	SK22	1,083	N/A	1,476	N/A	1,932	2,402	N/A	792	N/A
149 120 116 108 105 94 85	2,109 2,620 2,706 2,926 3,000 3,362 3,727	1.9 1.9 1.6 1.9 1.5 1.6 1.5	11.71 14.55 15.03 16.25 16.66 18.67 20.70	SK32	1,219	1,625	1,702	2,022	2,158	2,628	3,423	1,018	1,092
80 72 60 57 50	3,938 4,396 5,274 5,485 6,348	2.1 1.7 1.7 1.7 1.7	21.87 24.41 29.29 30.46 35.25	SK42	1,509	1,914	2,149	2,475	2,605	3,075	3,876	1,465	1,545
49 46 36 33 29	6,488 6,924 8,805 9,690 10,721	1.9 2.1 1.9 1.7 1.5	36.03 38.45 48.90 53.81 59.54	SK52	1,948	2,370	2,524	2,845	2,980	3,450	4,246	1,840	1,915
28 23 20 16	11,321 13,948 15,677 19,428	2.3 2.1 1.7 1.6	62.87 77.46 87.06 107.89	SK63	3,345	3,768	3,840	4,156	4,296	4,766	5,557	3,156	3,226

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$2,206	\$2,226	\$2,206	\$2,226

Nord High Efficiency		112MH/4VR	132SH/4VN
230/460V or 575V	ADD:	\$131	\$324

AGMA CLASS II WASHDOWN 7.5 HP					INTEGRAL NORD MOTOR		C-FACE					REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
							NORD MOTOR		WEG	BALDOR MOTOR			
					132S/4VR	132M/4VN			132SH/4VR 213TC	132MH/4VN 215TC	300679506 213TC		
					RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT		
1,266	373	3.3	1.39	SK31E	\$ 1,454	\$ 1,543	\$ 1,836	\$ 1,912	\$ 2,461	\$ 3,079	N/A	\$ 906	N/A
1,000	473	2.8	1.76										
846	559	2.6	2.08										
682	693	2.3	2.58										
595	795	3.4	2.96	SK32	1,625	1,715	2,022	2,098	2,647	3,265	N/A	1,092	N/A
469	1,007	3.2	3.75										
397	1,190	2.9	4.43										
333	1,418	3.4	5.28										
320	1,477	2.6	5.50										
309	1,531	3.2	5.70										
279	1,695	2.9	6.31										
242	1,955	3.5	7.28	SK42	1,914	2,004	2,475	2,551	3,100	3,718	5,192	1,545	1,580
223	2,122	2.7	7.90	SK32	1,625	1,715	2,022	2,098	2,647	3,265	N/A	1,092	N/A
211	2,245	2.3	8.36										
207	2,283	3.2	8.50	SK42	1,914	2,004	2,475	2,551	3,100	3,718	5,192	1,545	1,580
180	2,632	2.1	9.80	SK32	1,625	1,715	2,022	2,098	2,647	3,265	N/A	1,092	N/A
173	2,739	3.2	10.20	SK42	1,914	2,004	2,475	2,551	3,100	3,718	5,192	1,545	1,580
150	3,145	2.0	11.71	SK32	1,625	1,715	2,022	2,098	2,647	3,265	N/A	1,092	N/A
143	3,298	3.2	12.28	SK42	1,914	2,004	2,475	2,551	3,100	3,718	5,192	1,545	1,580
131	3,612	4.6	13.45	SK52	2,370	2,463	2,845	2,921	3,470	4,088	5,563	1,915	1,951
126	3,760	4.5	14.00										
122	3,862	2.6	14.38	SK42	1,914	2,004	2,475	2,551	3,100	3,718	5,192 N/A N/A	1,545	1,580 N/A N/A
116	4,061	2.7	15.12										
99	4,756	2.2	17.71										
98	4,813	1.8	17.92										
82	5,774	1.8	21.50										
81	5,823	2.8	21.68	SK52	2,370	2,463	2,845	2,921	3,470	4,088	5,563 N/A N/A	1,915	1,951 N/A N/A
74	6,424	2.6	23.92										
73	6,465	2.3	24.07										
67	7,106	2.3	26.46										
61	7,748	2.3	28.85										
57	8,302	3.5	30.91	SK63	3,768	3,861	4,156	4,232	4,781	5,399	7,633	3,226	4,021
55	8,618	1.4	32.09	SK52	2,370	2,463	2,845	2,921	3,470	4,088	N/A	1,915	N/A
49	9,698	3.2	36.11	SK63	3,768	3,861	4,156	4,232	4,781	5,399	7,633	3,226	4,021
48	9,854	1.7	36.69	SK52	2,370	2,463	2,845	2,921	3,470	4,088	N/A	1,915	N/A
46	10,327	1.4	38.45										
44	10,842	1.5	40.37										
41	11,664	2.8	43.43	SK63	3,768	3,861	4,156	4,232	4,781	5,399	7,633	3,226	4,021
39	12,263	3.9	45.66	SK73	4,674	4,767	5,072	5,148	5,697	6,315	8,446	4,142	4,834
35	13,625	2.4	50.73	SK63	3,768	3,861	4,156	4,232	4,781	5,399	7,633	3,226	4,021
34	14,030	3.5	52.24	SK73	4,674	4,767	5,072	5,148	5,697	6,315	8,446	4,142	4,834
33	14,455	2.2	53.82	SK63	3,768	3,861	4,156	4,232	4,781	5,399	7,633	3,226	4,021
29	16,238	3.0	60.46	SK73	4,674	4,767	5,072	5,148	5,697	6,315	8,446	4,142	4,834
28	16,885	1.9	62.87	SK63	3,768	3,861	4,156	4,232	4,781	5,399	7,633	3,226	4,021
24	20,108	2.3	74.87	SK73	4,674	4,767	5,072	5,148	5,697	6,315	8,446	4,142	4,834
19	24,542	1.9	91.38										

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$2,585	\$2,585	\$2,585	\$2,585

Nord High Efficiency		132SH/4VR	132MH/4VN
230/460V or 575V	ADD:	\$324	\$324

**AGMA CLASS II
WASHDOWN**

10 HP

AGMA CLASS II WASHDOWN 10 HP					INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
							NORD MOTOR		WEG	BALDOR MOTOR				
					132M/4VR TEFC 230/460V 5:1 CT	160M/4VN TEFC 230/460V 10:1 CT	132MH/4VR 215TC TEFC 230/460V 5:1 CT	160MH/4VN 254TC TW TEFC 230/460V 10:1 CT	300601009 215TC TEFC 230/460V 4:1 CT	CEWDM3714T 215TC TEFC 230/460V 10:1 CT	IDWNM22938T 254TC TENV 230/460V 20:1 CT			
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL										
1,248	505	3.0	1.41	SK41E	\$ 1,822	\$ 2,451	\$ 2,203	\$ 3,267	\$ 2,851	\$ 3,667	\$ 5,519	\$ 1,197	\$ 1,290	
1,173	537	3.0	1.50											
1,080	584	2.9	1.63											
967	652	2.7	1.82											
822	766	2.6	2.14											
704	895	2.4	2.50											
595	1,060	2.5	2.96	SK32	1,715	N/A	2,098	N/A	2,746	3,562	N/A	1,092	N/A	
469	1,343	2.4	3.75											
397	1,586	2.2	4.43											
333	1,891	2.5	5.28											
320	1,970	2.0	5.50											
309	2,041	2.4	5.70											
306	2,059	3.0	5.75	SK42	2,004	2,633	2,551	3,557	3,199	4,015	5,809	1,545	1,580	
284	2,217	2.7	6.19											
265	2,381	2.9	6.65											
261	2,414	2.2	6.74	SK32	1,715	N/A	2,098	N/A	2,746	3,562	N/A	1,092	N/A	
242	2,607	2.6	7.28	SK42	2,004	2,633	2,551	3,557	3,199	4,015	5,809	1,545	1,580	
223	2,829	2.0	7.90	SK32	1,715	N/A	2,098	N/A	2,746	3,562	N/A	1,092	N/A	
211	2,994	1.7	8.36											
207	3,044	2.4	8.50	SK42	2,004	2,633	2,551	3,557	3,199	4,015	5,809	1,545	1,580	
180	3,509	1.6	9.80	SK32	1,715	N/A	2,098	N/A	2,746	3,562	N/A	1,092	N/A	
173	3,653	2.4	10.20	SK42	2,004	2,633	2,551	3,557	3,199	4,015	5,809	1,545	1,580	
143	4,397	2.4	12.28											
122	5,149	2.0	14.38											
116	5,414	2.0	15.12											
99	6,342	1.6	17.71											
99	6,378	2.6	17.81	SK52	2,463	3,117	2,921	3,928	3,569	4,385	6,180	1,915	1,951	
98	6,417	1.4	17.92	SK42	2,004	2,633	2,551	3,557	3,199	4,015	5,809	1,545	1,580	
90	7,019	2.4	19.60	SK52	2,463	3,117	2,921	3,928 N/A N/A	3,569	4,385	6,180 N/A N/A	1,915	1,951 N/A N/A	
81	7,764	2.1	21.68											
74	8,566	1.9	23.92											
73	8,619	1.7	24.07											
67	9,475	1.7	26.46											
61	10,331	1.7	28.85											
53	11,903	3.2	33.24	SK73	4,767	5,420	5,148	6,811	5,796	6,612	9,063	4,142	4,834	
47	13,475	3.0	37.63											
41	15,552	2.1	43.43	SK63	3,861	4,514	4,232	5,998	4,880	5,696	8,250	3,226	4,021	
35	18,166	1.8	50.73											
33	19,273	1.7	53.82											
29	21,651	2.3	60.46	SK73	4,767	5,420	5,148	6,811	5,796	6,612	9,063	4,142	4,834	
24	26,811	1.7	74.87											
22	28,870	2.7	80.62	SK83	6,545	7,198	7,897	8,909	8,545	9,361	11,161	6,891	6,932	
19	32,723	1.4	91.38	SK73	4,767	5,420	5,148	6,811	5,796	6,612	9,063	4,142	4,834	
17	37,242	2.1	104.00	SK83	6,545	7,198	7,897	8,909	8,545	9,361	11,161	6,891	6,932	

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$2,845	N/A	\$2,845	N/A

Nord High Efficiency		132MH/4VR	160MH/4VN
230/460V or 575V	ADD:	\$324	\$350

**AGMA CLASS II
WASHDOWN**

15 HP

AGMA CLASS II WASHDOWN 15 HP					INTEGRAL		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
					NORD MOTOR		NORD MOTOR		BALDOR MOTOR		
					160M/4VR TEFC 230/460V 4:1 CT	160L/4VN TEFC 230/460V 10:1 CT	160MH/4VN 254TC TW TEFC 230/460V 5:1 CT	160LH/4VR 256TC TW TEFC 230/460V 10:1 CT	CWDM23933T 254TC TEFC 230/460V CONSTANT	CEWDM23933T 254TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL							
1,248	757	2.1	1.41	SK41E							
1,173	806	2.1	1.50								
1,080	876	2.0	1.63		\$ 2,451	\$ 2,826	\$ 3,267	\$ 4,039	\$ 4,896	\$ 4,856	\$ 1,290
967	978	2.0	1.82								
822	1,149	1.9	2.14								
704	1,343	1.8	2.50								
615	1,536	2.6	2.86	SK51E	2,559	2,934	3,493	4,265	5,122	6,372	1,516
583	1,622	3.4	3.02	SK42							
548	1,724	3.3	3.21								
503	1,880	3.2	3.50								
452	2,089	3.1	3.89								
384	2,460	2.9	4.58								
367	2,573	3.4	4.79		2,633	3,008	3,557	4,329	5,186	6,436	1,580
345	2,739	3.2	5.10								
329	2,874	2.6	5.35								
306	3,089	3.3	5.75								
284	3,325	2.9	6.19								
274	3,448	3.5	6.42	SK52	3,117	3,506	3,928	4,700	5,557	6,807	1,951
265	3,572	3.0	6.65	SK42	2,633	3,008	3,557	4,329	5,186	6,436	1,580
242	3,910	2.5	7.28								
229	4,136	3.4	7.70	SK52	3,117	3,506	3,928	4,700	5,557	6,807	1,951
207	4,566	2.1	8.50	SK42							
173	5,479	1.9	10.20		2,633	3,008	3,557	4,329	5,186	6,436	1,580
143	6,596	1.6	12.28								
131	7,225	2.3	13.45	SK52	3,117	3,506	3,928	4,700	5,557	6,807	1,951
126	7,520	1.8	14.00								
111	8,487	3.1	15.80	SK62	4,268	4,657	5,891	6,663	7,520	8,770	3,914
101	9,330	3.0	17.37	SK63	4,514	4,902	5,998	6,770	7,627	8,877	4,021
99	9,567	1.6	17.81	SK52	3,117	3,506	3,928	4,700	5,557	6,807	1,951
90	10,231	1.6	19.60								
85	11,156	2.4	20.77	SK63	4,514	4,902	5,998	6,770	7,627	8,877	4,021
82	11,317	1.4	21.68	SK52	3,117	3,506	3,928	4,700	5,557	6,807	1,951
67	14,116	2.0	26.28	SK63							
57	16,603	1.9	30.91		4,514	4,902	5,998	6,770	7,627	8,877	4,021
49	19,396	1.7	36.11								
41	23,328	1.4	43.43								
39	24,526	1.9	45.66	SK73							
34	28,060	1.8	52.24		5,420	5,810	6,811	7,583	8,440	9,690	4,834
29	32,476	1.5	60.46								
28	33,244	2.4	61.89	SK83							
25	37,729	2.1	70.24		7,198	7,589	8,909	9,681	10,538	11,788	6,932
24	38,927	3.0	72.47	SK93	9,917	10,307	11,626	12,398	13,255	14,505	9,649
22	43,305	1.8	80.62	SK83	7,198	7,589	8,909	9,681	10,538	11,788	6,932
19	50,137	2.5	93.34	SK93	9,917	10,307	11,626	12,398	13,255	14,505	9,649
17	55,863	1.5	104.00	SK83	7,198	7,589	8,909	9,681	10,538	11,788	6,932
16	58,624	1.8	109.14	SK93	9,917	10,307	11,626	12,398	13,255	14,505	9,649

Nord High Efficiency		160MH/4VR	160LH/4VN
230/460V or 575V	ADD:	\$350	\$350

**AGMA CLASS II
WASHDOWN**

20 HP

AGMA CLASS II WASHDOWN 20 HP					INTEGRAL		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
					NORD MOTOR		NORD MOTOR		BALDOR MOTOR		
					160L/4VR TEFC 230/460V 4:1 CT	160L/4VZF TEBC 230/460V 10:1 CT	160LH/4VR 256TC TW TEFC 230/460V 5:1 CT	160LH/4VZF TEBC 230/460V 20:1 CT	CWDM23934T 256TC TEFC 230/460V CONSTANT	CEWDM23934T 256TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL							
1,248	1,010	1.6	1.41	SK41E	\$ 2,826	\$ 3,336	\$ 4,039	\$ 4,549	\$ 5,474	\$ 6,923	\$ 1,290
1,173	1,074	1.6	1.50								
1,080	1,167	1.5	1.63								
967	1,303	1.5	1.82								
822	1,533	1.4	2.14								
704	1,790	2.1	2.50	SK51E	2,934	3,444	4,265	4,775	5,700	7,149	1,516
615	2,048	2.0	2.86								
583	2,163	2.5	3.02	SK42	3,008	3,518	4,329	4,839	5,764	7,213	1,580
548	2,299	2.4	3.21								
503	2,507	2.4	3.50								
452	2,786	2.2	3.89								
431	2,922	2.6	4.08	SK52	3,506	4,016	4,700	5,210	6,135	7,584	1,951
402	3,137	3.0	4.38								
382	3,302	2.5	4.61								
367	3,431	2.1	4.79	SK42	3,008	3,518	4,329	4,839	5,764	7,213	1,580
346	3,638	2.9	5.08	SK52	3,506	4,016	4,700	5,210	6,135	7,584	1,951
345	3,653	2.4	5.10	SK42	3,008	3,518	4,329	4,839	5,764	7,213	1,580
329	3,832	1.9	5.35								
314	4,011	2.3	5.60	SK52	3,506	4,016	4,700	5,210	6,135	7,584	1,951
304	4,147	2.8	5.79								
284	4,433	2.2	6.19	SK42	3,008	3,518	4,329	4,839	5,764	7,213	1,580
274	4,598	2.6	6.42	SK52	3,506	4,016	4,700	5,210	6,135	7,584	1,951
265	4,763	2.2	6.65	SK42	3,008	3,518	4,329	4,839	5,764	7,213	1,580
242	5,214	1.8	7.28								
229	5,515	2.6	7.70								
199	6,324	2.3	8.83	SK52	3,506	4,016	4,700	5,210	6,135	7,584	1,951
166	7,577	2.1	10.58								
152	8,301	2.7	11.59								
131	9,633	1.7	13.45	SK52	3,506	4,016	4,700	5,210	6,135	7,584	1,951
126	9,969	2.5	13.92	SK62	4,657	5,167	6,663	7,173	8,098	9,547	3,914
126	10,027	1.7	14.00	SK52	3,506	4,016	4,700	5,210	6,135	7,584	1,951
111	11,316	2.4	15.80	SK62	4,657	5,167	6,663	7,173	8,098	9,547	3,914
101	12,440	2.2	17.37	SK63	4,902	5,412	6,770	7,280	8,205	9,654	4,021
97	12,992	2.1	18.14	SK62	4,657	5,167	6,663	7,173	8,098	9,547	3,914
85	14,875	1.9	20.77	SK63	4,902	5,412	6,770	7,280	8,205	9,654	4,021
80	15,742	1.8	21.98								
67	18,822	1.5	26.28								
62	20,283	2.2	28.32	SK73	5,810	6,320	7,583	8,093	9,018	10,467	4,834
57	22,138	1.4	30.91	SK63	4,902	5,412	6,770	7,280	8,205	9,654	4,021
53	23,806	1.9	33.24	SK73	5,810	6,320	7,583	8,093	9,018	10,467	4,834
47	26,950	1.6	37.63								
45	27,989	2.5	39.08	SK83	7,589	8,099	9,681	10,191	11,116	12,565	6,932
40	31,785	2.5	44.38								
39	32,701	1.5	45.66	SK73	5,810	6,320	7,583	8,093	9,018	10,467	4,834
34	36,891	2.1	51.51	SK83	7,589	8,099	9,681	10,191	11,116	12,565	6,932
28	44,325	1.8	61.89								
25	50,305	1.6	70.24								
24	51,903	2.3	72.47	SK93	10,307	10,817	12,398	12,908	13,833	15,282	9,649
22	57,739	1.4	80.82	SK83	7,589	8,099	9,681	10,191	11,116	12,565	6,932
19	66,849	1.9	93.34	SK93	10,307	10,817	12,398	12,908	13,833	15,282	9,649

Nord High Efficiency		160LH/4VR	160LH/4VZF
230/460V or 575V	ADD:	\$350	\$350

**AGMA CLASS II
WASHDOWN**

25 HP

RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL	INTEGRAL		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC
					NORD MOTOR		NORD		BALDOR	
					180MX/4VR TEFC 230/460V 4:1 CT	180LX/4VN TEFC 230/460V 10:1 CT	180MXH/4VR 284TC TW TEFC 230/460V 5:1 CT	180LXH/4VN 286TC TW TEFC 230/460V 10:1 CT	CECP4103T 284TC TEFC 230/460V 10:1 CT	
1,419	1,110	2.2	1.24	SK51E	\$ 3,154	\$ 3,306	INQUIRE	INQUIRE	\$ 6,613	\$ 2,215
1,222	1,289	2.1	1.44							
1,158	1,361	2.0	1.52							
1,073	1,468	1.9	1.64							
967	1,629	1.8	1.82							
854	1,844	1.8	2.06							
704	2,238	1.7	2.50							
633	2,489	3.1	2.78	SK52	3,734	3,893			6,948	2,550
545	2,892	2.9	3.23							
518	3,044	2.9	3.40							
480	3,286	2.8	3.67							
431	3,653	2.7	4.08							
402	3,921	2.9	4.38							
382	4,127	2.5	4.61							
346	4,548	2.6	5.08							
314	5,013	2.1	5.60							
304	5,183	2.4	5.79							
289	5,452	2.4	6.09							
274	5,747	2.3	6.42							
242	6,508	2.1	7.27							
229	6,893	2.0	7.70							
200	7,860	3.4	8.78	SK62	4,886	5,044			8,354	3,956
199	7,905	1.9	8.83	SK52	3,734	3,893			6,948	2,550
166	9,472	1.6	10.58							
152	10,376	2.6	11.59	SK62	4,886	5,044			8,354	3,956
131	12,041	1.4	13.45	SK52	3,734	3,893			6,948	2,550
123	12,829	2.8	14.33	SK72	5,739	5,897			8,976	4,578
111	14,145	1.9	15.80	SK62	4,886	5,044			8,354	3,956
104	15,094	2.4	16.86	SK72	5,739	5,897			8,976	4,578
102	15,497	1.8	17.31	SK63	5,131	5,289			8,461	4,063
98	16,114	2.7	18.00	SK73	6,038	6,196			9,271	4,873
97	16,240	1.7	18.14	SK62	4,886	5,044			8,354	3,956
85	18,594	1.5	20.77	SK63	5,131	5,289			8,461	4,063
80	19,677	1.4	21.98							
75	20,895	2.1	23.34	SK73	6,038	6,196			9,271	4,873
62	25,353	1.7	28.32							
53	29,758	1.5	33.24							
45	34,986	2.3	39.08	SK83	7,815	7,973			11,631	7,233
40	39,731	2.0	44.38							
34	46,114	1.7	51.51							
28	55,406	1.4	61.89							
25	63,007	2.8	70.38	SK103	15,109	15,268			17,598	13,200
24	64,878	1.8	72.47	SK93	10,536	10,694			14,088	9,690
22	72,873	2.5	81.40	SK103	15,109	15,268			17,598	13,200

Nord High Efficiency		180MH/4VR	180LH/4VN
230/460V or 575V	ADD:	\$664	\$664

AGMA CLASS II WASHDOWN 30 HP					INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC
							NORD		BALDOR	
					180LX/4VR	180LX/4VZF	180LXH/4VR 286TC TW	180LXH/4VZF 286TC TW	CECP4104T 286TC	
					TEFC 230/460V 4:1 CT	TEBC 230/460V 20:1 CT	TEFC 230/460V 5:1 CT	TEBC 230/460V 20:1 CT	TEFC 230/460V 10:1 CT	
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL						
1,419	1,332	1.8	1.24							
1,222	1,547	1.7	1.44							
1,158	1,633	1.7	1.52							
1,073	1,762	1.6	1.64	SK51E	\$ 3,306	\$ 3,992	INQUIRE	INQUIRE	\$ 7,292	\$ 2,215
967	1,955	1.5	1.82							
854	2,213	1.5	2.06							
704	2,686	1.4	2.50							
633	2,987	2.6	2.78							
545	3,470	2.4	3.23							
518	3,653	2.4	3.40							
480	3,943	2.4	3.67	SK52	3,893	4,579			7,627	2,550
431	4,383	2.3	4.08							
402	4,705	2.4	4.38							
386	4,899	3.3	4.56	SK62	5,044	5,730			9,033	3,956
382	4,952	2.1	4.61	SK52	3,893	4,579			7,627	2,550
346	5,457	2.2	5.08							
333	5,683	2.9	5.29	SK62	5,044	5,730			9,033	3,956
314	6,016	1.7	5.60							
304	6,220	2.0	5.79	SK52	3,893	4,579			7,627	2,550
289	6,542	2.0	6.09							
277	6,822	2.5	6.35	SK62	5,044	5,730			9,033	3,956
274	6,897	1.9	6.42	SK52	3,893	4,579			7,627	2,550
242	7,810	1.8	7.27							
233	8,122	3.3	7.56	SK62	5,044	5,730			9,033	3,956
229	8,272	1.7	7.70	SK52	3,893	4,579			7,627	2,550
199	9,486	1.6	8.83							
167	11,334	2.4	10.55	SK62	5,044	5,730			9,033	3,956
152	12,451	2.2	11.59							
141	13,450	2.7	12.52	SK72	5,897	6,583			9,655	4,578
126	14,954	1.8	13.92	SK62	5,044	5,730			9,033	3,956
123	15,395	2.3	14.33	SK72	5,897	6,583			9,655	4,578
111	16,974	1.6	15.80	SK62	5,044	5,730			9,033	3,956
104	18,113	2.0	16.86	SK72	5,897	6,583			9,655	4,578
97	19,488	1.4	18.14	SK62	5,044	5,730			9,033	3,956
75	25,074	1.8	23.34							
62	30,424	1.5	28.32	SK73	6,151	6,882			9,950	4,873
54	34,936	2.2	32.52							
45	41,983	1.9	39.08	SK83	7,973	8,659			12,310	7,233
40	47,677	1.6	44.38							
38	50,030	2.2	46.57	SK93	10,694	11,380			14,767	9,690
34	55,337	1.4	51.51	SK83	7,973	8,659			12,310	7,233
33	56,916	3.1	52.98	SK103	15,268	15,954			18,277	13,200
33	57,797	1.9	53.80	SK93	10,694	11,380			14,767	9,690
29	65,220	2.7	60.71	SK103	15,268	15,954			18,277	13,200
29	66,208	1.7	61.63	SK93	10,694	11,380			14,767	9,690
25	75,609	2.3	70.38	SK103	15,268	15,954			18,277	13,200
24	77,854	1.5	72.47	SK93	10,694	11,380			14,767	9,690
22	87,447	2.1	81.40	SK103	15,268	15,954			18,277	13,200

Nord High Efficiency	180LH/4VR	180LH/4VZF
230/460V or 575 ADD:	\$664	\$729

**AGMA CLASS II
WASHDOWN**

40 HP

RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL	INTEGRAL NORD MOTOR		C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 320TC
					200L/4VR	200L/4/VZF	NORD OR OTHER "INQUIRE"	BALDOR	
					TEFC 230/460V 4:1 CT	TEBC 230/460V 20:1 CT		CECP4110T 324TC TEFC 230/460V 10:1 CT	
598	4,218	3.3	2.97						
538	4,687	3.2	3.30						
477	5,283	3.1	3.72						
454	5,553	3.0	3.91	SK62	\$ 6,865	\$ 8,031	INQUIRE	\$ 10,744	\$ 4,263
438	5,752	2.9	4.05						
389	6,476	2.8	4.56						
336	7,513	2.2	5.29						
317	7,954	2.9	5.60	SK72	7,790	8,956		11,344	4,863
280	9,019	1.9	6.35	SK62	6,865	8,031		10,744	4,263
276	9,118	2.7	6.42	SK72	7,790	8,956		11,344	4,863
255	9,871	3.3	6.95						
235	10,737	2.6	7.56	SK62	6,865	8,031		10,744	4,263
217	11,632	3.1	8.19	SK72	7,790	8,956		11,344	4,863
202	12,470	2.1	8.78	SK62	6,865	8,031		10,744	4,263
188	13,436	2.9	9.46	SK72	7,790	8,956		11,344	4,863
168	14,984	1.8	10.55	SK62	6,865	8,031		10,744	4,263
164	15,396	2.7	10.84	SK72	7,790	8,956		11,344	4,863
153	16,461	1.7	11.59	SK62	6,865	8,031		10,744	4,263
142	17,782	2.0	12.52	SK72	7,790	8,956		11,344	4,863
128	19,770	1.4	13.92	SK62	6,865	8,031		10,744	4,263
124	20,353	1.8	14.33	SK72	7,790	8,956		11,344	4,863
105	23,946	1.5	16.86						
99	25,565	1.7	18.00	SK73	8,017	9,183		11,643	5,162
86	29,286	1.5	20.62						
84	29,883	2.4	21.04						
73	34,683	2.0	24.42	SK83	9,795	10,961		14,892	8,411
63	39,810	1.8	28.03						
66	38,419	2.8	27.05	SK93	12,515	13,681		16,470	9,989
57	44,384	2.4	31.25						
55	46,188	1.6	32.52	SK83	9,795	10,961		14,892	8,411
47	53,829	3.3	37.90	SK103	17,088	18,254		19,955	13,474
45	55,505	1.4	39.08	SK83	9,795	10,961		14,892	8,411
45	56,158	1.9	39.54	SK93	12,515	13,681		16,470	9,989
39	64,268	2.8	45.25	SK103	17,088	18,254		19,955	13,474
38	66,143	1.6	46.57	SK93	12,515	13,681		16,470	9,989
34	75,247	2.4	52.98	SK103	17,088	18,254		19,955	13,474
33	76,411	1.4	53.80	SK93	12,515	13,681		16,470	9,989
29	86,225	2.1	60.71						
25	99,959	1.8	70.38	SK103	17,088	18,254		19,955	13,474
22	115,611	1.6	81.40						

Nord High Efficiency 230/460V or 575V	ADD:	200LH/4VR	200LH/4VZF
		\$883	\$883

**AGMA CLASS II
WASHDOWN**

50 HP

					INTEGRAL NORD MOTOR		C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 320TC
					225S/4VR	225M/4VN	NORD OR OTHER "INQUIRE"	BALDOR	
RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT		CECP4115T 326TC TEFC 230/460V 10:1 CT	
598	5,273	2.6	2.97	SK62	\$ 7,775	\$ 8,714	INQUIRE	\$ 11,720	\$ 4,263
538	5,859	2.5	3.30						
477	6,604	2.4	3.72						
454	6,942	2.3	3.91						
438	7,190	2.3	4.05						
389	8,096	2.2	4.56						
336	9,392	1.8	5.29						
317	9,942	2.3	5.60	SK72	8,700	9,638		12,320	4,863
280	11,273	1.5	6.35	SK62	7,775	8,714		11,720	4,263
276	11,398	2.1	6.42	SK72	8,700	9,638		12,320	4,863
255	12,339	2.6	6.95						
235	13,422	2.0	7.56	SK62	7,775	8,714		11,720	4,263
217	14,540	2.4	8.19	SK72	8,700	9,638		12,320	4,863
202	15,588	1.7	8.78	SK62	7,775	8,714		11,720	4,263
188	16,795	2.3	9.46	SK72	8,700	9,638		12,320	4,863
168	18,730	1.5	10.55	SK62	7,775	8,714		11,720	4,263
164	19,245	2.1	10.84	SK72	8,700	9,638		12,320	4,863
142	22,227	1.6	12.52						
124	25,441	1.4	14.33						
107	29,400	2.0	16.56	SK83	10,705	11,643		15,868	8,411
93	33,945	2.8	19.12	SK93	13,424	14,363		17,446	9,989
84	37,353	1.9	21.04	SK83	10,705	11,643		15,868	8,411
77	40,780	2.6	22.97	SK93	13,424	14,363		17,446	9,989
73	43,354	1.6	24.42	SK83	10,705	11,643		15,868	8,411
70	44,916	2.7	25.30	SK103	17,998	18,937		20,931	13,474
66	48,023	2.2	27.05	SK93	13,424	14,363		17,446	9,989
63	49,763	1.4	28.03	SK83	10,705	11,643		15,868	8,411
57	55,480	1.9	31.25	SK93	13,424	14,363		17,446	9,989
47	67,286	2.6	37.90	SK103	17,998	18,937		20,931	13,474
45	70,197	1.5	39.54	SK93	13,424	14,363		17,446	9,989
39	80,335	2.2	45.25	SK103	17,998	18,937		20,931	13,474
34	94,058	1.9	52.98						
29	107,782	1.6	60.71						
25	124,949	1.4	70.38						

Nord High Efficiency		225SH/4VR	225MH/4VN
230/460V or 575V	ADD:	\$1,217	\$1,217

**AGMA CLASS II
WASHDOWN**

60 HP

RPM	INCH LBS	AGMA S.F.	GEAR RATIO	GEAR MODEL	INTEGRAL NORD MOTOR		C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 360TC
					225M/4VR TEFC 230/460V 4:1 CT	225M/4VZF* TEBC 230/460V 20:1 CT	NORD OR OTHER "INQUIRE"	BALDOR CECP84314T-4 364TC TEFC 230/460V 10:1 CT	
598	6,327	2.7	2.97	SK62	\$ 8,714	\$ 9,880	INQUIRE	\$ 16,200	\$ 5,463
538	7,030	2.5	3.30						
477	7,925	2.3	3.72						
454	8,330	2.1	3.91						
438	8,628	1.9	4.05						
431	8,777	2.7	4.12	SK72	9,638	10,804		16,712	5,975
389	9,715	1.9	4.56	SK62	8,714	9,880		16,200	5,463
366	10,333	2.5	4.85	SK72	9,638	10,804		16,712	5,975
336	11,270	1.5	5.29	SK62	8,714	9,880		16,200	5,463
317	11,930	2.1	5.60	SK72	9,638	10,804		16,712	5,975
276	13,677	1.8	6.42						
255	14,806	2.6	6.95						
235	16,106	1.7	7.56	SK62	8,714	9,880		16,200	5,463
217	17,448	2.4	8.19	SK72	9,638	10,804		16,712	5,975
202	18,705	1.4	8.78	SK62	8,714	9,880		16,200	5,463
188	20,154	2.1	9.46	SK72	9,638	10,804		16,712	5,975
164	23,094	1.8	10.84						
150	25,224	2.5	11.84	SK82	11,344	12,510		18,896	8,159
124	30,444	1.9	14.29						
107	35,280	1.6	16.56						
93	40,734	2.6	19.12	SK93	14,363	15,529		21,896	11,159
84	44,824	1.6	21.04	SK83	11,643	12,809		19,902	9,165
77	48,936	2.2	22.97	SK93	14,363	15,529		21,896	11,159
73	52,025	1.4	24.42	SK83	11,643	12,809		19,902	9,165
70	53,900	3.3	25.30	SK103	18,937	20,103		25,281	14,544
66	57,628	1.9	27.05	SK93	14,363	15,529		21,896	11,159
57	66,576	1.6	31.25						
47	80,743	2.2	37.90	SK103	18,937	20,103		25,281	14,544
39	96,402	1.8	45.25						
34	112,870	1.5	52.98						
29	129,338	1.4	60.71						

*Allow 6 week delivery for Nord 60 HP motor with constant velocity fan (225M/4VZF)

Nord High Efficiency		225MH/4VR	225MH/4VZF
230/460V or 575V	ADD:	\$1,217	\$1,217