

<div>.25 HP</div> <div>60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE</div>				INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	63L/4VR TEFC 230/460V 5:1 CT	71S/4VN TEFC 230/460V 10:1 CT	NORD MOTOR		BALDOR	
						63L/4VR 56C TEFC 230/460V 5:1 CT	71S/4VN 56C TEFC 230/460V 10:1 CT	KNM3454 56C TENV 230/460V CONSTANT	

Pump 06/015/018 U2; Reducer SK92172SWAZH

				\$ 1,143	\$ 1,160	\$ 1,456	\$ 1,473	\$ 1,593	\$ 1,267
410	37	13.3	4.10	A	A	A	A	A	A
352	43	12.6	4.77	A	A	A	A	A	A
315	48	12.3	5.33	A	A	A	A	A	A
278	54	11.8	6.04	A	A	A	A	A	A
239	63	12.5	7.04	A	A	A	A	A	A
210	72	11.6	8.01	A	A	A	A	A	A
185	82	10.7	9.07	A	A	A	A	A	A
162	93	9.8	10.37	A	A	A	A	A	A
142	106	9.0	11.81	A	A	A	A	A	A
125	121	8.2	13.49	A	A	A	A	A	A
108	140	7.1	15.61	A	A	A	A	A	A
89	169	4.2	18.79	A	A	A	A	A	A
74	205	5.2	22.78	N/A	N/A	A	A	A	A
65	234	4.5	26.03	N/A	N/A	A	A	A	A
59	254	3.9	28.24	A	A	A	A	A	A
52	290	3.4	32.27	A	A	A	A	A	A
47	325	2.6	36.11	A	A	A	A	A	A
41	371	2.6	41.26	A	A	A	A	A	A
36	422	1.5	46.90	A	A	A	A	A	A
31	482	1.6	53.59	A	A	A	A	A	A

Thermostat	xxx_/4-...TW	147	147	147	147	INQUIRE
Thermistor	xxx_/4-...TF	147	147	147	147	
Nord High Efficiency 230/460V or 575V		Inquire	Inquire	Inquire	Inquire	

.33 HP 60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
						NORD MOTOR		BALDOR MOTOR		
				RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	71S/4VR TEFC 230/460V 5:1 CT	71L/4VN TEFC 230/460V 10:1 CT	

Pump 06/015/018 U2; Reducer SK92172SWAZH

				\$ 1,160	\$ 1,168	\$ 1,473	\$ 1,474	\$ 1,628	\$ 1,764	\$ 1,267
417	50	10.3	4.10	A	A	A	A	A	A	A
358	59	9.7	4.77	A	A	A	A	A	A	A
321	66	9.5	5.33	A	A	A	A	A	A	A
283	74	9.1	6.04	A	A	A	A	A	A	A
243	87	9.7	7.04	A	A	A	A	A	A	A
213	99	8.9	8.01	A	A	A	A	A	A	A
189	112	8.3	9.07	A	A	A	A	A	A	A
165	128	7.6	10.37	A	A	A	A	A	A	A
145	145	7.0	11.81	A	A	A	A	A	A	A
127	166	6.4	13.49	A	A	A	A	A	A	A
110	192	5.5	15.61	A	A	A	A	A	A	A
91	231	3.2	18.79	A	A	A	A	A	A	A
75	280	3.8	22.78	N/A	N/A	A	A	A	A	A
66	320	3.3	26.03	N/A	N/A	A	A	A	A	A
61	347	3.0	28.24	A	A	A	A	A	A	A
53	397	2.7	32.27	A	A	A	A	A	A	A
47	444	2.0	36.11	A	A	A	A	A	A	A
41	507	2.0	41.26	A	A	A	A	A	A	A

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,515	\$1,515	\$1,515	\$1,515

Thermostat	xxx_/4-...TW	147	147	147	147	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	147	147	147	147		
Nord High Efficiency 230/460V or 575V		Inquire	Inquire	Inquire	Inquire		

.50 HP		60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
								NORD MOTOR		BALDOR MOTOR		
						RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	71L/4VR TEFC 230/460V 5:1 CT	80S/4VN TEFC 230/460V 10:1 CT	

Pump 06/015/018 U2; Reducer SK92172SWAZH

				\$ 1,168	\$ 1,216	\$ 1,474	\$ 1,514	\$ 1,683	\$ 1,848	\$ 1,267
420	74	10.3	4.10	A	A	A	A	A	A	A
361	86	6.6	4.77	A	A	A	A	A	A	A
323	96	6.5	5.33	A	A	A	A	A	A	A
285	109	6.2	6.04	A	A	A	A	A	A	A
244	127	6.6	7.04	A	A	A	A	A	A	A
215	144	6.1	8.01	A	A	A	A	A	A	A
190	163	5.6	9.07	A	A	A	A	A	A	A
166	187	5.2	10.37	A	A	A	A	A	A	A
146	213	4.7	11.81	A	A	A	A	A	A	A
128	243	4.3	13.49	A	A	A	A	A	A	A
110	281	3.7	15.61	A	A	A	A	A	A	A
92	338	2.2	18.79	A	A	A	A	A	A	A
76	410	2.6	22.78	A	A	A	A	A	A	A
66	469	2.3	26.03	A	A	A	A	A	A	A
61	508	2.1	28.24	A	A	A	A	A	A	A
53	581	1.8	32.27	A	N/A	A	A	A	A	A

Nord SK205E VFD 3PH, 200-240V	ADD:	\$1,524	\$1,524	\$1,524	\$1,524
----------------------------------	------	---------	---------	---------	---------

Thermostat	xxx_/4-...TW	147	147	147	147	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	147	147	147	147		
Nord High Efficiency 230/460V or 575V		Inquire	Inquire	Inquire	Inquire		

.75 HP		60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
								NORD MOTOR		BALDOR MOTOR		
						80S/4VR	80L/4VN	80S/4VR	80LH/4VN	VM3542	IDNM3542	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	20:1 CT			

Pump 06/015/018 U2; Reducer SK92172SWAZH

				\$ 1,216	\$ 1,225	\$ 1,514	\$ 1,585	\$ 1,675	\$ 1,915	\$ 1,267
417	111	4.6	4.10	A	A	A	A	A	A	A
358	129	4.3	4.77	A	A	A	A	A	A	A
321	144	4.3	5.33	A	A	A	A	A	A	A
283	163	4.1	6.04	A	A	A	A	A	A	A
243	190	4.3	7.04	A	A	A	A	A	A	A
213	216	4.0	8.01	A	A	A	A	A	A	A
189	245	3.7	9.07	A	A	A	A	A	A	A
165	280	3.4	10.37	A	A	A	A	A	A	A
145	319	3.1	11.81	A	A	A	A	A	A	A
127	364	2.8	13.49	A	A	A	A	A	A	A
110	421	2.5	15.61	A	A	A	A	A	A	A
91	507	1.4	18.79	A	N/A	A	A	A	A	A
75	615	1.7	22.78	A	N/A	A	A	A	A	A
66	703	1.5	26.03	A	N/A	A	A	A	A	A
61	762	1.4	28.24	A	N/A	A	A	A	A	A

Nord SK205E VFD 3PH, 200-240V		ADD:	\$1,560	\$1,560	\$1,560	\$1,560
--	--	-------------	----------------	----------------	----------------	----------------

Thermostat	xxx_/4-...TW	147	147	147	147	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	147	147	147	147		
Nord High Efficiency		80SH/4VR	80LH/4VN				
230/460V or 575V	ADD:	N/A	\$125				

1 HP 60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 56C	REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
						NORD MOTOR		BALDOR MOTOR					
				80L/4VR	90S/4VN	80LH/4VR	90SH/4VN	VM3546T	VEM3546	IDNM3581T			
RPM	INCH LBS	SF	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
				230/460V	230/460V	400V	400V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	2:1 CT	4:1 CT	CONSTANT	10:1 CT	20:1 CT			

Pump 06/015/018 U2; Reducer SK92172SWAZH

				\$ 1,225	\$ 1,277	\$ 1,585	\$ 1,633	\$ 1,785	\$ 1,982	\$ 2,588	\$ 1,267	\$ 1,267
402	156	3.3	4.10	A	A	A	A	A	A	A	A	A
346	182	3.1	4.77	A	A	A	A	A	A	A	A	A
310	203	3.1	5.33	A	A	A	A	A	A	A	A	A
273	230	2.9	6.04	A	A	A	A	A	A	A	A	A
234	268	3.1	7.04	A	A	A	A	A	A	A	A	A
206	305	2.9	8.01	A	A	A	A	A	A	A	A	A
182	346	2.7	9.07	A	A	A	A	A	A	A	A	A
159	395	2.4	10.37	A	A	A	A	A	A	A	A	A
140	450	2.2	11.81	A	N/A	A	A	A	A	A	A	A
122	514	2.0	13.49	A	N/A	A	A	A	A	A	A	A
106	595	1.8	15.61	A	N/A	A	A	A	A	A	A	A

Pump 030/040 U2; Reducer SK92772SWAZH

				\$ 1,772	\$ 1,821	\$ 2,189	\$ 2,237	\$ 2,389	\$ 2,437	\$ 3,192	\$ 1,722	\$ 1,871
58	1,084	4.9	28.44	N/A	A	A	A	A	A	A	A	A
51	1,221	4.6	32.04	N/A	A	A	A	A	A	A	A	A
45	1,395	4.2	36.61	N/A	A	A	A	A	A	A	A	A
40	1,553	2.0	40.77	A	A	A	A	A	A	A	A	A
36	1,750	2.5	45.93	A	A	A	A	A	A	A	A	A
31	1,999	2.5	52.48	A	A	A	A	A	A	A	A	A
29	2,134	1.6	56.02	A	N/A	A	A	A	A	A	A	A
26	2,439	1.7	64.01	A	N/A	A	A	A	A	A	A	A

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$2,785	\$2,846	\$3,363	\$3,411	\$3,563	\$3,760	\$4,366	\$3,045	\$3,045
33	1,903	7.2	49.94	A	A	A	A	A	A	A	A	A
28	2,254	6.1	59.17	A	A	A	A	A	A	A	A	A
26	2,441	5.6	64.08	A	A	A	A	A	A	A	A	A
22	2,892	4.7	75.91	A	A	A	A	A	A	A	A	A
20	3,207	3.7	84.17	A	A	A	A	A	A	A	A	A
18	3,562	3.3	93.50	A	A	A	A	A	A	A	A	A
15	4,220	3.2	110.77	A	A	A	A	A	A	A	A	A

Nord SK205E VFD
3PH, 200-240V

ADD:

\$1,600

\$1,600

\$1,600

\$1,600

Thermostat	xxx_/4-...TW	147	147	147	147	INQUIRE	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	147	147	147	147			
Nord High Efficiency		80LH/4VR	90SH/4VN					
230/460V or 575V	ADD:	\$125	\$141					

1.5 HP 60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 56C	REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
						NORD MOTOR		BALDOR MOTOR					
				90S/4VR	90L/4VN	90SH/4VR	90LH/4VN	VM3554T	VEM3554	IDNM3584T			
				TEFC	TEFC	145TC	145TC	145TC	56C	145TC			
RPM	INCH LBS	SF	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	TENV		
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

Pump 06/015/018 U2; Reducer SK92172SWAZH

				\$ 1,277	\$ 1,285	\$ 1,633	\$ 1,664	\$ 1,794	\$ 2,061	\$ 2,725	\$ 1,267	\$ 1,267
405	228	2.8	4.10	A	A	A	A	A	A	A	A	A
348	265	2.6	4.77	A	A	A	A	A	A	A	A	A
311	296	2.5	5.33	A	A	A	A	A	A	A	A	A
275	336	2.3	6.04	A	A	A	A	A	A	A	A	A
236	391	2.1	7.04	A	A	A	A	A	A	A	A	A
207	445	1.9	8.01	A	A	A	A	A	A	A	A	A
183	504	1.8	9.07	A	A	A	A	A	A	A	A	A
160	577	1.6	10.37	A	A	A	A	A	A	A	A	A

Pump 030/040 U2; Reducer SK92772SWAZH

				\$ 1,821	\$ 1,830	\$ 2,237	\$ 2,268	\$ 2,398	\$ 2,516	\$ 3,329	\$ 1,722	\$ 1,871
153	605	7.5	10.88	A	A	A	A	A	A	A	A	A
134	691	6.6	12.43	A	A	A	A	A	A	A	A	A
119	773	6.1	13.91	A	A	A	A	A	A	A	A	A
106	867	6.0	15.60	A	A	A	A	A	A	A	A	A
93	991	5.2	17.83	A	A	A	A	A	A	A	A	A
58	1,581	3.4	28.44	A	A	A	A	A	A	A	A	A
52	1,781	3.1	32.04	A	A	A	A	A	A	A	A	A
45	2,036	2.9	36.61	A	A	A	A	A	A	A	A	A
41	2,267	1.7	40.77	A	A	A	A	A	A	A	A	A
36	2,554	1.7	45.93	A	A	A	A	A	A	A	A	A
32	2,918	1.7	52.48	A	A	A	A	A	A	A	A	A

Nord SK205E VFD 3PH, 380-480V	ADD:	\$1,716	\$1,716	\$1,716	\$1,716
----------------------------------	------	---------	---------	---------	---------

Thermostat	xxx_/4-...TW	147	147	147	147	INQUIRE	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	147	147	147	147			
Nord High Efficiency 230/460V or 575V	ADD:	\$141	\$141					

1.5 HP 60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 56C	REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
						NORD MOTOR		BALDOR MOTOR					
				90S/4VR	90L/4VN	90SH/4VR	90LH/4VN	VM3554T	VEM3554	IDNM3584T			
				RPM	INCH LBS	SF	GEAR RATIO	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	145TC TEFC 230/460V 5:1 CT	145TC TEFC 230/460V 10:1 CT		

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$ 2,846	\$ 2,854	\$ 3,411	\$ 3,442	\$ 3,572	\$ 3,839	\$ 4,503	\$ 3,045	\$ 3,045
196	471	16.5	8.48	A	A	A	A	A	A	A	A	A
155	597	13.4	10.73	A	A	A	A	A	A	A	A	A
131	705	12.6	12.68	A	A	A	A	A	A	A	A	A
123	750	1.4	13.49	A	A	A	A	A	A	A	A	A
103	892	13.9	16.04	A	A	A	A	A	A	A	A	A
97	950	13.5	17.08	A	A	A	A	A	A	A	A	A
82	1,125	11.8	20.23	A	A	A	A	A	A	A	A	A
69	1,329	10.3	23.91	A	A	A	A	A	A	A	A	A
66	1,392	9.5	25.03	A	A	A	A	A	A	A	A	A
56	1,649	8.0	29.66	A	A	A	A	A	A	A	A	A
47	1,980	6.9	35.61	A	A	A	A	A	A	A	A	A
44	2,116	6.5	38.05	A	A	A	A	A	A	A	A	A
47	1,980	6.9	35.61	A	A	A	A	A	A	A	A	A
44	2,116	6.5	38.05	A	A	A	A	A	A	A	A	A
33	2,777	4.9	49.94	A	A	A	A	A	A	A	A	A
28	3,290	4.2	59.17	A	A	A	A	A	A	A	A	A
26	3,563	3.9	64.08	A	A	A	A	A	A	A	A	A
22	4,221	3.2	75.91	A	A	A	A	A	A	A	A	A
20	4,680	2.9	84.17	A	A	A	A	A	A	A	A	A
18	5,199	2.6	93.50	A	A	A	A	A	A	A	A	A
15	6,159	2.2	110.77	A	A	A	A	A	A	A	A	A
14	6,544	2.0	117.70	A	A	A	A	A	A	A	A	A

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$1,716	\$1,716	\$1,716	\$1,716

Thermostat	xxx_/4-...TW	147	147	147	147	INQUIRE	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	147	147	147	147			
Nord High Efficiency		90SH/4VR	90LH/4VN					
230/460V or 575V		ADD: \$141	\$141					

2 HP		60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE		INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME	REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
						NORD MOTOR		BALDOR MOTORS			
				90L/4VR	100L/4VN	90LH/4VR	100LH/4VN	VM3558T	VEM3558		
RPM	INCH LBS	SF	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TEFC	TENV		
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	56C	
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT	
										140TC	

Pump 06/015/018 U2; Reducer SK92172SWAZH

				\$ 1,285	N/A	\$ 1,664	N/A	\$ 1,821	\$ 2,105	\$ 2,790	\$ 1,267 \$ 1,267	N/A
405	311	2.1	4.10	A	N/A	A	N/A	A	A	A	A	N/A
348	362	2.0	4.77	A	N/A	A	N/A	A	A	A	A	N/A
311	404	1.9	5.33	A	N/A	A	N/A	A	A	A	A	N/A
275	458	1.7	6.04	A	N/A	A	N/A	A	A	A	A	N/A
236	534	1.6	7.04	A	N/A	A	N/A	A	A	A	A	N/A
207	607	1.5	8.01	A	N/A	A	N/A	A	A	A	A	N/A

Pump 030/040 U2; Reducer SK92772SWAZH

				\$ 1,830	\$ 1,923	\$ 2,268	\$ 2,380	\$ 2,425	\$ 2,560	\$ 3,394	\$ 1,722 \$ 1,871	\$ 1,918
153	825	3.0	10.88	A	A	A	A	A	A	A	A	A
134	942	3.0	12.43	A	A	A	A	A	A	A	A	A
119	1,054	2.9	13.91	A	A	A	A	A	A	A	A	A
106	1,182	2.7	15.60	A	A	A	A	A	A	A	A	A
93	1,352	2.7	17.83	A	A	A	A	A	A	A	A	A
58	2,156	2.5	28.44	A	A	A	A	A	A	A	A	A
52	2,429	2.3	32.04	A	A	A	A	A	A	A	A	A
45	2,775	2.1	36.61	A	A	A	A	A	A	A	A	A

Nord SK205E VFD 3PH, 380-480V	ADD:	\$1,737	\$1,744	\$1,737	\$1,744
----------------------------------	------	---------	---------	---------	---------

Thermostat	xxx_/4-...TW	147	147	147	147	INQUIRE	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	147	147	147	147			
Nord High Efficiency		90LH/4VR	100LH/4VN					
230/460V or 575V	ADD:	\$141	\$167					

2 HP		60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE		INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME	REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
						NORD MOTOR		BALDOR MOTORS			
				90L/4VR	100L/4VN	90LH/4VR	100LH/4VN	VM3558T	VEM3558		
RPM	INCH LBS	SF	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TEFC	TENV		
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	56C	
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT	
										140TC	

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$ 2,854	\$ 2,961	\$ 3,442	\$ 3,550	\$ 3,599	\$ 3,883	\$ 4,568	\$ 3,045 \$ 3,045	\$ 3,088
196	643	12.1	8.48	A	A	A	A	A	A	A	A	A
155	813	9.8	10.73	A	A	A	A	A	A	A	A	A
131	961	9.2	12.68	A	A	A	A	A	A	A	A	A
123	1,023	11.7	13.49	A	A	A	A	A	A	A	A	A
103	1,216	10.2	16.04	A	A	A	A	A	A	A	A	A
82	1,533	8.7	20.23	A	A	A	A	A	A	A	A	A
69	1,812	7.6	23.91	A	A	A	A	A	A	A	A	A
66	1,897	7.0	25.03	A	A	A	A	A	A	A	A	A
56	2,248	5.9	29.66	A	A	A	A	A	A	A	A	A
47	2,699	5.1	35.61	A	A	A	A	A	A	A	A	A
44	2,884	4.8	38.05	A	A	A	A	A	A	A	A	A
41	3,059	3.6	40.36	A	A	A	A	A	A	A	A	A
35	3,616	3.5	47.70	A	A	A	A	A	A	A	A	A
33	3,785	3.3	49.94	A	A	A	A	A	A	A	A	A
28	4,485	3.1	59.17	A	A	A	A	A	A	A	A	A
26	4,857	2.8	64.08	A	A	A	A	A	A	A	A	A
22	5,754	2.4	75.91	A	A	A	A	A	A	A	A	A
26	4,857	2.8	64.08	A	A	A	A	A	A	A	A	A
22	5,754	2.4	75.91	A	A	A	A	A	A	A	A	A
15	8,396	1.6	110.77	A	N/A	A	A	A	A	A	A	A
14	8,922	1.5	117.70	A	N/A	A	A	A	A	A	A	N/A

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$1,737	\$1,744	\$1,737	\$1,744

Thermostat	xxx_/4...TW	147	147	147	147	INQUIRE	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	147	147	147	147			
Nord High Efficiency		90LH/4VR	100LH/4VN					
230/460V or 575V ADD:		\$141	\$167					

3 HP		60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
								NORD MOTOR		BALDOR MOTORS				
						100L/4VR	100LA/4VN	100LH/4VR	112MH/4VN	VM3611T	VEM3661T	IDNM3661T		
RPM	INCH LBS	SF	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV				
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V				
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT				

Pump 030/040 U2; Reducer SK92772SWAZH

				\$ 1,923	\$ 1,948	\$ 2,380	\$ 2,602	\$ 2,587	\$ 3,053	\$ 3,914	\$ 1,918
354	519	7.0	4.81	A	A	A	A	A	A	A	A
314	586	6.4	5.43	A	A	A	A	A	A	A	A
279	660	5.6	6.11	A	A	A	A	A	A	A	A
266	692	5.8	6.41	A	A	A	A	A	A	A	A
224	821	5.1	7.60	A	A	A	A	A	A	A	A
199	923	4.7	8.55	A	A	A	A	A	A	A	A
177	1,040	4.2	9.63	A	A	A	A	A	A	A	A
157	1,175	3.9	10.88	A	A	A	A	A	A	A	A
137	1,342	2.9	12.43	A	A	A	A	A	A	A	A
123	1,502	2.8	13.91	A	A	A	A	A	A	A	A
109	1,685	2.4	15.60	A	A	A	A	A	A	A	A
96	1,926	2.4	17.83	A	A	A	A	A	A	A	A
86	2,131	2.4	19.73	A	A	A	A	A	A	A	A
77	2,400	2.2	22.22	A	A	A	A	A	A	A	A
67	2,742	2.0	25.39	A	A	A	A	A	A	A	A
60	3,072	1.7	28.44	A	A	A	A	A	A	A	A
53	3,460	1.6	32.04	A	A	A	A	A	A	A	A
47	3,954	1.4	36.61	A	A	A	A	A	A	A	A

Pump 045/060/130 U2: Reducer SK9032.1SWAZH660A

				\$ 2,961	\$ 2,988	\$ 3,550	\$ 3,772	\$ 3,757	\$ 4,223	\$ 5,084	\$ 3,088
201	916	8.5	8.48	A	A	A	A	A	A	A	A
159	1,159	6.9	10.73	A	A	A	A	A	A	A	A
134	1,369	6.5	12.68	A	A	A	A	A	A	A	A
126	1,457	8.2	13.49	A	A	A	A	A	A	A	A
106	1,732	7.2	16.04	A	A	A	A	A	A	A	A
100	1,845	7.0	17.08	A	A	A	A	A	A	A	A
84	2,185	6.1	20.23	A	A	A	A	A	A	A	A
71	2,582	5.3	23.91	A	A	A	A	A	A	A	A
68	2,703	4.9	25.03	A	A	A	A	A	A	A	A
57	3,203	3.1	29.66	A	A	A	A	A	A	A	A
48	3,846	2.5	35.61	A	A	A	A	A	A	A	A
45	4,109	2.7	38.05	A	A	A	A	A	A	A	A
42	4,359	3.1	40.36	A	A	A	A	A	A	A	A
36	5,152	2.6	47.70	A	A	A	A	A	A	A	A
34	5,394	2.5	49.94	A	A	A	A	A	A	A	A
36	5,152	2.6	47.70	A	A	A	A	A	A	A	A
34	5,394	2.5	49.94	A	A	A	A	A	A	A	A
22	8,198	1.6	75.91	A	A	A	A	A	A	A	A
20	9,090	1.5	84.17	A	A	A	A	A	A	A	A

Nord SK205E VFD 3PH, 380-480V	ADD:	\$2,014	\$2,021	\$2,014	\$2,021
----------------------------------	------	---------	---------	---------	---------

Thermostat	xxx_/4-...TW	147	147	147	147	INQUIRE	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	147	147	147	147			
Nord High Efficiency 230/460V or 575V	ADD:	100LH/4VR \$167	112MH/4VN \$287					

5 HP		60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE		INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
						NORD MOTOR		BALDOR MOTOR					
				100LA/4VR	132S/4VN	112MH/4VR	132SH/4VN	VM3615T	VEM3665T	IDNM3665T			
RPM	INCH LBS	SF	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

Pump 030/040 U2; Reducer SK92772SWAZH

				\$ 1,948	\$ 2,214	\$ 2,602	\$ 2,848	\$ 2,684	\$ 3,079	\$ 4,144	\$ 1,918	\$ 1,918
359	866	4.2	4.81	A	A	A	A	A	A	A	A	A
318	977	3.8	5.43	A	A	A	A	A	A	A	A	A
282	1,100	3.4	6.11	A	A	A	A	A	A	A	A	A
269	1,154	2.1	6.41	A	A	A	A	A	A	A	A	A
227	1,368	2.0	7.60	A	A	A	A	A	A	A	A	A
202	1,539	1.9	8.55	A	A	A	A	A	A	A	A	A
179	1,733	1.9	9.63	A	A	A	A	A	A	A	A	A
159	1,958	1.8	10.88	A	A	A	A	A	A	A	A	A
139	2,237	1.8	12.43	A	A	A	A	A	A	A	A	A
124	2,504	1.7	13.91	A	A	A	A	A	A	A	A	A
111	2,808	1.5	15.60	A	A	A	A	A	A	A	A	A
97	3,209	1.5	17.83	A	A	A	A	A	A	A	A	A
87	3,551	1.5	19.73	A	A	A	A	A	A	A	A	A
78	4,000	1.4	22.22	A	A	A	A	A	A	A	A	A

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$ 2,988	\$ 3,440	\$ 3,772	\$ 4,106	\$ 3,854	\$ 4,249	\$ 5,314	\$ 3,088	\$ 3,176
203	1,526	2.3	8.48	A	A	A	A	A	A	A	A	A
161	1,931	2.2	10.73	A	A	A	A	A	A	A	A	A
136	2,282	2.1	12.68	A	A	A	A	A	A	A	A	A
128	2,428	2.3	13.49	A	A	A	A	A	A	A	A	A
108	2,887	2.3	16.04	A	A	A	A	A	A	A	A	A
101	3,074	2.2	17.08	A	A	A	A	A	A	A	A	A
85	3,641	2.2	20.23	A	A	A	A	A	A	A	A	A
72	4,304	2.1	23.91	A	A	A	A	A	A	A	A	A
69	4,505	1.9	25.03	A	A	A	A	A	A	A	A	A
58	5,339	1.9	29.66	A	A	A	A	A	A	A	A	A
48	6,410	1.5	35.61	A	A	A	A	A	A	A	A	A
45	6,849	1.6	38.05	A	A	A	A	A	A	A	A	A
43	7,265	1.9	40.36	A	A	A	A	A	A	A	A	A
36	8,586	1.6	47.70	A	A	A	A	A	A	A	A	A
35	8,989	1.5	49.94	A	A	A	A	A	A	A	A	A

Thermostat	xxx_/4-...TW	147	168	147	168	INQUIRE	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	147	168	147	168			
Nord High Efficiency		112MH/4VR	132SH/4VN					
230/460V or 575V ADD:		\$287	\$324					

Nord SK205E VFD 3PH, 380-480V	ADD:	\$2,206	\$2,226	\$2,206	\$2,226
----------------------------------	------	---------	---------	---------	---------

5 HP		60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE		INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
						NORD MOTOR		BALDOR MOTOR					
				100LA/4VR	132S/4VN	112MH/4VR	132SH/4VN	VM3615T	VEM3665T	IDNM3665T			
				RPM	INCH LBS	SF	GEAR RATIO	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	184TC TEFC 230/460V 5:1 CT	213TC TEFC 230/460V 10:1 CT		

Pump 180/220 U2; Reducer SK9042.1SWAZH660A

\$	3,791	\$	4,245	\$	4,670	\$	5,004	\$	4,752	\$	5,147	\$	6,212	\$	3,986	\$	4,074
----	-------	----	-------	----	-------	----	-------	----	-------	----	-------	----	-------	----	-------	----	-------

Pump 320 U2; Reducer SK9042.1AZH660A

				\$	3,427	\$	3,881	\$	4,306	\$	4,640	\$	4,388	\$	4,783	\$	5,848	\$	3,622	\$	3,710
195	1,589	7.8	8.83	N/A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
184	1,690	7.9	9.39	N/A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
195	1,589	7.8	8.83	N/A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
184	1,690	7.9	9.39	N/A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
129	2,412	7.3	13.40	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
110	2,819	6.3	15.66	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
95	3,276	6.6	18.20	N/A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
85	3,658	6.3	20.32	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
72	4,300	5.6	23.89	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
62	5,024	4.9	27.91	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
54	5,706	4.3	31.70	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
50	6,190	2.1	34.39	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
43	7,297	2.5	40.54	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
36	8,581	2.4	47.67	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
31	10,024	2.3	55.69	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
27	11,385	2.0	63.25	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
25	12,350	2.0	68.61	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
23	13,712	1.8	76.18	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
20	15,557	1.6	86.43	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
18	17,201	1.4	95.56	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A

Nord SK205E VFD 3PH, 380-480V	ADD:	\$2,206	\$2,226	\$2,206	\$2,226
----------------------------------	------	---------	---------	---------	---------

Thermostat	xxx_/4-...TW	147	168	147	168	INQUIRE	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	147	168	147	168			
Nord High Efficiency		112MH/4VR	132SH/4VN					
230/460V or 575V		\$287	\$324					

7.5 HP 60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR MOTORS		
				132S/4VR	132M/4VN	132SH/4VR 213TC TEFC 230/460V 5:1 CT	132MH/4VN 215TC TEFC 230/460V 10:1 CT	VM3710T 213TC TEFC 230/460V CONSTANT	VEM3770T 213TC TEFC 230/460V 10:1 CT	IDNM2237T 254TC TENV 230/460V 20:1 CT
RPM	INCH LBS	SF	GEAR RATIO	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V CONSTANT	TEFC 230/460V 10:1 CT	TEFC 230/460V 20:1 CT

Pump 030/040 U2; Reducer SK92772SWAZH

				\$ 2,214	\$ 2,346	\$ 2,848	\$ 2,924	\$ 2,939	\$ 3,495	\$ 5,259	\$ 1,918	\$ 2,172
361	1,284	2.8	4.81	A	A	A	A	A	A	A	A	A
320	1,450	2.5	5.43	A	A	A	A	A	A	A	A	A
284	1,631	2.2	6.11	A	A	A	A	A	A	A	A	A
271	1,711	2.3	6.41	A	A	A	A	A	A	A	A	A
228	2,029	2.0	7.60	A	A	A	A	A	A	A	A	A
203	2,283	1.9	8.55	A	A	A	A	A	A	A	A	A
180	2,571	1.7	9.63	A	A	A	A	A	A	A	A	A
159	2,905	1.5	10.88	A	A	A	A	A	A	N/A	A	N/A

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$ 3,440	\$ 3,541	\$ 4,106	\$ 4,182	\$ 4,197	\$ 4,753	N/A	\$ 3,176	N/A
205	2,264	3.4	8.48	A	A	A	A	A	A	N/A	A	N/A
162	2,865	2.7	10.73	A	A	A	A	A	A	N/A	A	N/A
137	3,386	2.6	12.68	A	A	A	A	A	A	N/A	A	N/A
129	3,602	3.3	13.49	A	A	A	A	A	A	N/A	A	N/A
108	4,283	2.9	16.04	A	A	A	A	A	A	N/A	A	N/A
102	4,560	2.8	17.08	A	A	A	A	A	A	N/A	A	N/A
86	5,401	2.4	20.23	A	A	A	A	A	A	N/A	A	N/A
73	6,384	2.1	23.91	A	A	A	A	A	A	N/A	A	N/A
69	6,683	1.9	25.03	A	A	A	A	A	A	N/A	A	N/A
58	7,919	1.6	29.66	A	A	A	A	A	A	N/A	A	N/A

Pump 180/220 U2; Reducer SK9042.1SWAZH660A

\$ 4,245	\$ 4,345	\$ 5,004	\$ 5,080	\$ 5,095	\$ 5,651	\$ 7,301	\$ 4,074	\$ 4,214
----------	----------	----------	----------	----------	----------	----------	----------	----------

Pump 320 U2; Reducer SK9042.1AZH660A

				\$ 3,881	\$ 3,981	\$ 4,640	\$ 4,716	\$ 4,731	\$ 5,287	\$ 6,937	\$ 3,710	\$ 3,850
196	2,358	5.3	8.83	A	A	A	A	A	A	A	A	A
185	2,507	5.3	9.39	A	A	A	A	A	A	A	A	A
170	2,726	4.9	10.21	A	A	A	A	A	A	A	A	A
152	3,044	4.4	11.40	A	A	A	A	A	A	A	A	A
129	3,578	3.5	13.40	A	A	A	A	A	A	A	A	A
111	4,181	3.2	15.66	A	A	A	A	A	A	A	A	A
95	4,859	3.9	18.20	A	A	A	A	A	A	A	A	A
85	5,425	3.7	20.32	A	A	A	A	A	A	A	A	A
73	6,379	3.5	23.89	A	A	A	A	A	A	A	A	A
62	7,452	3.2	27.91	A	A	A	A	A	A	A	A	A
50	9,182	2.6	34.39	A	A	A	A	A	A	A	A	A
43	10,824	2.2	40.54	A	A	A	A	A	A	A	A	A
50	9,182	2.6	34.39	A	A	A	A	A	A	A	A	A
43	10,824	2.2	40.54	A	A	A	A	A	A	A	A	A
36	12,728	1.9	47.67	A	A	A	A	A	A	A	A	A
31	14,869	1.6	55.69	A	A	A	A	A	A	A	A	A

Nord SK205E VFD 3PH, 380-480V	ADD:	\$2,585	\$2,585	\$2,585	\$2,585
----------------------------------	------	---------	---------	---------	---------

Thermostat	xxx_/4-...TW	168	168	168	168	INQUIRE	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	168	168	168	168			
Nord High Efficiency 230/460V or 575V	ADD:	132SH/4VR	132MH/4VN					
		\$324	\$324					

7.5 HP		60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE			INTEGRAL NORD MOTOR		C-FACE					REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
							NORD MOTOR		BALDOR MOTORS				
					132S/4VR	132M/4VN	132SH/4VR	132MH/4VN	VM3710T	VEM3770T	IDNM2237T		
							213TC	215TC	213TC	213TC	254TC		
RPM	INCH LBS	SF	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT			

Pump 320 U2; Reducer SK9052.1SWAZH660A

				\$ 5,918	\$ 6,019	\$ 6,895	\$ 6,971	\$ 6,986	\$ 7,542	\$ 9,091	\$ 5,965	\$ 6,004
77	6,016	6.3	22.53	A	A	A	A	A	A	A	A	A
74	6,229	6.1	23.33	A	A	A	A	A	A	A	A	A
63	7,302	5.6	27.35	A	A	A	A	A	A	A	A	A
55	8,352	3.6	31.28	A	A	A	A	A	A	A	A	A
48	9,668	3.4	36.21	A	A	A	A	A	A	A	A	A
44	10,605	3.9	39.72	A	A	A	A	A	A	A	A	A
39	12,004	3.5	44.96	A	A	A	A	A	A	A	A	A
32	14,568	2.9	54.56	A	A	A	A	A	A	A	A	A
28	16,666	2.5	62.42	A	A	A	A	A	A	A	A	A
24	19,288	2.2	72.24	A	A	A	A	A	A	A	A	A
20	23,541	1.8	88.17	A	A	A	A	A	A	A	A	A

Nord SK205E VFD					
3PH, 380-480V		ADD:	\$2,585	\$2,585	\$2,585

Thermostat	xxx_/4-...TW	168	168	168	168	INQUIRE	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	168	168	168	168			
Nord High Efficiency		132SH/4VR	132MH/4VN					
230/460V or 575V	ADD:	\$324	\$324					

10 HP		60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE		INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC	
						NORD MOTOR		BALDOR MOTORS				
				132M/4VR	160M/4VN	132MH/4VR	160MH/4VN-TW	VM3714T	VEM3774T			IDNM2238T
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC			TENV
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V		
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT		

Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A

				\$ 3,541	N/A	\$ 4,182	N/A	\$ 4,392	\$ 4,926	N/A	\$ 3,176	N/A
205	3,078	2.5	8.48	A	N/A	A	N/A	A	A	A	A	N/A
162	3,895	2.0	10.73	A	N/A	A	N/A	A	A	A	A	N/A
137	4,603	1.9	12.68	A	N/A	A	N/A	A	A	A	A	N/A
129	4,897	2.4	13.49	A	N/A	A	N/A	A	A	A	A	N/A
108	5,823	2.2	16.04	A	N/A	A	N/A	A	A	A	A	N/A
102	6,200	2.1	17.08	A	N/A	A	N/A	A	A	A	A	N/A
86	7,343	1.8	20.23	A	N/A	A	N/A	A	A	A	A	N/A
73	8,679	1.6	23.91	A	N/A	A	N/A	A	A	A	A	N/A
69	9,086	1.5	25.03	A	N/A	A	N/A	A	A	A	A	N/A

Pump 180/220 U2; Reducer SK9042.1SWAZH660A

\$ 4,345	\$ 5,046	\$ 5,080	\$ 6,191	\$ 5,290	\$ 5,824	\$ 7,444	\$ 4,074	\$ 4,214
----------	----------	----------	----------	----------	----------	----------	----------	----------

Pump 320 U2; Reducer SK9042.1AZH660A

				\$ 3,981	\$ 4,682	\$ 4,716	\$ 5,827	\$ 4,926	\$ 5,460	\$ 7,080	\$ 3,710	\$ 3,850
196	3,205	3.0	8.83	A	A	A	A	A	A	A	A	A
185	3,409	3.0	9.39	A	A	A	A	A	A	A	A	A
170	3,706	2.9	10.21	A	A	A	A	A	A	A	A	A
152	4,138	2.7	11.40	A	A	A	A	A	A	A	A	A
129	4,864	2.6	13.40	A	A	A	A	A	A	A	A	A
111	5,685	2.4	15.66	A	A	A	A	A	A	A	A	A
95	6,607	2.9	18.20	A	A	A	A	A	A	A	A	A
85	7,376	2.7	20.32	A	A	A	A	A	A	A	A	A
73	8,672	2.6	23.89	A	A	A	A	A	A	A	A	A
62	10,131	2.4	27.91	A	A	A	A	A	A	A	A	A
55	11,507	1.0	31.70	A	N/A	A	A	N/A	A	A	N/A	A
50	12,484	2.0	34.39	A	A	A	A	A	A	A	A	A
43	14,716	1.7	40.54	A	A	A	A	A	A	A	A	A
36	17,304	1.4	47.67	A	A	A	A	A	A	A	A	A

Pump 320 U2; Reducer SK9052.1SWAZH660A

				\$ 6,019	\$ 6,720	\$ 6,971	\$ 7,981	\$ 7,181	\$ 7,715	\$ 9,234	\$ 5,965	\$ 6,004
39	16,320	2.6	44.96	A	A	A	A	A	A	A	A	A
32	19,805	2.1	54.56	A	A	A	A	A	A	A	A	A
28	22,658	1.9	62.42	A	A	A	A	A	A	A	A	A
24	26,223	1.6	72.24	A	A	A	A	A	A	A	A	A

Nord SK205E VFD 3PH, 380-480V	ADD:	\$2,845	N/A	\$2,845	N/A
----------------------------------	------	---------	-----	---------	-----

Thermostat	xxx_/4-...TW	168	168	168	Included	INQUIRE	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	168	168	168	168			
Nord High Efficiency		132MH/4VR	160MH/4VN					
230/460V or 575V	ADD:	\$324	\$350					

15 HP		60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE							REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
								NORD MOTOR				BALDOR MOTOR			
						160M/4VR	160L/4VN	160MH/4VN-TW	160LH/4VR-TW	VM2333T	CEM2333T	IDNM2333T			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	254TC	256TC	254TC	254TC	254TC					
				230/460V	230/460V	TEFC	TEFC	TEFC	TEFC	TENV					
				4:1 CT	10:1 CT	4:1 CT	10:1 CT	CONSTANT	10:1 CT	20:1 CT					

Pump 180/220 U2; Reducer SK9042.1SWAZH660A

\$ 5,046	\$ 5,464	\$ 6,191	\$ 6,963	\$ 6,580	\$ 7,356	\$ 7,541	\$ 4,214
----------	----------	----------	----------	----------	----------	----------	----------

Pump 320 U2; Reducer SK9042.1AZH660A

				\$ 4,682	\$ 5,100	\$ 5,827	\$ 6,599	\$ 6,216	\$ 6,992	\$ 7,177	\$ 3,850
200	4,609	2.6	8.83	A	A	A	A	A	A	A	A
188	4,902	2.6	9.39	A	A	A	A	A	A	A	A
173	5,330	2.4	10.21	A	A	A	A	A	A	A	A
155	5,951	2.2	11.40	A	A	A	A	A	A	A	A
132	6,995	2.5	13.40	A	A	A	A	A	A	A	A
113	8,175	2.1	15.66	A	A	A	A	A	A	A	A
97	9,500	2.2	18.20	A	A	A	A	A	A	A	A
87	10,607	2.1	20.32	A	A	A	A	A	A	A	A
74	12,471	1.9	23.89	A	A	A	A	A	A	A	A
63	14,569	1.7	27.91	A	A	A	A	A	A	A	A

Pump 320 U2; Reducer SK9052.1SWAZH660A

				\$ 6,720	\$ 7,138	\$ 7,981	\$ 8,753	\$ 8,370	\$ 9,146	\$ 9,331	\$ 6,004
219	4,228	4.0	8.10	A	A	A	A	A	A	A	A
188	4,907	3.9	9.40	A	A	A	A	A	A	A	A
178	5,183	3.8	9.93	A	A	A	A	A	A	A	A
165	5,591	3.7	10.71	A	A	A	A	A	A	A	A
149	6,201	3.5	11.88	A	A	A	A	A	A	A	A
132	7,021	3.3	13.45	A	A	A	A	A	A	A	A
108	8,524	3.1	16.33	A	A	A	A	A	A	A	A
99	9,365	3.7	17.94	A	A	A	A	A	A	A	A
89	10,393	3.5	19.91	A	A	A	A	A	A	A	A
79	11,761	3.2	22.53	A	A	A	A	A	A	A	A
76	12,178	3.1	23.33	A	A	A	A	A	A	A	A
65	14,277	2.8	27.35	A	A	A	A	A	A	A	A
57	16,328	2.5	31.28	A	A	A	A	A	A	A	A
49	18,902	2.2	36.21	A	A	A	A	A	A	A	A
45	20,734	2.0	39.72	A	A	A	A	A	A	A	A
39	23,469	1.8	44.96	A	A	A	A	A	A	A	A
32	28,480	1.5	54.56	A	A	A	A	A	A	A	A

Thermostat	xxx_/4-...TW	168	168	Included	Included	INQUIRE	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	168	168	168	168			
Nord High Efficiency		160MH/4VR	160LH/4VN					
230/460V or 575V	ADD:	\$350	\$350					

20 HP		60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
								NORD MOTOR			BALDOR MOTOR			
						160L/4VR	160L/4VZF	160LH/4VR-TW 256TC	160LH/4VZF-TW 256TC					
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	TEBC							
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V				
				4:1 CT	20:1 CT	4:1 CT	20:1 CT	CONSTANT	10:1 CT	20:1 CT				

Pump 180/220 U2; Reducer SK9042.1SWAZH660A

\$ 5,464	\$ 5,974	\$ 6,963	\$ 7,473	INQUIRE*	INQUIRE*	INQUIRE*	\$ 4,214
----------	----------	----------	----------	----------	----------	----------	----------

Pump 320 U2; Reducer SK9042.1AZH660A

				\$ 5,100	\$ 5,610	\$ 6,599	\$ 7,109	INQUIRE*	INQUIRE*	INQUIRE*	\$ 3,850
200	6,296	2.0	8.83	A	A	A	A				A
188	6,695	2.0	9.39	A	A	A	A				A
173	7,280	1.8	10.21	A	A	A	A				A
155	8,128	1.3	11.40	A	A	A	A	* Engineering Review Required			A
132	9,554	1.9	13.40	A	A	A	A				A
113	11,166	1.6	15.66	A	A	A	A				A
97	12,977	1.7	18.20	A	A	A	A				A
87	14,488	1.6	20.32	A	A	A	A				A
74	17,034	1.4	23.89	A	A	A	A				A

Pump 320 U2; Reducer SK9052.1SWAZH660A

				\$ 7,473	\$ 7,648	\$ 8,753	\$ 9,263	INQUIRE*	INQUIRE*	INQUIRE*	\$ 6,004
218	5,775	3.0	8.10	A	A	A	A				A
188	6,702	2.9	9.40	A	A	A	A				A
178	7,080	2.8	9.93	A	A	A	A				A
165	7,636	2.8	10.71	A	A	A	A				A
149	8,470	2.6	11.88	A	A	A	A				A
131	9,590	2.5	13.45	A	A	A	A				A
108	11,643	2.3	16.33	A	A	A	A	* Engineering Review Required			A
98	12,791	2.8	17.94	A	A	A	A				A
89	14,196	2.6	19.91	A	A	A	A				A
78	16,064	2.4	22.53	A	A	A	A				A
76	16,634	2.3	23.33	A	A	A	A				A
65	19,501	2.1	27.35	A	A	A	A				A
56	22,303	1.9	31.28	A	A	A	A				A
49	25,818	1.6	36.21	A	A	A	A				A
44	28,320	1.5	39.72	A	A	A	A				

Thermostat	xxx_/4-...TW	168	168	Included	Included	INQUIRE	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	168	168	168	168			
Nord High Efficiency		160LH/4VR	160LH/4VZF					
230/460V or 575V	ADD:	\$350	\$350					

25 HP 60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC	
						NORD MOTOR			BALDOR MOTOR				
				180MX/4VR	180LX/4VN	180MH/4VR-TW		180LH/4VN-TW					
						284TC	286TC						
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	230/460V CONSTANT	230/460V 10:1 CT	230/460V 20:1 CT			

Pump 320 U2; Reducer SK9052.1SWAZH660A

				\$ 7,383	\$ 7,553	INQUIRE	INQUIRE	INQUIRE*	INQUIRE*	INQUIRE*	\$ 6,549	
216	7,185	3.2	8.10	A	A						A	
186	8,338	2.7	9.40	A	A						A	
176	8,808	2.8	9.93	A	A						A	
163	9,500	2.7	10.71	A	A						A	
147	10,538	3.2	11.88	A	A			* Engineering Review Required				A
130	11,930	3.1	13.45	A	A							A
107	14,485	2.6	16.33	A	A							A
98	15,913	2.4	17.94	A	A						A	
88	17,660	2.1	19.91	A	A						A	
78	19,984	1.9	22.53	A	A						A	
75	20,694	1.8	23.33	A	A						A	
64	24,259	1.7	27.35	A	A						A	
56	27,745	1.5	31.28	A	A						A	

Thermostat	xxx_/4-...TW	168	168			INQUIRE	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	168	168					
Nord High Efficiency		180MH/4VN	180LH/4VN					
230/460V or 575V	ADD:	\$664	\$664					

30 HP 60 HZ GENERAL PURPOSE TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC
						NORD MOTOR				BALDOR MOTOR		
				180LX/4VR	180LX/4VZF	180LH/4VR-TW	180LH/4VZF-TW					
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEBC	TEFC	TEBC					
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V		
				4:1 CT	20:1 CT	4:1 CT	20:1 CT	CONSTANT	10:1 CT	20:1 CT		

Pump 320 U2; Reducer SK9052.1SAZH660A

				\$ 7,553	\$ 8,239	INQUIRE	INQUIRE	INQUIRE*	INQUIRE*	INQUIRE*	\$ 6,549
217	8,521	2.6	8.10	A	A						A
187	9,889	2.3	9.40	A	A						A
177	10,446	2.3	9.93	A	A						A
164	11,267	2.2	10.71	A	A						A
148	12,498	2.7	11.88	A	A			* Engineering Review Required			A
130	14,149	2.6	13.45	A	A						A
107	17,179	2.2	16.33	A	A						A
98	18,873	2.0	17.94	A	A						A
88	20,945	1.8	19.91	A	A						A
78	23,702	1.6	22.53	A	A						A
75	24,543	1.5	23.33	A	A						A
64	28,772	1.4	27.35	A	A						A

Thermostat	xxx_/4-...TW	168	168			INQUIRE	INQUIRE	INQUIRE
Thermistor	xxx_/4-...TF	168	168					
Nord High Efficiency 230/460V or 575V	ADD:	180LH/4VR	180LH/4VZF					
		\$664	\$664					