

<div><div>.25 HP</div><div>60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE</div></div>				INTEGRAL NORD MOTOR		C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
						NORD MOTOR		
				63L/4VR RDD	71S/4VN RDD	63L/4VR-RDD 56C	71S/4VN-RDD 56C	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	

**Pump 06/015/018 U2; Reducer SK92172SWAZH**

				\$ 1,264	\$ 1,281	\$ 1,577	\$ 1,594	\$ 1,332
417	38	13.3	<b>4.10</b>	A	A	A	A	A
358	44	12.6	<b>4.77</b>	A	A	A	A	A
321	49	12.3	<b>5.33</b>	A	A	A	A	A
283	56	11.8	<b>6.04</b>	A	A	A	A	A
243	65	12.5	<b>7.04</b>	A	A	A	A	A
213	74	11.6	<b>8.01</b>	A	A	A	A	A
189	83	10.7	<b>9.07</b>	A	A	A	A	A
165	95	10.2	<b>10.37</b>	A	A	A	A	A
145	109	9.4	<b>11.81</b>	A	A	A	A	A
127	124	8.6	<b>13.49</b>	A	A	A	A	A
110	144	7.4	<b>15.61</b>	A	A	A	A	A
91	173	4.4	<b>18.79</b>	A	A	A	A	A
75	210	5.1	<b>22.78</b>	N/A	N/A	A	A	A
66	239	4.4	<b>26.03</b>	N/A	N/A	A	A	A
61	260	4.1	<b>28.24</b>	A	A	A	A	A
53	297	3.6	<b>32.27</b>	A	A	A	A	A
47	332	2.7	<b>36.11</b>	A	A	A	A	A
41	380	2.7	<b>41.26</b>	A	A	A	A	A
36	431	1.5	<b>46.90</b>	A	A	A	A	A
32	493	1.6	<b>53.59</b>	A	A	A	A	A

Severe Extreme Duty Paint	NSD-X3	32	32	32	32
Thermostat	TW	147	147	147	147
Thermistor	TF	147	147	147	147
Encapsulated Windings	EP	131	131	131	131
Extra Motor Protection	IP66	43	43	43	43
Nord High Efficiency (230/460V or 575V)		Inquire	Inquire	Inquire	Inquire

<b>.33 HP</b>				<b>60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE</b>		<b>INTEGRAL NORD MOTOR</b>		<b>C-FACE</b>			<b>REDUCER w/NEMA C-FACE ADAPTER FRAME 56C</b>
						<b>NORD MOTOR</b>		<b>NORD MOTOR</b>		<b>WEG</b>	
<b>RPM</b>	<b>INCH LBS</b>	<b>SERVICE FACTOR</b>	<b>GEAR RATIO</b>			<b>71S/4VR RDD TEFC 230/460V 5:1 CT</b>	<b>71L/4VN RDD TEFC 230/460V 10:1 CT</b>	<b>71S/4VR-RDD 56C TEFC 230/460V 5:1 CT</b>	<b>71L/4VN-RDD 56C TEFC 230/460V 10:1 CT</b>	<b>300693305 56C TENV 230/460V 10:1 CT</b>	

**Pump 06/015/018 U2; Reducer SK92172SWAZH**

				<b>\$ 1,281</b>	<b>\$ 1,289</b>	<b>\$ 1,594</b>	<b>\$ 1,595</b>	<b>\$ 1,732</b>	<b>\$ 1,332</b>
417	50	10.3	<b>4.10</b>	A	A	A	A	A	A
358	58	9.7	<b>4.77</b>	A	A	A	A	A	A
321	65	9.5	<b>5.33</b>	A	A	A	A	A	A
283	74	9.1	<b>6.04</b>	A	A	A	A	A	A
243	86	9.8	<b>7.04</b>	A	A	A	A	A	A
213	98	9.1	<b>8.01</b>	A	A	A	A	A	A
189	111	8.4	<b>9.07</b>	A	A	A	A	A	A
165	127	7.7	<b>10.37</b>	A	A	A	A	A	A
145	144	7.1	<b>11.81</b>	A	A	A	A	A	A
127	165	6.5	<b>13.49</b>	A	A	A	A	A	A
110	190	5.6	<b>15.61</b>	A	A	A	A	A	A
91	229	3.3	<b>18.79</b>	A	A	A	A	A	A
75	278	3.8	<b>22.78</b>	N/A	N/A	A	A	A	A
66	318	3.3	<b>26.03</b>	N/A	N/A	A	A	A	A
61	345	3.1	<b>28.24</b>	A	A	A	A	A	A
53	394	2.7	<b>32.27</b>	A	A	A	A	A	A
47	441	2.0	<b>36.11</b>	A	A	A	A	A	A
41	503	2.0	<b>41.26</b>	A	A	A	A	A	A

<b>Nord SK205E VFD</b>					
<b>3PH, 200-240V</b>	<b>ADD:</b>	<b>\$1,515</b>	<b>\$1,515</b>	<b>\$1,515</b>	<b>\$1,515</b>

<b>Severe Extreme Duty Paint</b>	<b>NSD-X3</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>
<b>Thermostat</b>	<b>TW</b>	<b>147</b>	<b>147</b>	<b>147</b>	<b>147</b>	<b>INQUIRE</b>
<b>Thermistor</b>	<b>TF</b>	<b>147</b>	<b>147</b>	<b>147</b>	<b>147</b>	
<b>Encapsulated Windings</b>	<b>EP</b>	<b>131</b>	<b>131</b>	<b>131</b>	<b>131</b>	
<b>Extra Motor Protection</b>	<b>IP66</b>	<b>43</b>	<b>43</b>	<b>43</b>	<b>43</b>	
<b>Nord High Efficiency (230/460V or 575V)</b>		<b>Inquire</b>	<b>Inquire</b>	<b>Inquire</b>	<b>Inquire</b>	

60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
						NORD MOTOR		WEG	BALDOR	
				RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	71L/4VR RDD	80S/4VN RDD	
				TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TENV 230/460V 10:1 CT	TENV 230/460V 10:1 CT	

**Pump 06/015/018 U2; Reducer SK92172SWAZH**

				\$ 1,289	\$ 1,348	\$ 1,595	\$ 1,646	\$ 1,748	\$ 2,615	\$ 1,332
420	75	6.9	4.10	A	A	A	A	A	A	A
361	87	6.5	4.77	A	A	A	A	A	A	A
323	98	6.4	5.33	A	A	A	A	A	A	A
285	111	6.1	6.04	A	A	A	A	A	A	A
244	129	6.5	7.04	A	A	A	A	A	A	A
215	147	6.0	8.01	A	A	A	A	A	A	A
190	166	5.6	9.07	A	A	A	A	A	A	A
166	190	5.1	10.37	A	A	A	A	A	A	A
146	216	4.7	11.81	A	A	A	A	A	A	A
128	247	4.3	13.49	A	A	A	A	A	A	A
110	286	3.7	15.61	A	A	A	A	A	A	A
92	344	2.2	18.79	A	A	A	A	A	A	A
76	417	2.5	22.78	A	A	A	A	A	A	A
66	476	2.2	26.03	A	A	A	A	A	A	A
61	517	2.1	28.24	A	A	A	A	A	A	A
53	591	1.8	32.27	A	N/A	A	A	A	A	A

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,524	\$1,524	\$1,524	\$1,524

Severe Extreme Duty Paint	NSD-X3	32	32	32	32	32	32
Thermostat	TW	147	147	147	147	INQUIRE	INQUIRE
Thermistor	TF	147	147	147	147		
Encapsulated Windings	EP	131	131	131	131		
Extra Motor Protection	IP66	43	43	43	43		
Nord High Efficiency (230/460V or 575V)		Inquire	Inquire	Inquire	Inquire		

.75 HP  60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
						NORD MOTOR		WEG	BALDOR	
				80S/4VR RDD TEFC 230/460V 5:1 CT	80L/4VN RDD TEFC 230/460V 10:1 CT	80S/4VR-RDD 56C TEFC 230/460V 5:1 CT	80LH/4VN-RDD 56C TEFC 230/460V 10:1 CT	300697508 56C TENV 230/460V 10:1 CT	VSSEWDM3542 56C TENV 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO							

**Pump 06/015/018 U2; Reducer SK92172SWAZH**

				\$ 1,348	\$ 1,357	\$ 1,646	\$ 1,717	\$ 1,762	\$ 2,660	\$ 1,332
421	112	5.0	4.10	A	A	A	A	A	A	A
362	131	4.7	4.77	A	A	A	A	A	A	A
324	146	4.7	5.33	A	A	A	A	A	A	A
286	165	4.5	6.04	A	A	A	A	A	A	A
245	193	4.4	7.04	A	A	A	A	A	A	A
215	219	4.0	8.01	A	A	A	A	A	A	A
190	249	3.7	9.07	A	A	A	A	A	A	A
166	284	3.4	10.37	A	A	A	A	A	A	A
146	324	3.1	11.81	A	A	A	A	A	A	A
128	370	2.9	13.49	A	A	A	A	A	A	A
111	428	2.5	15.61	A	A	A	A	A	A	A
92	515	1.5	18.79	A	N/A	A	A	A	A	A
76	624	1.7	22.78	A	N/A	A	A	A	A	A
66	713	1.5	26.03	A	N/A	A	A	A	A	A
61	774	1.4	28.24	A	N/A	A	A	A	A	A

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,560	\$1,560	\$1,560	\$1,560

Severe Extreme Duty Paint	NSD-X3	32	32	32	32	32	32
Thermostat	TW	147	147	147	147	INQUIRE	INQUIRE
Thermistor	TF	147	147	147	147		
Encapsulated Windings	EP	131	131	131	131		
Extra Motor Protection	IP66	43	43	43	43		
Nord High Efficiency 230/460V or 575V		80SH/4VR RDD	80LH/4VN RDD				
	ADD:	N/A	\$125				

1 HP  60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 56C/140TC
						NORD MOTOR		WEG	BALDOR MOTOR			
				80L/4VR RDD	90S/4VN RDD	80LH/4VR RDD	90SH/4VN RDD	300600112	VSSEWDM3546T	IDWNM3546T		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 400V 2:1 CT	TEFC 400V 4:1 CT	TENV 230/460V 10:1 CT	TENV 230/460V 10:1 CT	TENV 230/460V 20:1 CT		

**Pump 06/015/018 U2; Reducer SK92172SWAZH**

				\$ 1,357	\$ 1,420	\$ 1,717	\$ 1,776	\$ 1,793	\$ 2,722	\$ 2,890	\$ 1,332
421	150	4.4	4.10	A	A	A	A	A	A	A	A
362	174	4.1	4.77	A	A	A	A	A	A	A	A
324	195	3.9	5.33	A	A	A	A	A	A	A	A
286	220	3.6	6.04	A	A	A	A	A	A	A	A
245	257	3.3	7.04	A	A	A	A	A	A	A	A
215	292	3.0	8.01	A	A	A	A	A	A	A	A
190	331	2.8	9.07	A	A	A	A	A	A	A	A
166	379	2.6	10.37	A	A	A	A	A	A	A	A
146	431	2.4	11.81	A	N/A	A	A	A	A	A	A
128	492	2.2	13.49	A	N/A	A	A	A	A	A	A
111	570	1.9	15.61	A	N/A	A	A	A	A	A	A

**Pump 030/040 U2; Reducer SK92772SWAZH**

				\$ 1,904	\$ 1,964	\$ 2,321	\$ 2,380	\$ 2,397	\$ 3,326	\$ 3,494	\$ 1,936
61	1,038	5.1	28.44	N/A	A	A	A	A	A	A	A
54	1,169	4.8	32.04	N/A	A	A	A	A	A	A	A
47	1,336	4.4	36.61	N/A	A	A	A	A	A	A	A
42	1,488	2.7	40.77	A	A	A	A	A	A	A	A
38	1,676	2.7	45.93	A	A	A	A	A	A	A	A
33	1,916	2.7	52.48	A	A	A	A	A	A	A	A
31	2,045	1.7	56.02	A	N/A	A	A	A	A	A	A
27	2,336	1.7	64.01	A	N/A	A	A	A	A	A	A

**Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A**

				\$ 2,917	\$ 2,989	\$ 3,495	\$ 3,554	\$ 3,571	\$ 4,500	\$ 4,668	\$ 3,110
35	1,823	7.5	49.94	A	A	A	A	A	A	A	A
29	2,160	6.4	59.17	A	A	A	A	A	A	A	A
27	2,339	5.9	64.08	A	A	A	A	A	A	A	A
23	2,771	5.0	75.91	A	A	A	A	A	A	A	A
20	3,072	4.5	84.17	A	A	A	A	A	A	A	A
18	3,413	4.0	93.50	A	A	A	A	A	A	A	A
16	4,043	3.4	110.77	A	A	A	A	A	A	A	A

Nord SK205E VFD 3PH, 200-240V	ADD:	\$1,600	\$1,600	\$1,600	\$1,600
----------------------------------	------	---------	---------	---------	---------

Severe Extreme Duty Paint	NSD-X3	32	32	32	32	INQUIRE	INQUIRE	INQUIRE
Thermostat	TW	147	147	147	147			
Thermistor	TF	147	147	147	147			
Encapsulated Windings	EP	131	131	131	131			
Extra Motor Protection	IP66	43	43	43	43			
Nord High Efficiency 230/460V or 575V		80LH/4VR RDD	90SH/4VN RDD					
ADD:		\$125	\$141					

1.5 HP				60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
										NORD MOTOR		WEG	BALDOR MOTOR			
								90S/4VR RDD	90L/4VN RDD	90SH/4VR RDD	90LH/4VN RDD	300619513	VSSEWDM3554T	IDWNM3554T		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	145TC	145TC	145TC	145TC	145TC						
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V						
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	4:1 CT	10:1 CT	20:1 CT						

**Pump 06/015/018 U2; Reducer SK92172SWAZH**

				\$ 1,420	\$ 1,428	\$ 1,786	\$ 1,817	\$ 1,835	\$ 2,746	\$ 3,049	\$ 1,332
421	225	3.0	4.10	A	A	A	A	A	A	A	A
362	261	2.7	4.77	A	A	A	A	A	A	A	A
324	292	2.6	5.33	A	A	A	A	A	A	A	A
286	331	2.4	6.04	A	A	A	A	A	A	A	A
245	386	2.2	7.04	A	A	A	A	A	A	A	A
215	439	2.0	8.01	A	A	A	A	A	A	A	A
190	497	1.9	9.07	A	A	A	A	A	A	A	A
166	568	1.7	10.37	A	A	A	A	A	A	A	A

**Pump 030/040 U2; Reducer SK92772SWAZH**

				\$ 1,964	\$ 1,973	\$ 2,390	\$ 2,421	\$ 2,439	\$ 3,350	\$ 3,653	\$ 1,936
159	596	7.6	10.88	A	A	A	A	A	A	A	A
139	681	6.7	12.43	A	A	A	A	A	A	A	A
124	762	6.2	13.91	A	A	A	A	A	A	A	A
111	855	6.1	15.60	A	A	A	A	A	A	A	A
97	977	5.3	17.83	A	A	A	A	A	A	A	A
61	1,559	3.4	28.44	A	A	A	A	A	A	A	A
54	1,756	3.2	32.04	A	A	A	A	A	A	A	A
47	2,006	2.9	36.61	A	A	A	A	A	A	A	A
42	2,234	1.8	40.77	A	A	A	A	A	A	A	A
38	2,517	1.8	45.93	A	A	A	A	A	A	A	A
33	2,876	1.8	52.48	A	A	A	A	A	A	A	A

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$1,716	\$1,716	\$1,716	\$1,716

Severe Extreme Duty Paint	NSD-X3	32	32	32	32	32	32	32
Thermostat	TW	147	147	147	147	INQUIRE	INQUIRE	INQUIRE
Thermistor	TF	147	147	147	147			
Encapsulated Windings	EP	131	131	131	131			
Extra Motor Protection	IP66	43	43	43	43			
Nord High Efficiency 230/460V or 575V	ADD:	90SH/4VR RDD	90LH/4VN RDD					
		\$141	\$141					

1.5 HP				60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE					REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC
										NORD MOTOR		WEG	BALDOR MOTOR		
										90S/4VR RDD	90L/4VN RDD	90SH/4VR RDD	90LH/4VN RDD	300619513	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	145TC TEFC 230/460V 5:1 CT	145TC TEFC 230/460V 10:1 CT	145TC TEFC 230/460V 4:1 CT	145TC TEFC 230/460V 10:1 CT	145TC TENV 230/460V 20:1 CT					

**Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A**

				\$ 2,989	\$ 2,997	\$ 3,564	\$ 3,595	\$ 3,613	\$ 4,524	\$ 4,827	\$ 3,110
203	465	16.8	<b>8.48</b>	A	A	A	A	A	A	A	A
161	588	13.5	<b>10.73</b>	A	A	A	A	A	A	A	A
136	695	12.7	<b>12.68</b>	A	A	A	A	A	A	A	A
128	739	1.4	<b>13.49</b>	A	A	A	A	A	A	A	A
108	879	14.1	<b>16.04</b>	A	A	A	A	A	A	A	A
101	936	13.7	<b>17.08</b>	A	A	A	A	A	A	A	A
85	1,109	12.0	<b>20.23</b>	A	A	A	A	A	A	A	A
72	1,310	10.5	<b>23.91</b>	A	A	A	A	A	A	A	A
69	1,372	9.7	<b>25.03</b>	A	A	A	A	A	A	A	A
58	1,625	8.2	<b>29.66</b>	A	A	A	A	A	A	A	A
48	1,951	7.0	<b>35.61</b>	A	A	A	A	A	A	A	A
45	2,085	6.6	<b>38.05</b>	A	A	A	A	A	A	A	A
48	1,951	7.0	<b>35.61</b>	A	A	A	A	A	A	A	A
45	2,085	6.6	<b>38.05</b>	A	A	A	A	A	A	A	A
35	2,737	5.0	<b>49.94</b>	A	A	A	A	A	A	A	A
29	3,243	4.2	<b>59.17</b>	A	A	A	A	A	A	A	A
27	3,512	3.9	<b>64.08</b>	A	A	A	A	A	A	A	A
23	4,160	3.3	<b>75.91</b>	A	A	A	A	A	A	A	A
20	4,613	3.0	<b>84.17</b>	A	A	A	A	A	A	A	A
18	5,124	2.7	<b>93.50</b>	A	A	A	A	A	A	A	A
16	6,070	2.3	<b>110.77</b>	A	A	A	A	A	A	A	A
15	6,450	2.1	<b>117.70</b>	A	A	A	A	A	A	A	A

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$1,716	\$1,716	\$1,716	\$1,716

Severe Extreme Duty Paint	NSD-X3	32	32	32	32	32	32	32
Thermostat	TW	147	147	147	147	INQUIRE	INQUIRE	INQUIRE
Thermistor	TF	147	147	147	147			
Encapsulated Windings	EP	131	131	131	131			
Extra Motor Protection	IP66	43	43	43	43			
Nord High Efficiency 230/460V or 575V	90SH/4VR RDD	90LH/4VN RDD						
	ADD: \$141	\$141						

2 HP				60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE							REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
										NORD MOTOR		WEG		BALDOR MOTOR				
								90LH/4VR RDD	100LH/4VN RDD	90LH/4VR RDD	100LH/4VN RDD	300600210	VSSEWDM 3558T	IDWNM3609T				
								TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV				
RPM	INCH LBS	SF	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V						
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	4:1 CT	10:1 CT	20:1 CT								

**Pump 06/015/018 U2; Reducer SK92172SWAZH**

				\$ 1,428	N/A	\$ 1,807	N/A	\$ 1,925	\$ 3,051	\$ 3,223	\$ 1,332	N/A
421	300	2.2	4.10	A	N/A	A	N/A	A	A	A	A	N/A
362	349	2.0	4.77	A	N/A	A	N/A	A	A	A	A	N/A
324	390	1.9	5.33	A	N/A	A	N/A	A	A	A	A	N/A
286	442	1.8	6.04	A	N/A	A	N/A	A	A	A	A	N/A
245	515	1.6	7.04	A	N/A	A	N/A	A	A	A	A	N/A
215	586	1.5	8.01	A	N/A	A	N/A	A	A	A	A	N/A

**Pump 030/040 U2; Reducer SK92772SWAZH**

				\$ 1,973	\$ 2,066	\$ 2,411	\$ 2,523	\$ 2,529	\$ 3,655	\$ 3,827	\$ 1,936	\$ 1,983
159	795	5.7	10.88	A	A	A	A	A	A	A	A	A
139	909	5.0	12.43	A	A	A	A	A	A	A	A	A
124	1,017	4.7	13.91	A	A	A	A	A	A	A	A	A
111	1,140	4.5	15.60	A	A	A	A	A	A	A	A	A
97	1,303	4.0	17.83	A	A	A	A	A	A	A	A	A
61	2,079	2.6	28.44	A	A	A	A	A	A	A	A	A
54	2,342	2.4	32.04	A	A	A	A	A	A	A	A	A
47	2,676	2.2	36.61	A	A	A	A	A	A	A	A	A

**Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A**

				\$ 2,997	\$ 3,104	\$ 3,585	\$ 3,693	\$ 3,703	\$ 4,829	\$ 5,001	\$ 3,110	\$ 3,153
203	620	12.6	8.48	A	A	A	A	A	A	A	A	A
161	784	10.2	10.73	A	A	A	A	A	A	A	A	A
136	927	9.5	12.68	A	A	A	A	A	A	A	A	A
128	986	12.1	13.49	A	A	A	A	A	A	A	A	A
108	1,173	10.6	16.04	A	A	A	A	A	A	A	A	A
85	1,479	9.0	20.23	A	A	A	A	A	A	A	A	A
72	1,748	7.8	23.91	A	A	A	A	A	A	A	A	A
69	1,830	7.3	25.03	A	A	A	A	A	A	A	A	A
58	2,168	6.1	29.66	A	A	A	A	A	A	A	A	A
48	2,603	5.3	35.61	A	A	A	A	A	A	A	A	A
45	2,781	4.9	38.05	A	A	A	A	A	A	A	A	A
43	2,950	4.6	40.36	A	A	A	A	A	A	A	A	A
36	3,487	3.9	47.70	A	A	A	A	A	A	A	A	A
35	3,651	3.8	49.94	A	A	A	A	A	A	A	A	A
29	4,325	3.2	59.17	A	A	A	A	A	A	A	A	A
27	4,684	2.9	64.08	A	A	A	A	A	A	A	A	A
23	5,549	2.5	75.91	A	A	A	A	A	A	A	A	A
27	4,684	2.9	64.08	A	A	A	A	A	A	A	A	A
23	5,549	2.5	75.91	A	A	A	A	A	A	A	A	A
16	8,097	1.7	110.77	A	N/A	A	A	A	A	A	A	A
15	8,604	1.6	117.70	A	N/A	A	A	A	A	A	A	N/A

**Nord SK205E VFD**

3PH, 380-480V

ADD:

\$1,737

\$1,744

\$1,737

\$1,744

Severe Extreme Duty	NSD-X3	32	32	32	32	INQUIRE	INQUIRE	INQUIRE
Thermostat	TW	147	147	147	147			
Thermistor	TF	147	147	147	147			
Encapsulated Windings	EP	131	131	131	131			
Extra Motor Protection	IP66	43	45	43	45			
Nord High Efficiency 230/460V or 575V	ADD:	90LH/4VR RDD	100LH/4VN RDD					
		\$141	\$167					



3 HP  60 HZ WASHDOWN  TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
						NORD MOTOR		WEG		BALDOR MOTOR		
				100L/4VR RDD	100LA/4VN RDD	100LH/4VR RDD	112MH/4VN RDD	300600307	CSSEWDM 3611T	IDWNM3611T		
				TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	TENV 230/460V 20:1 CT		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO									

Pump 030/040 U2; Reducer SK92772SWAZH

				\$ 2,066	\$ 2,091	\$ 2,523	\$ 2,745	\$ 2,920	\$4,089	\$ 4,043	\$ 1,983
359	527	6.9	4.81	A	A	A	A	A	A	A	A
318	595	6.3	5.43	A	A	A	A	A	A	A	A
282	670	5.6	6.11	A	A	A	A	A	A	A	A
269	703	5.7	6.41	A	A	A	A	A	A	A	A
227	833	5.0	7.60	A	A	A	A	A	A	A	A
202	937	4.7	8.55	A	A	A	A	A	A	A	A
179	1,055	4.2	9.63	A	A	A	A	A	A	A	A
159	1,192	3.8	10.88	A	A	A	A	A	A	A	A
139	1,362	3.3	12.43	A	A	A	A	A	A	A	A
124	1,525	3.1	13.91	A	A	A	A	A	A	A	A
111	1,710	3.0	15.60	A	A	A	A	A	A	A	A
97	1,954	2.6	17.83	A	A	A	A	A	A	A	A
87	2,162	2.5	19.73	A	A	A	A	A	A	A	A
78	2,435	2.3	22.22	A	A	A	A	A	A	A	A
68	2,783	2.1	25.39	A	A	A	A	A	A	A	A
61	3,117	1.7	28.44	A	A	A	A	A	A	A	A
54	3,512	1.6	32.04	A	A	A	A	A	A	A	A
47	4,012	1.5	36.61	A	A	A	A	A	A	A	A

Pump 045/060/130 U2: Reducer SK9032.1SWAZH660A

				\$ 3,104	\$ 3,131	\$ 3,693	\$ 3,915	\$ 4,090	\$5,259	\$ 5,213	\$ 3,153
203	929	8.4	8.48	A	A	A	A	A	A	A	A
161	1,176	6.8	10.73	A	A	A	A	A	A	A	A
136	1,390	6.4	12.68	A	A	A	A	A	A	A	A
128	1,479	8.1	13.49	A	A	A	A	A	A	A	A
108	1,758	7.0	16.04	A	A	A	A	A	A	A	A
101	1,872	6.9	17.08	A	A	A	A	A	A	A	A
85	2,217	6.0	20.23	A	A	A	A	A	A	A	A
72	2,621	5.2	23.91	A	A	A	A	A	A	A	A
69	2,743	4.8	25.03	A	A	A	A	A	A	A	A
58	3,251	4.1	29.66	A	A	A	A	A	A	A	A
48	3,903	3.5	35.61	A	A	A	A	A	A	A	A
45	4,170	3.3	38.05	A	A	A	A	A	A	A	A
43	4,423	3.1	40.36	A	A	A	A	A	A	A	A
36	5,228	2.6	47.70	A	A	A	A	A	A	A	A
35	5,473	2.5	49.94	A	A	A	A	A	A	A	A
36	5,228	2.6	47.70	A	A	A	A	A	A	A	A
35	5,473	2.5	49.94	A	A	A	A	A	A	A	A
23	8,320	1.6	75.91	A	A	A	A	A	A	A	A
20	9,225	1.5	84.17	A	A	A	A	A	A	A	A

Nord SK205E VFD 3PH, 380-480V	ADD:				
		\$2,014	\$2,021	\$2,014	\$2,021

Severe Extreme Duty Paint	NSD-X3	32	32	32	32	32	32	32
Thermostat	TW	147	147	147	147	INQUIRE	INQUIRE	INQUIRE
Thermistor	TF	147	147	147	147			
Encapsulated Windings	EP	131	131	131	131			
Extra Motor Protection	IP66	45	45	45	45			
Nord High Efficiency 230/460V or 575V		100LH/4VR RDD	112MH/4VN RDD					
	ADD:	\$167	\$335					

5 HP				60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE		INTEGRAL NORD MOTOR		C-FACE					REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
								NORD MOTOR		WEG	BALDOR MOTOR			
						100LA/4VR RDD	132S/4VN RDD	112MH/4VR RDD	132SH/4VN RDD	300600509	CSSEWDM 3615T	IDWNM3707T		
RPM	INCH LBS	SF	GEAR RATIO	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	TENV 230/460V 20:1 CT				

**Pump 030/040 U2; Reducer SK92772SWAZH**

				\$ 2,091	\$ 2,379	\$ 2,745	\$ 3,013	\$ 3,123	\$ 4,287	\$ 4,314	\$ 1,983	\$ 1,983
364	866	4.2	4.81	A	A	A	A	A	A	A	A	A
322	978	3.8	5.43	A	A	A	A	A	A	A	A	A
286	1,100	3.4	6.11	A	A	A	A	A	A	A	A	A
273	1,154	3.5	6.41	A	A	A	A	A	A	A	A	A
230	1,369	3.1	7.60	A	A	A	A	A	A	A	A	A
205	1,540	2.8	8.55	A	A	A	A	A	A	A	A	A
182	1,734	2.5	9.63	A	A	A	A	A	A	A	A	A
161	1,959	2.3	10.88	A	A	A	A	A	A	A	A	A
141	2,239	2.0	12.43	A	A	A	A	A	A	A	A	A
126	2,505	1.9	13.91	A	A	A	A	A	A	A	A	A
112	2,810	1.8	15.60	A	A	A	A	A	A	A	A	A
98	3,211	1.6	17.83	A	A	A	A	A	A	A	A	A
89	3,553	1.5	19.73	A	A	A	A	A	A	A	A	A
79	4,002	1.4	22.22	A	A	A	A	A	A	A	A	A

**Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A**

				\$ 3,131	\$ 3,605	\$ 3,915	\$ 4,271	\$ 4,293	\$ 5,457	\$ 5,572	\$ 3,153	\$ 3,241
206	1,527	5.1	8.48	A	A	A	A	A	A	A	A	A
163	1,932	4.1	10.73	A	A	A	A	A	A	A	A	A
138	2,284	3.9	12.68	A	A	A	A	A	A	A	A	A
130	2,430	4.9	13.49	A	A	A	A	A	A	A	A	A
109	2,889	4.3	16.04	A	A	A	A	A	A	A	A	A
102	3,076	4.2	17.08	A	A	A	A	A	A	A	A	A
87	3,643	3.6	20.23	A	A	A	A	A	A	A	A	A
73	4,306	3.2	23.91	A	A	A	A	A	A	A	A	A
70	4,508	2.9	25.03	A	A	A	A	A	A	A	A	A
59	5,342	2.5	29.66	A	A	A	A	A	A	A	A	A
49	6,413	2.1	35.61	A	A	A	A	A	A	A	A	A
46	6,853	2.0	38.05	A	A	A	A	A	A	A	A	A
43	7,269	1.9	40.36	A	A	A	A	A	A	A	A	A
37	8,591	1.6	47.70	A	A	A	A	A	A	A	A	A
35	8,994	1.5	49.94	A	A	A	A	A	A	A	A	A

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$2,206	\$2,226	\$2,206	\$2,226

Severe Extreme Duty Paint	NSD-X3	32	32	32	32	32	32	32
Thermostat	TW	147	168	147	168	INQUIRE	INQUIRE	INQUIRE
Thermistor	TF	147	168	147	168			
Encapsulated Windings	EP	131	146	131	146			
Extra Motor Protection	IP66	45	66	45	69			
Nord High Efficiency 230/460V or 575V	ADD:	112MH/4VR RDD	132SH/4VN RDD					
		\$335	\$324					

5 HP				60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
										NORD MOTOR		WEG	BALDOR MOTOR				
								100LA/4VR RDD	132S/4VN RDD	112MH/4VR RDD	132SH/4VN RDD	300600509	CSSEWDM 3615T	IDWNM3707T			
RPM	INCH LBS	SF	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV						
				230/460V 5:1 CT	230/460V 10:1 CT	230/460V 5:1 CT	230/460V 10:1 CT	230/460V 4:1 CT	230/460V 10:1 CT	230/460V 20:1 CT							

**Pump 180/220 U2; Reducer SK9042.1SWAZH660A**

\$	3,934	\$	4,410	\$	4,813	\$	5,169	\$	4,051	\$	7,515	\$	4,051	\$	4,051	\$	4,139
----	-------	----	-------	----	-------	----	-------	----	-------	----	-------	----	-------	----	-------	----	-------

**Pump 320 U2; Reducer SK9042.1AZH660A**

				\$	3,570	\$	4,046	\$	4,449	\$	4,805	\$	3,687	\$	7,151	\$	3,687	\$	3,687	\$	3,775
198	1,590	7.8	8.83	N/A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
186	1,691	7.8	9.39	N/A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
198	1,590	7.8	8.83	N/A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
186	1,691	7.8	9.39	N/A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
131	2,413	7.3	13.40	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
112	2,820	6.3	15.66	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
96	3,278	6.6	18.20	N/A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
86	3,660	6.3	20.32	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
73	4,303	5.6	23.89	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
63	5,027	4.9	27.91	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
55	5,709	4.3	31.70	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
51	6,194	4.0	34.39	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
43	7,301	3.4	40.54	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
37	8,585	2.9	47.67	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
31	10,030	2.5	55.69	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
28	11,391	2.2	63.25	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
26	12,357	2.0	68.61	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
23	13,720	1.8	76.18	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
20	15,566	1.6	86.43	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
18	17,210	1.4	95.56	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$2,206	\$2,226	\$2,206	\$2,226

Severe Extreme Duty Paint	NSD-X3	32	32	32	32	32	32	32
Thermostat	TW	147	168	147	168	INQUIRE	INQUIRE	INQUIRE
Thermistor	TF	147	168	147	168			
Encapsulated Windings	EP	131	146	131	146			
Extra Motor Protection	IP66	45	66	45	69			
Nord High Efficiency 230/460V or 575V		112MH/4VR RDD	132SH/4VN RDD					
	ADD:	\$335	\$324					

7.5 HP				60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE							REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
										NORD MOTOR				WEG		BALDOR MOTOR		
								132S/4VR RDD	132M/4VN RDD	132SH/4VR RDD	132MH/4VN RDD	300679506	CSSEWDM 3710T	IDWNM 22937T				
TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	TENV 230/460V 20:1 CT												
RPM	INCH LBS	SF	GEAR RATIO															

**Pump 030/040 U2; Reducer SK92772SWAZH**

				\$ 2,379	\$ 2,511	\$ 3,013	\$ 3,089	\$ 3,538	\$ 4,920	\$ 5,849	\$ 1,983	\$ 2,237
366	1,292	2.8	4.81	A	A	A	A	A	A	A	A	A
324	1,458	2.6	5.43	A	A	A	A	A	A	A	A	A
288	1,641	2.3	6.11	A	A	A	A	A	A	A	A	A
275	1,722	2.3	6.41	A	A	A	A	A	A	A	A	A
232	2,041	2.1	7.60	A	A	A	A	A	A	A	A	A
206	2,297	1.9	8.55	A	A	A	A	A	A	A	A	A
183	2,587	1.7	9.63	A	A	A	A	A	A	A	A	A
162	2,922	1.6	10.88	A	A	A	A	A	A	N/A	A	N/A

**Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A**

				\$ 3,605	\$ 3,706	\$ 4,271	\$ 4,347	\$ 4,796	\$ 6,178	N/A	\$ 3,241	N/A
208	2,278	3.4	8.48	A	A	A	A	A	A	N/A	A	N/A
164	2,882	2.8	10.73	A	A	A	A	A	A	N/A	A	N/A
139	3,406	2.6	12.68	A	A	A	A	A	A	N/A	A	N/A
130	3,623	3.3	13.49	A	A	A	A	A	A	N/A	A	N/A
110	4,308	2.9	16.04	A	A	A	A	A	A	N/A	A	N/A
103	4,588	2.8	17.08	A	A	A	A	A	A	N/A	A	N/A
87	5,434	2.4	20.23	A	A	A	A	A	A	N/A	A	N/A
74	6,422	2.1	23.91	A	A	A	A	A	A	N/A	A	N/A
70	6,723	2.0	25.03	A	A	A	A	A	A	N/A	A	N/A
59	7,967	1.7	29.66	A	A	A	A	A	A	N/A	A	N/A

**Pump 180/220 U2; Reducer SK9042.1SWAZH660A**

				\$ 4,410	\$ 4,510	\$ 5,169	\$ 5,245	\$ 5,694	\$ 7,076	\$ 7,891	\$ 4,139	\$ 4,279
--	--	--	--	----------	----------	----------	----------	----------	----------	----------	----------	----------

**Pump 320 U2; Reducer SK9042.1AZH660A**

				\$ 4,046	\$ 4,146	\$ 4,805	\$ 4,881	\$ 5,330	\$ 6,712	\$ 7,527	\$ 3,775	\$ 3,915
199	2,372	5.2	8.83	A	A	A	A	A	A	A	A	A
187	2,522	5.3	9.39	A	A	A	A	A	A	A	A	A
172	2,742	4.8	10.21	A	A	A	A	A	A	A	A	A
154	3,062	4.3	11.40	A	A	A	A	A	A	A	A	A
131	3,599	4.9	13.40	A	A	A	A	A	A	A	A	A
112	4,206	4.2	15.66	A	A	A	A	A	A	A	A	A
97	4,889	4.4	18.20	A	A	A	A	A	A	A	A	A
87	5,458	4.2	20.32	A	A	A	A	A	A	A	A	A
74	6,417	3.7	23.89	A	A	A	A	A	A	A	A	A
63	7,497	3.3	27.91	A	A	A	A	A	A	A	A	A
51	9,237	2.7	34.39	A	A	A	A	A	A	A	A	A
43	10,889	2.3	40.54	A	A	A	A	A	A	A	A	A
51	9,237	2.7	34.39	A	A	A	A	A	A	A	A	A
43	10,889	2.3	40.54	A	A	A	A	A	A	A	A	A
37	12,804	1.9	47.67	A	A	A	A	A	A	A	A	A
32	14,958	1.7	55.69	A	A	A	A	A	A	A	A	A

Nord SK205E VFD

3PH, 380-480V

ADD:

\$2,585

\$2,585

\$2,585

\$2,585

Severe Extreme Duty Paint	NSD-X3	32	32	32	32	INQUIRE	INQUIRE	INQUIRE
Thermostat	TW	168	168	168	168			
Thermistor	TF	168	168	168	168			
Encapsulated Windings	EP	146	146	146	146			
Extra Motor Protection	IP66	69	69	69	69			
Nord High Efficiency 230/460V or 575V		132SH/4VR RDD	132MH/4VN RDD					
	ADD:	\$324	\$324					

7.5 HP				60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC		REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC	
										NORD MOTOR				WEG					
								132S/4VR RDD		132M/4VN RDD		132SH/4VR RDD		132MH/4VN RDD					
TEFC 230/460V 5:1 CT		TEFC 230/460V 10:1 CT		213TC		215TC		213TC		213TC		254TC							
RPM		INCH LBS		SF		GEAR RATIO		TEFC 230/460V 5:1 CT		TEFC 230/460V 10:1 CT		TEFC 230/460V 4:1 CT		TEFC 230/460V 10:1 CT		TENV 230/460V 20:1 CT			

**Pump 320 U2; Reducer SK9052.1SWAZH660A**

				\$ 6,093	\$ 6,194	\$ 7,070	\$ 7,146	\$ 7,694	\$ 9,294	\$ 6,079	\$ 6,040	\$ 6,079
78	6,052	6.3	22.53	A	A	A	A	A	A	A	A	A
75	6,266	6.1	23.33	A	A	A	A	A	A	A	A	A
64	7,346	5.5	27.35	A	A	A	A	A	A	A	A	A
56	8,402	5.1	31.28	A	A	A	A	A	A	A	A	A
49	9,726	4.4	36.21	A	A	A	A	A	A	A	A	A
44	10,669	4.0	39.72	A	A	A	A	A	A	A	A	A
39	12,076	3.5	44.96	A	A	A	A	A	A	A	A	A
32	14,655	2.9	54.56	A	A	A	A	A	A	A	A	A
28	16,766	2.5	62.42	A	A	A	A	A	A	A	A	A
24	19,404	2.2	72.24	A	A	A	A	A	A	A	A	A
20	23,682	1.8	88.17	A	A	A	A	A	A	A	A	A

Nord SK205E VFD 3PH, 380-480V	ADD:	\$2,585	\$2,585	\$2,585	\$2,585
----------------------------------	------	---------	---------	---------	---------

Severe Extreme Duty Paint	NSD-X3	37	37	37	37	37	37	37
Thermostat	TW	168	168	168	168	INQUIRE	INQUIRE	INQUIRE
Thermistor	TF	168	168	168	168			
Encapsulated Windings	EP	146	146	146	146			
Extra Motor Protection	IP66	69	69	69	69			
Nord High Efficiency 230/460V or 575V	ADD:	132SH/4VR RDD	132MH/4VN RDD					
		\$324	\$324					

10 HP				60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
										NORD MOTOR		WEG	BALDOR MOTOR				
								132M/4VR RDD	160M/4VN RDD	132MH/4VR RDD	160MH/4VN RDD-TW	300601009	CSSEWDM 3714T	IDWNM 22938T			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV							
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V							
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	4:1 CT	10:1 CT	20:1 CT							

**Pump 045/060/130 U2; Reducer SK9032.1SWAZH660A**

				\$ 3,706	N/A	\$ 4,347	N/A	\$ 4,895	\$ 6,705	N/A	\$ 3,241	N/A
208	3,037	2.6	8.48	A	N/A	A	N/A	A	A	N/A	A	N/A
164	3,842	2.1	10.73	A	N/A	A	N/A	A	A	N/A	A	N/A
139	4,541	1.9	12.68	A	N/A	A	N/A	A	A	N/A	A	N/A
130	4,831	2.5	13.49	A	N/A	A	N/A	A	A	N/A	A	N/A
110	5,744	2.2	16.04	A	N/A	A	N/A	A	A	N/A	A	N/A
103	6,116	2.1	17.08	A	N/A	A	N/A	A	A	N/A	A	N/A
87	7,244	1.8	20.23	A	N/A	A	N/A	A	A	N/A	A	N/A
74	8,562	1.6	23.91	A	N/A	A	N/A	A	A	N/A	A	N/A
70	8,963	1.5	25.03	A	N/A	A	N/A	A	A	N/A	A	N/A

**Pump 180/220 U2; Reducer SK9042.1SWAZH660A**

\$ 4,510	\$ 5,389	\$ 5,245	\$ 6,534	\$ 5,793	\$ 7,603	\$ 8,508	\$ 4,139	\$ 4,279
----------	----------	----------	----------	----------	----------	----------	----------	----------

**Pump 320 U2; Reducer SK9042.1AZH660A**

				\$ 4,146	\$ 5,025	\$ 4,881	\$ 6,170	\$ 5,429	\$ 7,239	\$ 8,144	\$ 3,775	\$ 3,915
199	3,162	3.9	8.83	A	A	A	A	A	A	A	A	A
187	3,363	3.9	9.39	A	A	A	A	A	A	A	A	A
172	3,656	3.6	10.21	A	A	A	A	A	A	A	A	A
154	4,082	3.3	11.40	A	A	A	A	A	A	A	A	A
131	4,799	3.7	13.40	A	A	A	A	A	A	A	A	A
112	5,608	3.2	15.66	A	A	A	A	A	A	A	A	A
97	6,517	3.3	18.20	A	A	A	A	A	A	A	A	A
87	7,277	3.2	20.32	A	A	A	A	A	A	A	A	A
74	8,555	2.8	23.89	A	A	A	A	A	A	A	A	A
63	9,995	2.5	27.91	A	A	A	A	A	A	A	A	A
56	11,352	2.2	31.70	A	N/A	A	A	N/A	A	A	N/A	A
51	12,315	2.0	34.39	A	A	A	A	A	A	A	A	A
43	14,517	1.7	40.54	A	A	A	A	A	A	A	A	A
37	17,071	1.5	47.67	A	A	A	A	A	A	A	A	A

**Pump 320 U2; Reducer SK9052.1SWAZH660A**

				\$ 6,194	\$ 7,073	\$ 7,146	\$ 8,334	\$ 7,694	\$ 9,504	\$ 10,308	\$ 6,040	\$ 6,079
39	16,100	2.6	44.96	A	A	A	A	A	A	A	A	A
32	19,538	2.2	54.56	A	A	A	A	A	A	A	A	A
28	22,353	1.9	62.42	A	A	A	A	A	A	A	A	A
24	25,869	1.6	72.24	A	A	A	A	A	A	A	A	A

Nord SK205E VFD 3PH, 380-480V	ADD:	\$2,845	N/A	\$2,845	N/A
----------------------------------	------	---------	-----	---------	-----

Severe Extreme Duty Paint	SK9042.1	32	32	32	32	32	32	32
NSD-X3	SK9052.1	37	37	37	37	37	37	37
Thermostat	TW	168	168	168	Included	INQUIRE	INQUIRE	INQUIRE
Thermistor	TF	168	168	168	168			
Encapsulated Windings	EP	146	240	146	240			
Extra Motor Protection	IP66	69	82	69	82			
Nord High Efficiency 230/460V or 575V		132MH/4VR RDD	160MH/4VN RDD					
	ADD:	\$324	\$350					

15 HP  60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR	
				160M/4VR RDD	160L/4VN RDD	160MH/4VN RDD-TW 254TC	160LH/4VR RDD-TW 256TC	CECP82333T-4  254TC	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 10:1 CT	

**Pump 180/220 U2; Reducer SK9042.1SWAZH660A**

<b>\$ 5,389</b>	<b>\$ 5,807</b>	<b>\$ 6,534</b>	<b>\$ 7,306</b>	<b>\$ 7,533</b>	<b>\$ 4,279</b>
-----------------	-----------------	-----------------	-----------------	-----------------	-----------------

**Pump 320 U2; Reducer SK9042.1AZH660A**

				<b>\$ 5,025</b>	<b>\$ 5,443</b>	<b>\$ 6,170</b>	<b>\$ 6,942</b>	<b>\$ 7,169</b>	<b>\$ 3,915</b>
199	4,743	2.6	8.83	A	A	A	A	A	A
187	5,043	2.6	9.39	A	A	A	A	A	A
172	5,484	2.4	10.21	A	A	A	A	A	A
154	6,123	2.2	11.40	A	A	A	A	A	A
131	7,197	2.5	13.40	A	A	A	A	A	A
112	8,411	2.1	15.66	A	A	A	A	A	A
97	9,775	2.2	18.20	A	A	A	A	A	A
87	10,914	2.1	20.32	A	A	A	A	A	A
74	12,831	1.9	23.89	A	A	A	A	A	A
63	14,990	1.7	27.91	A	A	A	A	A	A

**Pump 320 U2; Reducer SK9052.1SWAZH660A**

				<b>\$ 7,073</b>	<b>\$ 7,491</b>	<b>\$ 8,334</b>	<b>\$ 9,106</b>	<b>\$ 9,333</b>	<b>\$ 6,079</b>
217	4,351	5.3	8.10	A	A	A	A	A	A
187	5,049	4.6	9.40	A	A	A	A	A	A
177	5,333	4.6	9.93	A	A	A	A	A	A
164	5,752	4.4	10.71	A	A	A	A	A	A
148	6,381	5.4	11.88	A	A	A	A	A	A
131	7,224	5.3	13.45	A	A	A	A	A	A
108	8,771	4.3	16.33	A	A	A	A	A	A
98	9,636	3.9	17.94	A	A	A	A	A	A
88	10,694	3.6	19.91	A	A	A	A	A	A
78	12,101	3.1	22.53	A	A	A	A	A	A
75	12,531	3.0	23.33	A	A	A	A	A	A
64	14,690	2.8	27.35	A	A	A	A	A	A
56	16,800	2.5	31.28	A	A	A	A	A	A
49	19,448	2.2	36.21	A	A	A	A	A	A
44	21,334	2.0	39.72	A	A	A	A	A	A
39	24,148	1.8	44.96	A	A	A	A	A	A
32	29,304	1.4	54.56	A	A	A	A	A	A

Severe Extreme Duty Paint	SK9042.1	32	32	32	32	32
NSD-X3	SK9052.1	37	37	37	37	37
Thermostat	TW	168	168	Included	Included	INQUIRE
Thermistor	TF	168	168	168	168	
Encapsulated Windings	EP	240	240	240	240	
Extra Motor Protection	IP66	82	82	82	82	
Nord High Efficiency 230/460V or 575V		160MH/4VR RDD	160LH/4VN RDD			
	ADD:	\$350	\$350			

20 HP				60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE		INTEGRAL		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		NORD MOTOR		BALDOR	
				160L/4VR RDD	160L/4VZF KBO	160LH/4VR RDD-TW	160HL/4VZF TW	INQUIRE			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V 4:1 CT	TEBC 230/460V 20:1 CT	TEFC 230/460V 4:1 CT	TEBC 230/460V 20:1 CT				

**Pump 180/220 U2; Reducer SK9042.1SWAZH660A**

\$ 5,807	\$ 6,099	\$ 7,306	\$ 7,538	INQUIRE	\$ 4,279
----------	----------	----------	----------	---------	----------

**Pump 320 U2; Reducer SK9042.1AZH660A**

				\$ 5,443	\$ 5,735	\$ 6,942	\$ 7,174	Engineering Review Required	\$ 3,915
199	6,324	2.0	8.83	A	A	A	A		A
187	6,725	2.0	9.39	A	A	A	A		A
172	7,312	1.8	10.21	A	A	A	A		A
154	8,165	1.6	11.40	A	A	A	A		A
131	9,597	1.8	13.40	A	A	A	A		A
112	11,216	1.6	15.66	A	A	A	A		A
97	13,035	1.7	18.20	A	A	A	A		A
87	14,553	1.6	20.32	A	A	A	A		A
74	17,110	1.4	23.89	A	A	A	A		A

**Pump 320 U2; Reducer SK9052.1SWAZH660A**

				\$ 7,491	\$ 7,783	\$ 9,106	\$ 9,338	Engineering Review Required	\$ 6,079
217	5,801	4.0	8.10	A	A	A	A		A
187	6,732	3.4	9.40	A	A	A	A		A
177	7,112	3.5	9.93	A	A	A	A		A
164	7,671	3.3	10.71	A	A	A	A		A
148	8,508	4.1	11.88	A	A	A	A		A
131	9,633	4.0	13.45	A	A	A	A		A
108	11,696	3.3	16.33	A	A	A	A		A
98	12,849	3.0	17.94	A	A	A	A		A
88	14,260	2.7	19.91	A	A	A	A		A
78	16,136	2.4	22.53	A	A	A	A		A
75	16,709	2.3	23.33	A	A	A	A		A
64	19,588	2.1	27.35	A	A	A	A		A
56	22,403	1.9	31.28	A	A	A	A		A
49	25,934	1.6	36.21	A	A	A	A		A
44	28,447	1.5	39.72	A	A	A	A		A

Severe Extreme Duty Paint	SK9042.1	32	32	32	32
NSD-X3	SK9052.1	37	37	37	37
Thermostat	TW	168	168	Included	Included
Thermistor	TF	168	168	168	168
Encapsulated Windings	EP	240	240	240	240
Extra Motor Protection	IP66	82	82	82	82
Nord High Efficiency 230/460V or 575V	ADD:	160LH/4VR RDD	160LH/4VZF KBO		
		\$350	\$350		



25 HP				60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC		
								180MX/4VR RDD-KBO		180LX/4VN RDD-KBO		NORD MOTOR			BALDOR	
												INQUIRE				
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	180MH/4VR RDD-KBO-TW 284TC TEFC 230/460V 4:1 CT	180LH/4VN RDD-KBO-TW 286TC TEFC 230/460V 10:1 CT									

**Pump 320 U2; Reducer SK9052.1SWAZH660A**

				<b>\$ 7,819</b>	<b>\$ 7,989</b>	<b>INQUIRE</b>	<b>INQUIRE</b>	<b>Engineering Review Required</b>	<b>\$ 6,624</b>
217	7,251	3.2	<b>8.10</b>	A	A				A
187	8,415	2.7	<b>9.40</b>	A	A				A
177	8,889	2.8	<b>9.93</b>	A	A				A
164	9,588	2.6	<b>10.71</b>	A	A				A
148	10,635	3.2	<b>11.88</b>	A	A				A
131	12,040	3.2	<b>13.45</b>	A	A				A
108	14,619	2.6	<b>16.33</b>	A	A				A
98	16,060	2.4	<b>17.94</b>	A	A				A
88	17,823	2.1	<b>19.91</b>	A	A				A
78	20,169	1.9	<b>22.53</b>	A	A				A
75	20,885	1.8	<b>23.33</b>	A	A				A
64	24,484	1.7	<b>27.35</b>	A	A				A
56	28,002	1.5	<b>31.28</b>	A	A				A

<b>Severe Extreme Duty Paint</b>	<b>NSD-X3</b>	<b>37</b>	<b>37</b>		
<b>Thermostat</b>	<b>TW</b>	<b>168</b>	<b>168</b>		
<b>Thermistor</b>	<b>TF</b>	<b>168</b>	<b>168</b>		
<b>Encapsulated Windings</b>	<b>EP</b>	<b>350</b>	<b>350</b>		
<b>Extra Motor Protection</b>	<b>IP66</b>	<b>89</b>	<b>89</b>		
<b>Nord High Efficiency 230/460V or 575V</b>		<b>180MXH/4VN RDD-KBO</b>	<b>180LXH/4VN RDD-KBO</b>		
	<b>ADD:</b>	<b>\$664</b>	<b>\$664</b>		

30 HP				60 HZ WASHDOWN TRU-FIT™ RIGHT ANGLE				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC		
												NORD MOTOR			BALDOR	
								180LX/4VR RDD-KBO		180LX/4VZF KBO		180LH/4VR RDD-KBO-TW			180LH/4VZF KBO-TW	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V 4:1 CT	TEBC 230/460V 20:1 CT	TEFC 230/460V 4:1 CT	TEBC 230/460V 20:1 CT									

**Pump 320 U2; Reducer SK9052.1SWAZH660A**

				<b>\$ 7,989</b>	<b>\$ 8,374</b>	<b>INQUIRE</b>	<b>INQUIRE</b>	<b>Engineering</b> <b>Review</b> <b>Required</b>	<b>\$ 6,624</b>
217	8,702	2.6	8.10	A	A				A
187	10,098	2.3	9.40	A	A				A
177	10,668	2.3	9.93	A	A				A
164	11,506	2.2	10.71	A	A				A
148	12,763	2.7	11.88	A	A				A
131	14,449	2.6	13.45	A	A				A
108	17,543	2.2	16.33	A	A				A
98	19,273	2.0	17.94	A	A				A
88	21,389	1.8	19.91	A	A				A
78	24,204	1.6	22.53	A	A				A
75	25,063	1.5	23.33	A	A				A
64	29,382	1.4	27.35	A	A				A

Severe Extreme Duty Paint	NSD-X3	37	37		
Thermostat	TW	168	168		
Thermistor	TF	168	168		
Encapsulated Windings	EP	350	350		
Extra Motor Protection	IP66	89	89		
<b>Nord High Efficiency</b> <b>230/460V or 575V</b>		<b>180LXH/4VR</b> <b>RDD-KBO</b>	<b>180LXH/4VZF</b> <b>KBO</b>		
	<b>ADD:</b>	<b>\$664</b>	<b>\$664</b>		