

0.25 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
				63L/4VR  TEFC 230/460V 5:1 CT	71S/4VN  TEFC 230/460V 10:1 CT	NORD MOTOR		BALDOR	
						63L/4VR 56C TEFC 230/460V 5:1 CT	71S/4VN 56C TEFC 230/460V 10:1 CT	N/A	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO						

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 816	\$ 840	\$ 980	\$ 997	N/A	\$ 791
424	37	25.2	4.03	A	A	A	A	N/A	A
367	43	23.2	4.66	A	A	A	A	N/A	A
331	48	21.7	5.17	A	A	A	A	N/A	A
285	55	19.9	5.99	A	A	A	A	N/A	A
266	59	18.8	6.44	A	A	A	A	N/A	A
230	69	17.3	7.45	A	A	A	A	N/A	A
194	81	15.4	8.80	A	A	A	A	N/A	A
177	89	14.4	9.64	A	A	A	A	N/A	A
156	101	13.6	10.98	A	A	A	A	N/A	A
152	104	12.3	11.25	A	A	A	A	N/A	A
132	119	12.1	12.98	A	A	A	A	N/A	A
120	131	11.3	14.21	A	A	A	A	N/A	A
103	153	8.3	16.58	A	A	A	A	N/A	A
97	162	7.2	17.61	A	A	A	A	N/A	A
86	184	6.4	19.95	A	A	A	A	N/A	A
79	198	6.4	21.57	A	A	A	A	N/A	A
75	209	5.6	22.70	A	A	A	A	N/A	A
66	239	4.9	25.96	A	A	A	A	N/A	A
57	276	4.2	30.03	A	A	A	A	N/A	A
50	314	4.4	34.16	A	A	A	A	N/A	A
42	371	4.0	40.38	A	A	A	A	N/A	A
39	407	3.6	44.22	A	A	A	A	N/A	A
33	475	2.8	51.64	A	A	A	A	N/A	A
30	520	2.8	56.55	A	A	A	A	N/A	A
26	607	2.1	65.99	A	A	A	A	N/A	A
22	730	1.6	79.40	A	A	A	A	N/A	A
20	789	1.6	85.72	A	A	A	A	N/A	A

0.33 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
						NORD MOTOR		WEG	
				71S/4VR  TEFC 230/460V 5:1 CT	71L/4VN  TEFC 230/460V 10:1 CT	71S/4VR 56C TEFC 230/460V 5:1 CT	71L/4VN 56C TEFC 230/460V 10:1 CT	300693305 56C TENV 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO						

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 840	\$ 849	\$ 997	\$ 998	\$ 1,191	\$ 791
424	49	18.4	4.03	A	A	A	A	A	A
367	57	17.0	4.66	A	A	A	A	A	A
331	63	15.9	5.17	A	A	A	A	A	A
285	73	14.5	5.99	A	A	A	A	A	A
266	79	13.7	6.44	A	A	A	A	A	A
230	91	12.6	7.45	A	A	A	A	A	A
194	107	11.3	8.80	A	A	A	A	A	A
177	118	10.5	9.64	A	A	A	A	A	A
156	134	10.0	10.98	A	A	A	A	A	A
152	137	9.0	11.25	A	A	A	A	A	A
132	158	8.9	12.98	A	A	A	A	A	A
120	173	8.3	14.21	A	A	A	A	A	A
103	202	6.1	16.58	A	A	A	A	A	A
97	215	5.3	17.61	A	A	A	A	A	A
86	243	4.7	19.95	A	A	A	A	A	A
79	263	4.7	21.57	A	A	A	A	A	A
75	277	4.1	22.70	A	A	A	A	A	A
66	317	3.6	25.96	A	A	A	A	A	A
57	366	3.1	30.03	A	A	A	A	A	A
50	417	3.2	34.16	A	A	A	A	A	A
42	493	2.9	40.38	A	A	A	A	A	A
39	539	2.7	44.22	A	A	A	A	A	A
33	630	2.0	51.64	A	A	A	A	A	A
30	690	2.0	56.55	A	A	A	A	A	A
26	805	1.5	65.99	A	A	A	A	A	A

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,515	\$1,515	\$1,515	\$1,515

0.5 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
						NORD MOTOR		WEG	
				71L/4VR	80S/4VR	71L/4VR	80S/4VN	300695005	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	56C TEFC 230/460V 5:1 CT	56C TEFC 230/460V 10:1 CT	56C TENV 230/460V 10:1 CT	

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 849	\$ 895	\$ 998	\$ 1,038	\$ 1,207	\$ 791
427	74	12.6	4.03	A	A	A	A	A	A
369	85	11.6	4.66	A	A	A	A	A	A
333	95	10.8	5.17	A	A	A	A	A	A
287	110	9.9	5.99	A	A	A	A	A	A
267	118	9.4	6.44	A	A	A	A	A	A
231	136	8.6	7.45	A	A	A	A	A	A
195	161	7.7	8.80	A	A	A	A	A	A
178	176	7.2	9.64	A	A	A	A	A	A
157	201	6.8	10.98	A	A	A	A	A	A
153	206	6.1	11.25	A	A	A	A	A	A
133	238	6.1	12.98	A	A	A	A	A	A
121	260	5.6	14.21	A	A	A	A	A	A
104	303	4.2	16.58	A	A	A	A	A	A
98	322	3.6	17.61	A	A	A	A	A	A
86	365	3.2	19.95	A	A	A	A	A	A
80	395	3.2	21.57	A	A	A	A	A	A
76	415	2.8	22.70	A	A	A	A	A	A
66	475	2.4	25.96	A	A	A	A	A	A
57	550	2.1	30.03	A	A	A	A	A	A
50	625	2.2	34.16	A	A	A	A	A	A
43	739	2.0	40.38	A	A	A	A	A	A
39	809	1.8	44.22	A	A	A	A	A	A
33	945	1.4	51.64	A	A	A	A	A	A

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,524	\$1,524	\$1,524	\$1,524

0.5 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
						NORD MOTOR		WEG	
				71L/4VR	80S/4VR	71L/4VR	80S/4VN	300695005	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	56C TEFC 230/460V 5:1 CT	56C TEFC 230/460V 10:1 CT	56C TENV 230/460V 10:1 CT	

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,115	\$ 1,162	\$ 1,202	\$ 1,242	\$ 1,604	\$ 995
381	83	20.3	4.51	N/A	N/A	A	A	A	A
301	105	18.2	5.72	A	A	A	A	A	A
267	118	17.3	6.43	A	A	A	A	A	A
230	137	16.0	7.48	A	A	A	A	A	A
205	153	15.0	8.37	A	A	A	A	A	A
190	165	18.2	9.03	A	A	A	A	A	A
169	186	17.2	10.15	A	A	A	A	A	A
146	216	16.0	11.81	A	A	A	A	A	A
130	242	15.0	13.23	A	A	A	A	A	A
104	302	14.0	16.53	A	A	A	A	A	A
93	339	12.9	18.51	A	A	A	A	A	A
79	401	10.8	21.90	A	A	A	A	A	A
72	438	8.9	23.96	A	A	A	A	A	A
69	457	9.6	24.97	A	A	A	A	A	A
64	491	8.0	26.83	A	A	A	A	A	A
58	543	8.3	29.65	A	A	A	A	A	A
55	572	7.0	31.23	A	A	A	A	A	A
47	669	6.7	36.54	A	A	A	A	A	A
46	680	6.1	37.18	A	A	A	A	A	A
39	800	6.3	43.71	A	A	A	A	A	A
38	826	4.9	45.11	A	A	A	A	A	A
33	946	5.0	51.71	A	A	A	A	A	A
32	987	4.6	53.96	A	A	A	A	A	A
27	1168	4.0	63.83	A	A	A	A	A	A
25	1275	3.1	69.67	A	A	A	A	A	A
21	1508	2.8	82.42	A	A	A	A	A	A

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,524	\$1,524	\$1,524	\$1,524

0.75 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
				80S/4VR  TEFC 230/460V 5:1 CT	80L/4VN  TEFC 230/460V 10:1 CT	NORD MOTOR		WEG	
						80S/4VR 56C TEFC 230/460V 5:1 CT	80L/4VN 56C TEFC 230/460V 10:1 CT	300697508 56C TENV 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO						

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 895	\$ 906	\$ 1,038	\$ 1,109	\$ 1,221	\$ 791
428	110	8.4	<b>4.03</b>	A	A	A	A	A	A
370	128	7.7	<b>4.66</b>	A	A	A	A	A	A
334	142	7.2	<b>5.17</b>	A	A	A	A	A	A
288	164	6.6	<b>5.99</b>	A	A	A	A	A	A
268	176	6.3	<b>6.44</b>	A	A	A	A	A	A
232	204	5.8	<b>7.45</b>	A	A	A	A	A	A
196	241	5.1	<b>8.80</b>	A	A	A	A	A	A
179	264	4.8	<b>9.64</b>	A	A	A	A	A	A
157	301	4.5	<b>10.98</b>	A	A	A	A	A	A
153	308	4.1	<b>11.25</b>	A	A	A	A	A	A
133	356	4.0	<b>12.98</b>	A	A	A	A	A	A
121	389	3.8	<b>14.21</b>	A	A	A	A	A	A
104	454	2.7	<b>16.58</b>	A	A	A	A	A	A
98	483	2.3	<b>17.61</b>	A	A	A	A	A	A
86	547	2.1	<b>19.95</b>	A	A	A	A	A	A
80	591	2.1	<b>21.57</b>	A	A	A	A	A	A
76	622	1.8	<b>22.70</b>	A	A	A	A	A	A
66	711	1.6	<b>25.96</b>	A	A	A	A	A	A
57	823	1.4	<b>30.03</b>	A	A	A	A	A	A
50	936	1.4	<b>34.16</b>	A	A	A	A	A	A

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,560	\$1,560	\$1,560	\$1,560

0.75 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 56C
				80S/4VR  TEFC 230/460V 5:1 CT	80L/4VN  TEFC 230/460V 10:1 CT	NORD MOTOR		WEG	
						80S/4VR 56C TEFC 230/460V 5:1 CT	80L/4VN 56C TEFC 230/460V 10:1 CT	300697508 56C TENV 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO						

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,162	\$ 1,172	\$ 1,242	\$ 1,313	\$ 1,425	\$ 995
382	124	13.5	4.51	N/A	N/A	A	A	A	A
302	157	12.1	5.72	A	A	A	A	A	A
268	176	11.5	6.43	A	A	A	A	A	A
231	205	10.7	7.48	A	A	A	A	A	A
206	229	10.0	8.37	A	A	A	A	A	A
191	247	12.2	9.03	A	A	A	A	A	A
170	278	11.5	10.15	A	A	A	A	A	A
146	324	10.7	11.81	A	A	A	A	A	A
130	363	10.0	13.23	A	A	A	A	A	A
104	453	9.3	16.53	A	A	A	A	A	A
93	507	8.6	18.51	A	A	A	A	A	A
79	600	7.2	21.90	A	A	A	A	A	A
72	657	6.0	23.96	A	A	A	A	A	A
69	684	6.4	24.97	A	A	A	A	A	A
64	735	5.4	26.83	A	A	A	A	A	A
58	812	5.5	29.65	A	A	A	A	A	A
55	856	4.7	31.23	A	A	A	A	A	A
47	1001	4.5	36.54	A	A	A	A	A	A
46	1019	4.0	37.18	A	A	A	A	A	A
39	1198	4.2	43.71	A	A	A	A	A	A
38	1236	3.2	45.11	A	A	A	A	A	A
33	1417	3.3	51.71	A	A	A	A	A	A
32	1479	3.0	53.96	A	A	A	A	A	A
27	1749	2.6	63.83	A	A	A	A	A	A
25	1909	2.0	69.67	A	A	A	A	A	A
21	2258	1.9	82.42	A	A	A	A	A	A

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,560	\$1,560	\$1,560	\$1,560

1 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER 56C/140TC
						NORD MOTOR		WEG	BALDOR MOTOR			
				80L/4VR	90S/4VN	80LH/4VR	90SH/4VN	300600112	VEWDM3546	IDWNM3546T		
				TEFC	TEFC	TEFC	TEFC	TENV	TEFC	TENV		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V		
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	10:1 CT	10:1 CT	20:1 CT		

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 906	\$ 963	\$ 1,109	\$ 1,157	\$ 1,252	\$ 1,769	\$ 2,349	\$ 791
428	147	5.9	<b>4.03</b>	A	A	A	A	A	A	A	A
370	170	5.5	<b>4.66</b>	A	A	A	A	A	A	A	A
334	189	5.1	<b>5.17</b>	A	A	A	A	A	A	A	A
288	219	4.7	<b>5.99</b>	A	A	A	A	A	A	A	A
268	235	4.4	<b>6.44</b>	A	A	A	A	A	A	A	A
232	272	4.1	<b>7.45</b>	A	A	A	A	A	A	A	A
196	321	3.6	<b>8.80</b>	A	A	A	A	A	A	A	A
179	352	3.4	<b>9.64</b>	A	A	A	A	A	A	A	A
157	401	2.9	<b>10.98</b>	A	A	A	A	A	A	A	A
153	411	2.9	<b>11.25</b>	A	A	A	A	A	A	A	A
133	474	2.8	<b>12.98</b>	A	A	A	A	A	A	A	A
121	519	2.6	<b>14.21</b>	A	A	A	A	A	A	A	A
104	605	1.9	<b>16.58</b>	A	A	A	A	A	A	A	A
98	643	1.7	<b>17.61</b>	A	A	A	A	A	A	A	A
86	728	1.5	<b>19.95</b>	A	A	A	A	A	A	A	A
80	787	1.5	<b>21.57</b>	A	N/A	A	A	A	A	A	A

Nord High Efficiency		80LH/4VR	90SH/4VN
230/460V or 575V	ADD:	\$125	\$141

Nord SK205E VFD					
3PH, 200-240V	ADD:	\$1,600	\$1,600	\$1,600	\$1,600

1 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER 56C/140TC
						NORD MOTOR		WEG	BALDOR MOTOR			
				80L/4VR	90S/4VN	80LH/4VR 143TC	90SH/4VN 145TC	300600112 56C	VEWDM3546 143TC	IDWNM3546T 143TC		
				TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TENV 230/460V 10:1 CT	TEFC 230/460V 10:1 CT	TENV 230/460V 20:1 CT		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO									

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,172	\$ 1,231	\$ 1,313	\$ 1,361	\$ 1,456	\$ 1,973	\$ 2,553	\$ 995
382	165	9.6	<b>4.51</b>	A	A	A	A	A	A	A	A
302	209	8.6	<b>5.72</b>	A	A	A	A	A	A	A	A
268	235	8.2	<b>6.43</b>	A	A	A	A	A	A	A	A
231	273	7.5	<b>7.48</b>	A	A	A	A	A	A	A	A
206	306	7.1	<b>8.37</b>	A	A	A	A	A	A	A	A
191	330	8.6	<b>9.03</b>	A	A	A	A	A	A	A	A
170	370	8.1	<b>10.15</b>	A	A	A	A	A	A	A	A
146	431	7.6	<b>11.81</b>	A	A	A	A	A	A	A	A
130	483	7.1	<b>13.23</b>	A	A	A	A	A	A	A	A
104	603	6.6	<b>16.53</b>	A	A	A	A	A	A	A	A
93	676	6.1	<b>18.51</b>	A	A	A	A	A	A	A	A
79	799	5.1	<b>21.90</b>	A	A	A	A	A	A	A	A
72	875	4.2	<b>23.96</b>	A	A	A	A	A	A	A	A
69	911	4.6	<b>24.97</b>	A	A	A	A	A	A	A	A
64	979	3.8	<b>26.83</b>	A	A	A	A	A	A	A	A
58	1082	3.9	<b>29.65</b>	A	A	A	A	A	A	A	A
55	1140	3.3	<b>31.23</b>	A	A	A	A	A	A	A	A
47	1334	3.2	<b>36.54</b>	A	A	A	A	A	A	A	A
46	1357	2.9	<b>37.18</b>	A	A	A	A	A	A	A	A
39	1595	3.0	<b>43.71</b>	A	A	A	A	A	A	A	A
38	1647	2.3	<b>45.11</b>	A	A	A	A	A	A	A	A
33	1887	2.3	<b>51.71</b>	A	A	A	A	A	A	A	A
32	1970	2.2	<b>53.96</b>	A	A	A	A	A	A	A	A
27	2330	1.9	<b>63.83</b>	A	A	A	A	A	A	A	A
25	2543	1.5	<b>69.67</b>	A	A	A	A	A	A	A	A

Nord High Efficiency 230/460V or 575V	ADD:	80LH/4VR	90SH/4VN
		\$125	\$141

Nord SK205E VFD 3PH, 200-240V	ADD:				
		\$1,600	\$1,600	\$1,600	\$1,600



1.5 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 56C OR 140TC
						NORD MOTOR		WEG		BALDOR MOTOR		
				90S/4VR	90L/4VN	90SH/4VR	90LH/4VN	300619513	VEWDM3554T	IDWNM3554T		
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV		
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	5:1 CT	10:1 CT	5:1 CT	10:1 CT	4:1 CT	10:1 CT	20:1 CT		

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 963	\$ 971	\$ 1,157	\$ 1,188	\$ 1,294	\$ 1,841	\$ 2,508	\$ 791
428	221	3.3	4.03	A	A	A	A	A	A	A	A
370	255	3.2	4.66	A	A	A	A	A	A	A	A
334	283	3.3	5.17	A	A	A	A	A	A	A	A
288	328	3.1	5.99	A	A	A	A	A	A	A	A
268	353	3.0	6.44	A	A	A	A	A	A	A	A
232	408	2.7	7.45	A	A	A	A	A	A	A	A
196	482	2.4	8.80	A	A	A	A	A	A	A	A
179	528	2.3	9.64	A	A	A	A	A	A	A	A
157	602	2.1	10.98	A	A	A	A	A	A	A	A
153	617	1.9	11.25	A	A	A	A	A	A	A	A
133	711	1.9	12.98	A	A	A	A	A	A	A	A
121	779	1.8	14.21	A	A	A	A	A	A	A	A

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,231	\$ 1,239	\$ 1,361	\$ 1,392	\$ 1,498	\$ 2,045	\$ 2,712	\$ 995
382	247	6.6	4.51	A	A	A	A	A	A	A	A
302	313	5.9	5.72	A	A	A	A	A	A	A	A
268	352	5.6	6.43	A	A	A	A	A	A	A	A
231	410	5.2	7.48	A	A	A	A	A	A	A	A
206	459	4.9	8.37	A	A	A	A	A	A	A	A
191	495	5.9	9.03	A	A	A	A	A	A	A	A
170	556	5.6	10.15	A	A	A	A	A	A	A	A
146	647	5.2	11.81	A	A	A	A	A	A	A	A
130	725	4.9	13.23	A	A	A	A	A	A	A	A
104	906	3.8	16.53	A	A	A	A	A	A	A	A
93	1014	3.7	18.51	A	A	A	A	A	A	A	A
79	1200	3.4	21.90	A	A	A	A	A	A	A	A
72	1313	2.8	23.96	A	A	A	A	A	A	A	A
69	1368	3.0	24.97	A	A	A	A	A	A	A	A
64	1470	2.5	26.83	A	A	A	A	A	A	A	A
58	1625	2.6	29.65	A	A	A	A	A	A	A	A
55	1711	2.2	31.23	A	A	A	A	A	A	A	A
47	2002	2.1	36.54	A	A	A	A	A	A	A	A
46	2037	1.9	37.18	A	A	A	A	A	A	A	A
39	2395	2.0	43.71	A	A	A	A	A	A	A	A
38	2472	1.5	45.11	A	A	A	A	A	A	A	A
33	2834	1.6	51.71	A	A	A	A	A	A	A	A
32	2957	1.5	53.96	A	A	A	A	A	A	A	A

Nord High Efficiency	90SH/4VR	90LH/4VN
230/460V or 575V ADD:	\$141	\$141

Nord SK205E VFD				
3PH, 380-480V ADD:	\$1,716	\$1,716	\$1,716	\$1,716

1.5 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 56C OR 140TC
						NORD MOTOR		WEG	BALDOR MOTOR			
				90S/4VR	90L/4VN	90SH/4VR	90LH/4VN	300619513	VEWDM3554T	IDWNM3554T		
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV		
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	5:1 CT	10:1 CT	5:1 CT	10:1 CT	4:1 CT	10:1 CT	20:1 CT		

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 1,494	\$ 1,503	\$ 1,586	\$ 1,617	\$ 1,723	\$ 2,270	\$ 2,937	\$ 1,220
385	246	16.4	4.48	A	A	A	A	A	A	A	A
304	311	15.6	5.68	A	A	A	A	A	A	A	A
257	367	14.4	6.70	A	A	A	A	A	A	A	A
208	455	12.9	8.31	A	A	A	A	A	A	A	A
176	537	13.6	9.80	A	A	A	A	A	A	A	A
152	624	11.5	11.38	A	A	A	A	A	A	A	A
122	773	9.7	14.11	A	A	A	A	A	A	A	A
103	914	8.0	16.67	A	A	A	A	A	A	A	A
85	1106	6.5	20.18	A	A	A	A	A	A	A	A
81	1172	5.4	21.38	A	A	A	A	A	A	A	A
77	1230	5.7	22.45	A	A	A	A	A	A	A	A
73	1299	5.4	23.71	A	A	A	A	A	A	A	A
67	1418	5.2	25.88	A	A	A	A	A	A	A	A
60	1573	4.8	28.70	A	A	A	A	A	A	A	A
54	1750	4.4	31.93	A	A	A	A	A	A	A	A
46	2070	3.4	37.77	A	A	A	A	A	A	A	A
45	2116	2.5	38.62	A	A	A	A	A	A	A	A
41	2303	3.4	42.02	A	A	A	A	A	A	A	A
38	2458	2.6	44.85	A	A	A	A	A	A	A	A
36	2633	1.8	48.04	A	A	A	A	A	A	A	A
33	2903	2.5	52.97	A	A	A	A	A	A	A	A
31	3057	1.8	55.79	A	A	A	A	A	A	A	A
27	3514	2.5	64.12	A	A	A	A	A	A	A	A
26	3611	1.8	65.89	A	A	A	A	A	A	A	A
22	4371	1.7	79.76	A	A	A	A	A	A	A	A
19	4863	1.7	88.74	A	A	A	A	A	A	A	A

Nord High Efficiency	90SH/4VR	90LH/4VN
230/460V or 575V ADD:	\$141	\$141

Nord SK205E VFD				
3PH, 380-480V ADD:	\$1,716	\$1,716	\$1,716	\$1,716

1.5 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 56C OR 140TC
						NORD MOTOR		WEG		BALDOR MOTOR		
				90S/4VR	90L/4VN	90SH/4VR	90LH/4VN	300619513	VEWDM3554T	IDWNM3554T		
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV		
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V		
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	5:1 CT	10:1 CT	5:1 CT	10:1 CT	4:1 CT	10:1 CT	20:1 CT		

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$ 2,287	\$ 2,296	\$ 2,396	\$ 2,427	\$ 2,533	\$ 3,080	\$ 3,747	\$ 2,030
----------	----------	----------	----------	----------	----------	----------	----------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$ 1,923	\$ 1,932	\$ 2,032	\$ 2,063	\$ 2,169	\$ 2,716	\$ 3,383	\$ 1,666
285	332	31.5	<b>6.06</b>	A	A	A	A	A	A	A	A
242	391	26.8	<b>7.13</b>	A	A	A	A	A	A	A	A
207	456	24.3	<b>8.33</b>	A	A	A	A	A	A	A	A
187	506	28.2	<b>9.23</b>	A	A	A	A	A	A	A	A
159	595	24.9	<b>10.85</b>	A	A	A	A	A	A	A	A
136	695	22.0	<b>12.68</b>	A	A	A	A	A	A	A	A
113	833	18.8	<b>15.20</b>	A	A	A	A	A	A	A	A
95	996	15.8	<b>18.18</b>	A	A	A	A	A	A	A	A
80	1175	12.5	<b>21.45</b>	A	A	A	A	A	A	A	A
77	1227	12.1	<b>22.39</b>	A	A	A	A	A	A	A	A
66	1439	9.8	<b>26.25</b>	A	A	A	A	A	A	A	A
65	1448	10.8	<b>26.43</b>	A	A	A	A	A	A	A	A
53	1772	8.0	<b>32.34</b>	A	A	A	A	A	A	A	A
47	2017	6.1	<b>36.81</b>	A	A	A	A	A	A	A	A
42	2233	6.1	<b>40.74</b>	A	A	A	A	A	A	A	A
38	2469	5.6	<b>45.05</b>	A	A	A	A	A	A	A	A
19	4960	2.7	<b>90.52</b>	A	A	A	A	A	A	A	A
16	6071	2.2	<b>110.78</b>	A	A	A	A	A	A	A	A

Nord High Efficiency	90SH/4VR	90LH/4VN
230/460V or 575V ADD:	\$141	\$141

Nord SK205E VFD				
3PH, 380-480V ADD:	\$1,716	\$1,716	\$1,716	\$1,716

2 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
						NORD MOTOR		WEG	BALDOR MOTOR				
				90L/4VR	100L/4VN	90LH/4VR 145TC	100LH/4VN 182TC	300600210 145TC	VEWDM3558T 145TC	IDWNM3609T 182TC			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V		
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	4:1 CT	10:1 CT	20:1 CT			

**Pump 06/015/018 U2; Reducer SK0282NB AZH**

				\$ 971	N/A	\$ 1,188	N/A	\$ 1,384	\$ 1,921	N/A	\$ 791	N/A
428	295	2.5	4.03	A	N/A	A	N/A	A	A	N/A	A	N/A
370	341	2.4	4.66	A	N/A	A	N/A	A	A	N/A	A	N/A
334	378	2.5	5.17	A	N/A	A	N/A	A	A	N/A	A	N/A
288	438	2.4	5.99	A	N/A	A	N/A	A	A	N/A	A	N/A
268	471	2.2	6.44	A	N/A	A	N/A	A	A	N/A	A	N/A
232	545	2.1	7.45	A	N/A	A	N/A	A	A	N/A	A	N/A
196	643	1.8	8.80	A	N/A	A	N/A	A	A	N/A	A	N/A
179	705	1.7	9.64	A	N/A	A	N/A	A	A	N/A	A	N/A
157	803	1.6	10.98	A	N/A	A	N/A	A	A	N/A	A	N/A
153	822	1.5	11.25	A	N/A	A	N/A	A	A	N/A	A	N/A
133	949	1.4	12.98	A	N/A	A	N/A	A	A	N/A	A	N/A

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,239	\$ 1,342	\$ 1,392	\$ 1,490	\$ 1,588	\$ 2,125	\$ 2,919	\$ 995	\$ 1,028
382	330	4.8	4.51	A	A	A	A	A	A	A	A	A
302	418	4.3	5.72	A	A	A	A	A	A	A	A	A
268	470	4.1	6.43	A	A	A	A	A	A	A	A	A
231	547	3.8	7.48	A	A	A	A	A	A	A	A	A
206	612	3.6	8.37	A	A	A	A	A	A	A	A	A
191	660	4.3	9.03	A	A	A	A	A	A	A	A	A
170	742	4.1	10.15	A	A	A	A	A	A	A	A	A
146	863	2.9	11.81	A	A	A	A	A	A	A	A	A
130	967	2.8	13.23	A	A	A	A	A	A	A	A	A
104	1208	2.9	16.53	A	A	A	A	A	A	A	A	A
93	1353	2.8	18.51	A	A	A	A	A	A	A	A	A
79	1601	2.6	21.90	A	A	A	A	A	A	A	A	A
72	1751	2.1	23.96	A	A	A	A	A	A	A	A	A
69	1825	2.3	24.97	A	A	A	A	A	A	A	A	A
64	1961	1.9	26.83	A	A	A	A	A	A	A	A	A
58	2167	2.0	29.65	A	A	A	A	A	A	A	A	A
55	2283	1.7	31.23	A	A	A	A	A	A	A	A	A
47	2671	1.6	36.54	A	A	A	A	A	A	A	A	A
46	2718	1.4	37.18	A	N/A	A	N/A	A	A	N/A	A	N/A
39	3195	1.5	43.71	A	A	A	A	A	A	A	A	A

Nord High Efficiency 230/460V or 575V	ADD:	90LH/4VR	100LH/4VN
		\$141	\$167

Nord SK205E VFD 3PH, 380-480V	ADD:				
		\$1,737	\$1,744	\$1,737	\$1,744

2 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
						NORD MOTOR		WEG	BALDOR MOTOR				
				90L/4VR	100L/4VN	90LH/4VR 145TC	100LH/4VN 182TC	300600210 145TC	VEWDM3558T 145TC	IDWNM3609T 182TC			
				TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	TENV 230/460V 20:1 CT			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO										

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 1,503	\$ 1,609	\$ 1,617	\$ 1,716	\$ 1,813	\$ 2,350	\$ 3,145	\$ 1,220	\$ 1,254
385	327	12.0	<b>4.48</b>	A	A	A	A	A	A	A	A	A
304	415	11.4	<b>5.88</b>	A	A	A	A	A	A	A	A	A
257	490	10.6	<b>6.70</b>	A	A	A	A	A	A	A	A	A
208	607	9.5	<b>8.31</b>	A	A	A	A	A	A	A	A	A
176	716	10.0	<b>9.80</b>	A	A	A	A	A	A	A	A	A
152	832	8.4	<b>11.38</b>	A	A	A	A	A	A	A	A	A
122	1031	7.1	<b>14.11</b>	A	A	A	A	A	A	A	A	A
103	1219	5.9	<b>16.67</b>	A	A	A	A	A	A	A	A	A
85	1475	4.8	<b>20.18</b>	A	A	A	A	A	A	A	A	A
81	1563	3.9	<b>21.38</b>	A	A	A	A	A	A	A	A	A
77	1641	4.2	<b>22.45</b>	A	A	A	A	A	A	A	A	A
73	1733	2.9	<b>23.71</b>	A	A	A	A	A	A	A	A	A
67	1892	3.0	<b>25.88</b>	A	A	A	A	A	A	A	A	A
60	2098	2.9	<b>28.70</b>	A	A	A	A	A	A	A	A	A
54	2334	2.9	<b>31.93</b>	A	A	A	A	A	A	A	A	A
46	2761	2.6	<b>37.77</b>	A	A	A	A	A	A	A	A	A
45	2823	1.9	<b>38.62</b>	A	N/A	A	A	A	A	A	A	A
41	3072	2.6	<b>42.02</b>	A	A	A	A	A	A	A	A	A
38	3279	1.9	<b>44.85</b>	A	N/A	A	A	A	A	A	A	A
36	3512	1.3	<b>48.04</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
33	3872	1.9	<b>52.97</b>	A	N/A	A	A	A	A	A	A	A
31	4078	1.3	<b>55.79</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
27	4687	1.8	<b>64.12</b>	A	N/A	A	A	A	A	A	A	A

Nord High Efficiency		90LH/4VR	100LH/4VN
230/460V or 575V	ADD:	\$141	\$167

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$1,737	\$1,744	\$1,737	\$1,744

2 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE							REDUCER w/NEMA C-FACE ADAPTER FRAME 140TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
						NORD MOTOR		WEG	BALDOR MOTOR					
				90L/4VR	100L/4VN	90LH/4VR 145TC	100LH/4VN 182TC	300600210 145TC	VEWDM3558T 145TC	IDWNM3609T 182TC				
				TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	TENV 230/460V 20:1 CT				
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO											

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$ 2,296	\$ 2,402	\$ 2,427	\$ 2,562	\$ 2,623	\$ 3,160	\$ 3,991	\$ 2,030	\$ 2,100
----------	----------	----------	----------	----------	----------	----------	----------	----------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$ 1,932	\$ 2,038	\$ 2,063	\$ 2,198	\$ 2,259	\$ 2,796	\$ 3,627	\$ 1,666	\$ 1,736
367	344	25.7	4.70	N/A	N/A	N/A	A	N/A	N/A	A	N/A	A
345	366	24.2	5.00	N/A	N/A	N/A	A	N/A	N/A	A	N/A	A
318	397	22.3	5.43	N/A	N/A	N/A	A	N/A	N/A	A	N/A	A
285	443	23.1	6.06	A	A	A	A	A	A	A	A	A
242	521	19.7	7.13	A	A	A	A	A	A	A	A	A
207	609	17.8	8.33	A	A	A	A	A	A	A	A	A
187	675	20.7	9.23	A	A	A	A	A	A	A	A	A
159	793	18.3	10.85	A	A	A	A	A	A	A	A	A
136	927	16.1	12.68	A	A	A	A	A	A	A	A	A
113	1111	13.8	15.20	A	A	A	A	A	A	A	A	A
95	1329	11.6	18.18	A	A	A	A	A	A	A	A	A
80	1568	9.2	21.45	A	A	A	A	A	A	A	A	A
77	1637	8.9	22.39	A	A	A	A	A	A	A	A	A
66	1919	7.2	26.25	A	A	A	A	A	A	A	A	A
65	1932	7.9	26.43	A	A	A	A	A	A	A	A	A
65	1953	7.0	26.72	N/A	N/A	N/A	A	N/A	N/A	A	N/A	A
54	2342	6.5	32.04	N/A	N/A	N/A	A	N/A	N/A	A	N/A	A
53	2364	5.8	32.34	A	A	A	A	A	A	A	A	A
47	2661	4.4	36.40	N/A	N/A	N/A	A	N/A	N/A	A	N/A	A
47	2691	4.4	36.81	A	A	A	A	A	A	A	A	A
45	2800	6.1	38.31	N/A	N/A	N/A	A	N/A	N/A	A	N/A	A
42	2978	4.5	40.74	A	A	A	A	A	A	A	A	A
40	3191	4.3	43.65	N/A	A	N/A	A	N/A	N/A	A	N/A	A
38	3293	3.1	45.05	A	A	A	A	A	A	A	A	A
33	3816	4.1	52.20	N/A	A	N/A	A	N/A	N/A	A	N/A	A
28	4503	3.4	61.60	N/A	A	N/A	A	N/A	N/A	A	N/A	A
23	5511	2.5	75.39	N/A	A	N/A	A	N/A	N/A	A	N/A	A
19	6617	2.1	90.52	A	A	A	A	A	A	A	A	A
16	8098	1.7	110.78	A	A	A	A	A	A	A	A	A

Nord High Efficiency		90LH/4VR	100LH/4VN
230/460V or 575V	ADD:	\$141	\$167

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$1,737	\$1,744	\$1,737	\$1,744

3 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE					REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
						NORD MOTOR		WEG	BALDOR MOTOR		
				100L/4VR	100LA/4VN	100LH/4VR	112MH/4VN	300600307	VEWDM3611T	IDWNM3611T	
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	4:1 CT	10:1 CT	20:1 CT	

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,342	\$ 1,368	\$ 1,490	\$ 1,712	\$ 1,965	\$ 2,449	\$ 3,088	\$ 1,028
382	494	3.3	4.51	A	A	A	A	A	A	A	A
302	627	3.0	5.72	A	A	A	A	A	A	A	A
268	705	2.8	6.43	A	A	A	A	A	A	A	A
231	820	2.6	7.48	A	A	A	A	A	A	A	A
206	917	2.4	8.37	A	A	A	A	A	A	A	A
191	990	3.0	9.03	A	A	A	A	A	A	A	A
170	1112	2.8	10.15	A	A	A	A	A	A	A	A
146	1294	2.6	11.81	A	A	A	A	A	A	A	A
130	1450	2.4	13.23	A	A	A	A	A	A	A	A
104	1812	2.3	16.53	A	A	A	A	A	A	A	A
93	2029	2.1	18.51	A	A	A	A	A	A	A	A
79	2400	1.7	21.90	A	A	A	A	A	A	A	A
72	2626	1.4	23.96	A	A	A	A	A	A	A	A
69	2737	1.6	24.97	A	A	A	A	A	A	A	A

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 1,609	\$ 1,637	\$ 1,716	\$ 1,938	\$ 2,191	\$ 2,675	\$ 3,314	\$ 1,254
385	491	8.4	4.48	A	A	A	A	A	A	A	A
304	623	8.0	5.68	A	A	A	A	A	A	A	A
257	734	7.4	6.70	A	A	A	A	A	A	A	A
208	911	6.7	8.31	A	A	A	A	A	A	A	A
176	1074	7.0	9.80	A	A	A	A	A	A	A	A
152	1247	5.9	11.38	A	A	A	A	A	A	A	A
122	1546	5.0	14.11	A	A	A	A	A	A	A	A
103	1827	4.1	16.67	A	A	A	A	A	A	A	A
85	2212	3.1	20.18	A	A	A	A	A	A	A	A
81	2343	2.7	21.38	A	A	A	A	A	A	A	A
77	2461	2.8	22.45	A	A	A	A	A	A	A	A
73	2599	2.5	23.71	A	A	A	A	A	A	A	A
67	2836	2.6	25.88	A	A	A	A	A	A	A	A
60	3146	2.4	28.70	A	A	A	A	A	A	A	A
54	3500	2.2	31.93	A	A	A	A	A	A	A	A
46	4140	1.8	37.77	A	A	A	A	A	A	A	A
41	4605	1.8	42.02	A	A	A	A	A	A	A	A

Nord High Efficiency 230/460V or 575V	100LH/4VR	112MH/4VN
	ADD: \$167	\$287

Nord SK205E VFD 3PH, 380-480V				
	ADD: \$2,014	\$2,021	\$2,014	\$2,021

3 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE					REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC
						NORD MOTOR		WEG	BALDOR MOTOR		
				100L/4VR	100LA/4VN	100LH/4VR	112MH/4VN	300600307	VEWDM3611T	IDWNM3611T	
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	4:1 CT	10:1 CT	20:1 CT	

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$ 2,402	\$ 2,429	\$ 2,562	\$ 2,784	\$ 3,037	\$ 3,521	\$ 4,160	\$ 2,100
----------	----------	----------	----------	----------	----------	----------	----------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$ 2,038	\$ 2,065	\$ 2,198	\$ 2,420	\$ 2,673	\$ 3,157	\$ 3,796	\$ 1,736
367	515	18.0	4.70	N/A	N/A	A	A	A	A	A	A
345	548	17.0	5.00	N/A	N/A	A	A	A	A	A	A
318	595	15.6	5.43	N/A	N/A	A	A	A	A	A	A
285	664	16.2	6.06	A	A	A	A	A	A	A	A
242	781	13.8	7.13	A	A	A	A	A	A	A	A
207	913	12.5	8.33	A	A	A	A	A	A	A	A
187	1012	14.5	9.23	A	A	A	A	A	A	A	A
159	1189	12.8	10.85	A	A	A	A	A	A	A	A
136	1390	11.3	12.68	A	A	A	A	A	A	A	A
113	1666	9.7	15.20	A	A	A	A	A	A	A	A
95	1993	8.1	18.18	A	A	A	A	A	A	A	A
80	2351	6.4	21.45	A	A	A	A	A	A	A	A
77	2454	6.2	22.39	A	A	A	A	A	A	A	A
66	2877	5.0	26.25	A	A	A	A	A	A	A	A
65	2897	5.5	26.43	A	A	A	A	A	A	A	A
65	2929	4.9	26.72	N/A	N/A	A	A	A	A	A	A
54	3512	4.6	32.04	N/A	N/A	A	A	A	A	A	A
53	3544	3.4	32.34	A	A	A	A	A	A	A	A
47	3989	3.0	36.40	A	A	A	A	A	A	A	A
47	4034	2.9	36.81	A	A	A	A	A	A	A	A
45	4199	4.3	38.31	A	A	A	A	A	A	A	A
42	4465	3.0	40.74	A	A	A	A	A	A	A	A
40	4784	2.9	43.65	A	A	A	A	A	A	A	A
38	4937	2.8	45.05	A	A	A	A	A	A	A	A
33	5721	2.8	52.20	A	A	A	A	A	A	A	A
28	6751	2.3	61.60	A	A	A	A	A	A	A	A
23	8263	1.7	75.39	A	A	A	A	A	A	A	A
19	9921	1.4	90.52	A	A	A	A	A	A	A	A

Nord High Efficiency 230/460V or 575V	ADD:	100LH/4VR	112MH/4VN
		\$167	\$287

Nord SK205E VFD 3PH, 380-480V	ADD:				
		\$2,014	\$2,021	\$2,014	\$2,021



5 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
						NORD MOTOR		WEG	BALDOR MOTOR				
				100LA/4VR	132S/4VN	112MH/4VR	132SH/4VN	300600509	VEWDM3615T	IDWNM3707T			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V		
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	4:1 CT	10:1 CT	20:1 CT			

**Pump 030/040 U2; Reducer SK2282AZH66**

				\$ 1,368	N/A	\$ 1,712	N/A	\$ 2,168	\$ 2,638	N/A	\$ 1,028	N/A
388	812	2.0	<b>4.51</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
306	1030	1.8	<b>5.72</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
272	1158	1.7	<b>6.43</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
234	1347	1.6	<b>7.48</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
209	1507	1.5	<b>8.37</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
194	1626	1.8	<b>9.03</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
172	1828	1.7	<b>10.15</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
148	2127	1.6	<b>11.81</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
132	2383	1.5	<b>13.23</b>	A	N/A	A	N/A	A	A	N/A	A	N/A
106	2977	1.4	<b>16.53</b>	A	N/A	A	N/A	A	A	N/A	A	N/A

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 1,637	\$ 2,089	\$ 1,938	\$ 2,253	\$ 2,394	\$ 2,864	\$ 3,654	\$ 1,254	\$ 1,323
391	807	2.3	<b>4.48</b>	A	A	A	A	A	A	A	A	A
308	1023	2.2	<b>5.68</b>	A	A	A	A	A	A	A	A	A
261	1207	2.1	<b>6.70</b>	A	A	A	A	A	A	A	A	A
211	1497	1.9	<b>8.31</b>	A	A	A	A	A	A	A	A	A
179	1765	2.1	<b>9.80</b>	A	A	A	A	A	A	A	A	A
154	2050	2.1	<b>11.38</b>	A	A	A	A	A	A	A	A	A
124	2541	1.9	<b>14.11</b>	A	A	A	A	A	A	A	A	A
105	3002	1.9	<b>16.67</b>	A	A	A	A	A	A	A	A	A
87	3634	1.9	<b>20.18</b>	A	N/A	A	A	A	A	A	A	A
82	3851	1.6	<b>21.38</b>	A	N/A	A	A	A	A	A	A	A
78	4043	1.7	<b>22.45</b>	A	N/A	A	A	A	A	A	A	A
74	4270	1.5	<b>23.71</b>	A	N/A	A	A	A	A	A	A	A
68	4661	1.6	<b>25.88</b>	A	N/A	A	A	A	A	A	A	A
61	5169	1.5	<b>28.70</b>	A	N/A	A	A	A	A	A	A	A

Nord High Efficiency		112MH/4VR	132SH/4VN
230/460V or 575V	ADD:	\$287	\$324

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$2,206	\$2,226	\$2,206	\$2,226

5 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
						NORD MOTOR		WEG	BALDOR MOTOR				
				100LA/4VR	132S/4VN	112MH/4VR	132SH/4VN	300600509	VEWDM3615T	IDWNM3707T			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V		
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	4:1 CT	10:1 CT	20:1 CT			

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$ 2,429	\$ 2,883	\$ 2,784	\$ 3,102	\$ 3,240	\$ 3,710	\$ 4,503	\$ 2,100	\$ 2,172
----------	----------	----------	----------	----------	----------	----------	----------	----------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$ 2,065	\$ 2,519	\$ 2,420	\$ 2,738	\$ 2,876	\$ 3,346	\$ 4,139	\$ 1,736	\$ 1,808
372	846	10.8	4.70	N/A	A	A	A	A	A	A	A	A
350	901	10.2	5.00	N/A	A	A	A	A	A	A	A	A
322	978	9.4	5.43	N/A	A	A	A	A	A	A	A	A
289	1091	2.5	6.06	A	A	A	A	A	A	A	A	A
245	1284	2.4	7.13	A	A	A	A	A	A	A	A	A
210	1500	2.3	8.33	A	A	A	A	A	A	A	A	A
190	1662	2.5	9.23	A	A	A	A	A	A	A	A	A
161	1954	2.4	10.85	A	A	A	A	A	A	A	A	A
138	2284	2.3	12.68	A	A	A	A	A	A	A	A	A
115	2738	2.3	15.20	A	A	A	A	A	A	A	A	A
96	3274	2.3	18.18	A	A	A	A	A	A	A	A	A
82	3863	2.3	21.45	A	A	A	A	A	A	A	A	A
78	4032	2.1	22.39	A	A	A	A	A	A	A	A	A
67	4728	2.3	26.25	A	A	A	A	A	A	A	A	A
66	4760	2.1	26.43	A	A	A	A	A	A	A	A	A
65	4812	2.9	26.72	N/A	A	A	A	A	A	A	A	A
55	5770	2.7	32.04	N/A	A	A	A	A	A	A	A	A
54	5824	2.1	32.34	A	A	A	A	A	A	A	A	A
48	6556	1.8	36.40	A	A	A	A	A	A	A	A	A
48	6629	1.7	36.81	A	A	A	A	A	A	A	A	A
46	6900	1.8	38.31	N/A	A	A	A	A	A	A	A	A
43	7337	1.8	40.74	A	A	A	A	A	A	A	A	A
40	7861	1.8	43.65	A	A	A	A	A	A	A	A	A
39	8114	1.7	45.05	A	A	A	A	A	A	A	A	A
34	9401	1.7	52.20	A	A	A	A	A	A	A	A	A
28	11094	1.4	61.60	A	A	A	A	A	A	A	A	A

Nord High Efficiency 230/460V or 575V	ADD:	112MH/4VR	132SH/4VN
		\$287	\$324

Nord SK205E VFD 3PH, 380-480V	ADD:				
		\$2,206	\$2,226	\$2,206	\$2,226

5 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 180TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC
						NORD MOTOR		WEG	BALDOR MOTOR				
				100LA/4VR	132S/4VN	112MH/4VR	132SH/4VN	300600509	VEWDM3615T	IDWNM3707T			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V		
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	4:1 CT	10:1 CT	20:1 CT			

**Pump 320 U2; Reducer SK5282AZH66**

				\$ 2,766	\$ 3,218	\$ 3,115	\$ 3,433	\$ 3,571	\$ 4,041	\$ 4,834	\$ 2,431	\$ 2,503
276	1140	27.4	<b>6.33</b>	A	A	A	A	A	A	A	A	A
244	1291	24.7	<b>7.17</b>	A	A	A	A	A	A	A	A	A
201	1567	22.2	<b>8.70</b>	A	A	A	A	A	A	A	A	A
185	1704	19.9	<b>9.46</b>	A	A	A	A	A	A	A	A	A
163	1929	19.1	<b>10.71</b>	A	A	A	A	A	A	A	A	A
135	2341	16.6	<b>13.00</b>	A	A	A	A	A	A	A	A	A
114	2770	13.9	<b>15.38</b>	A	A	A	A	A	A	A	A	A
99	3168	12.8	<b>17.59</b>	A	A	A	A	A	A	A	A	A
93	3400	2.4	<b>18.88</b>	A	A	A	A	A	A	A	A	A
86	3667	2.1	<b>20.36</b>	A	A	A	A	A	A	A	A	A
70	4503	2.1	<b>25.00</b>	A	A	A	A	A	A	A	A	A
57	5493	2.2	<b>30.50</b>	A	A	A	A	A	A	A	A	A
52	6021	2.4	<b>33.43</b>	A	A	A	A	A	A	A	A	A
49	6386	1.5	<b>35.46</b>	N/A	A	A	A	A	A	A	A	A
43	7348	2.2	<b>40.80</b>	A	A	A	A	A	A	A	A	A
42	7553	1.5	<b>41.94</b>	N/A	A	A	A	A	A	A	A	A
37	8513	2.5	<b>47.27</b>	A	A	A	A	A	A	A	A	A
34	9273	5.1	<b>51.49</b>	N/A	A	A	A	A	A	A	A	A
32	10005	1.9	<b>55.55</b>	A	A	A	A	A	A	A	A	A
31	10068	2.3	<b>55.90</b>	A	A	A	A	A	A	A	A	A
25	12360	2.1	<b>68.63</b>	A	A	A	A	A	A	A	A	A
19	16535	1.5	<b>91.81</b>	A	A	A	A	A	A	A	A	A

Nord High Efficiency 230/460V or 575V	ADD:	112MH/4VR	132SH/4VN
		\$287	\$324

Nord SK205E VFD 3PH, 380-480V	ADD:				
		\$2,206	\$2,226	\$2,206	\$2,226

7.5 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		WEG	BALDOR MOTOR				
				132S/4VR	132M/4VN	132SH/4VR 213TC	132MH/4VN 215TC	300679506 213TC	VEWDM3710T 213TC	IDWNM22937T 254TC			
				TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	TENV 230/460V 20:1 CT			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO										

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 2,089	\$ 2,190	\$ 2,253	\$ 2,329	\$ 2,878	\$ 3,476	N/A	\$ 1,323	N/A
393	1203	3.3	4.48	A	A	A	A	A	A	N/A	A	N/A
310	1526	3.2	5.68	A	A	A	A	A	A	N/A	A	N/A
263	1800	2.9	6.70	A	A	A	A	A	A	N/A	A	N/A
212	2232	2.6	8.31	A	A	A	A	A	A	N/A	A	N/A
180	2632	2.8	9.80	A	A	A	A	A	A	N/A	A	N/A
155	3057	2.3	11.38	A	A	A	A	A	A	N/A	A	N/A
125	3790	2.0	14.11	A	A	A	A	A	A	N/A	A	N/A
106	4478	1.6	16.67	A	A	A	A	A	A	N/A	A	N/A

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$ 2,883	\$ 2,983	\$ 3,102	\$ 3,178	\$ 3,727	\$ 4,325	\$ 5,818	\$ 2,172	\$ 2,206
----------	----------	----------	----------	----------	----------	----------	----------	----------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$ 2,519	\$ 2,619	\$ 2,738	\$ 2,814	\$ 3,363	\$ 3,961	\$ 5,454	\$ 1,808	\$ 1,842
374	1262	7.3	4.70	A	A	A	A	A	A	A	A	A
352	1343	6.9	5.00	A	A	A	A	A	A	A	A	A
324	1458	6.3	5.43	A	A	A	A	A	A	A	A	A
290	1628	6.6	6.06	A	A	A	A	A	A	A	A	A
247	1915	5.6	7.13	A	A	A	A	A	A	A	A	A
211	2237	5.1	8.33	A	A	A	A	A	A	A	A	A
191	2479	5.9	9.23	A	A	A	A	A	A	A	A	A
162	2914	5.2	10.85	A	A	A	A	A	A	A	A	A
139	3406	4.6	12.68	A	A	A	A	A	A	A	A	A
116	4083	3.2	15.20	A	A	A	A	A	A	A	A	A
97	4883	3.2	18.18	A	A	A	A	A	A	A	A	A
82	5761	2.6	21.45	A	A	A	A	A	A	A	A	A
79	6014	2.5	22.39	A	A	A	A	A	A	A	A	A
67	7051	2.0	26.25	A	A	A	A	A	A	A	A	A
67	7099	2.2	26.43	A	A	A	A	A	A	A	A	A
66	7177	1.9	26.72	A	A	A	A	A	A	N/A	A	N/A
55	8606	1.8	32.04	A	A	A	A	A	A	N/A	A	N/A
54	8687	1.6	32.34	A	A	A	A	A	A	A	A	A

Nord High Efficiency 230/460V or 575V	ADD:	132SH/4VR	132MH/4VN
		\$324	\$324

Nord SK205E VFD 3PH, 380-480V	ADD:				
		\$2,585	\$2,585	\$2,585	\$2,585

7.5 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		WEG	BALDOR MOTOR				
				132S/4VR	132M/4VN	132SH/4VR 213TC	132MH/4VN 215TC	300679506 213TC	VEWDM3710T 213TC	IDWNM22937T 254TC			
				TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 5:1 CT	TEFC 230/460V 10:1 CT	TEFC 230/460V 4:1 CT	TEFC 230/460V 10:1 CT	TENV 230/460V 20:1 CT			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO										

**Pump 320 U2; Reducer SK5282AZH66**

				\$ 3,218	\$ 3,319	\$ 3,433	\$ 3,509	\$ 4,058	\$ 4,656	\$ 6,148	\$ 2,503	\$ 2,536
407	1160	17.6	4.32	N/A	N/A	N/A	N/A	N/A	N/A	A	N/A	A
351	1346	16.7	5.01	N/A	N/A	N/A	N/A	N/A	N/A	A	N/A	A
333	1421	16.3	5.29	N/A	N/A	N/A	N/A	N/A	N/A	A	N/A	A
308	1534	15.5	5.71	A	N/A	N/A	N/A	N/A	N/A	A	N/A	A
278	1700	16.4	6.33	A	A	A	A	A	A	A	A	A
245	1926	14.8	7.17	A	A	A	A	A	A	A	A	A
202	2337	13.3	8.70	A	A	A	A	A	A	A	A	A
186	2541	12.0	9.46	A	A	A	A	A	A	A	A	A
164	2877	11.5	10.71	A	A	A	A	A	A	A	A	A
135	3492	9.9	13.00	A	A	A	A	A	A	A	A	A
114	4131	8.3	15.38	A	A	A	A	A	A	A	A	A
100	4725	7.7	17.59	A	A	A	A	A	A	A	A	A
93	5071	6.8	18.88	A	A	A	A	A	A	A	A	A
86	5469	7.5	20.36	A	A	A	A	A	A	A	A	A
70	6715	5.7	25.00	A	A	A	A	A	A	A	A	A
58	8192	3.1	30.50	A	A	A	A	A	A	A	A	A
53	8979	2.2	33.43	A	A	A	A	A	A	A	A	A
50	9525	2.5	35.46	A	A	A	A	A	A	N/A	A	N/A
43	10959	2.0	40.80	A	A	A	A	A	A	A	A	A
42	11265	2.5	41.94	A	A	A	A	A	A	N/A	A	N/A
37	12697	1.7	47.27	A	N/A	A	A	A	A	N/A	A	N/A
34	13830	2.0	51.49	A	A	A	A	A	A	N/A	A	N/A
31	15015	1.5	55.90	A	N/A	A	A	A	A	N/A	A	N/A
26	18434	1.4	68.63	A	N/A	A	A	A	A	N/A	A	N/A

Nord High Efficiency 230/460V or 575V	ADD:	132SH/4VR	132MH/4VN
		\$324	\$324

Nord SK205E VFD 3PH, 380-480V	ADD:				
		\$2,585	\$2,585	\$2,585	\$2,585

7.5 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		WEG	BALDOR MOTOR				
				132S/4VR	132M/4VN	132SH/4VR	132MH/4VN	300679506	VEWDM3710T	IDWNM22937T			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V		
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	4:1 CT	10:1 CT	20:1 CT			

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 5,200	\$ 5,296	\$ 5,549	\$ 5,625	\$ 6,174	\$ 6,772	\$ 8,945	\$ 4,619	\$ 5,333
361	1311	21.7	4.88	N/A	N/A	A	A	A	A	A	A	A
320	1477	20.5	5.50	N/A	N/A	A	A	A	A	A	A	A
304	1553	19.9	5.78	N/A	N/A	A	A	A	A	A	A	A
261	1810	21.8	6.74	A	A	A	A	A	A	A	A	A
225	2100	16.9	7.82	A	A	A	A	A	A	A	A	A
187	2522	14.4	9.39	A	A	A	A	A	A	A	A	A
165	2858	19.9	10.64	A	A	A	A	A	A	A	A	A
143	3317	17.5	12.35	A	A	A	A	A	A	A	A	A
119	3983	14.8	14.83	A	A	A	A	A	A	A	A	A
94	5023	11.6	18.70	A	A	A	A	A	A	A	A	A
77	6164	9.7	22.95	A	A	A	A	A	A	A	A	A
68	6997	8.6	26.05	A	A	A	A	A	A	A	A	A
59	8031	7.5	29.90	A	A	A	A	A	A	A	A	A
45	10604	2.6	39.48	A	A	A	A	A	A	A	A	A
29	16406	2.4	61.08	A	A	A	A	A	A	A	A	A
27	17577	1.7	65.44	A	N/A	A	A	A	A	N/A	A	N/A
22	21577	1.7	80.33	A	N/A	A	A	A	A	N/A	A	N/A

Nord High Efficiency		132SH/4VR	132MH/4VN
230/460V or 575V	ADD:	\$324	\$324

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$2,585	\$2,585	\$2,585	\$2,585

10 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		WEG	BALDOR MOTOR				
				132M/4VR	160M/4VN	132MH/4VR 215TC	160MH/4VN 254TC-TW*	300601009 215TC	VEWDM3714T 215TC	IDWNM22938T 254TC			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	4:1 CT	10:1 CT	20:1 CT			

**Pump 045/060/130 U2; Reducer SK3282AZH66**

				\$ 2,190	N/A	\$ 2,329	N/A	\$ 2,977	\$ 3,637	N/A	\$ 1,323	N/A
393	1604	2.5	4.48	A	N/A	A	N/A	A	A	N/A	A	N/A
310	2034	2.4	5.68	A	N/A	A	N/A	A	A	N/A	A	N/A
263	2399	2.2	6.70	A	N/A	A	N/A	A	A	N/A	A	N/A
212	2976	2.0	8.31	A	N/A	A	N/A	A	A	N/A	A	N/A
180	3509	2.1	9.80	A	N/A	A	N/A	A	A	N/A	A	N/A
155	4075	1.8	11.38	A	N/A	A	N/A	A	A	N/A	A	N/A
125	5053	1.5	14.11	A	N/A	A	N/A	A	A	N/A	A	N/A

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$ 2,983	\$ 3,684	\$ 3,178	\$ 4,183	\$ 3,826	\$ 4,486	\$ 6,435	\$ 2,172	\$ 2,206
----------	----------	----------	----------	----------	----------	----------	----------	----------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$ 2,619	\$ 3,320	\$ 2,814	\$ 3,819	\$ 3,462	\$ 4,122	\$ 6,071	\$ 1,808	\$ 1,842
374	1683	5.4	4.70	A	A	A	A	A	A	A	A	A
352	1791	5.0	5.00	A	A	A	A	A	A	A	A	A
324	1944	4.6	5.43	A	A	A	A	A	A	A	A	A
290	2170	4.8	6.06	A	A	A	A	A	A	A	A	A
247	2553	4.1	7.13	A	A	A	A	A	A	A	A	A
211	2983	3.7	8.33	A	A	A	A	A	A	A	A	A
191	3305	4.3	9.23	A	A	A	A	A	A	A	A	A
162	3885	2.6	10.85	A	A	A	A	A	A	A	A	A
139	4541	2.4	12.68	A	A	A	A	A	A	A	A	A
116	5443	2.4	15.20	A	A	A	A	A	A	A	A	A
97	6510	2.4	18.18	A	A	A	A	A	A	A	A	A
82	7681	1.9	21.45	A	A	A	A	A	A	A	A	A
79	8018	1.8	22.39	A	A	A	A	A	A	A	A	A
67	9400	1.5	26.25	A	A	A	A	A	A	A	A	A
67	9465	1.6	26.43	A	A	A	A	A	A	A	A	A
66	9568	1.5	26.72	A	N/A	A	N/A	A	A	N/A	A	N/A
55	11474	1.4	32.04	A	N/A	A	N/A	A	A	N/A	A	N/A

\* Thermostat (TW) Included

Nord High Efficiency		132MH/4VR	160MH/4VN
230/460V or 575V	ADD:	\$324	\$350

Nord SK205E VFD					
3PH, 380-480V	ADD:	\$2,845	N/A	\$2,845	N/A

10 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		WEG	BALDOR MOTOR				
				132M/4VR	160M/4VN	132MH/4VR 215TC	160MH/4VN 254TC-TW*	300601009 215TC	VEWDM3714T 215TC	IDWNM22938T 254TC			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	4:1 CT	10:1 CT	20:1 CT			

**Pump 320 U2; Reducer SK5282AZH66**

				\$ 3,319	\$ 4,020	\$ 3,509	\$ 4,513	\$ 4,157	\$ 4,817	\$ 6,765	\$ 2,503	\$ 2,536
407	1547	11.9	4.32	N/A	A	N/A	A	N/A	N/A	A	N/A	A
351	1794	11.2	5.01	N/A	A	N/A	A	N/A	N/A	A	N/A	A
333	1894	11.0	5.29	N/A	A	N/A	A	N/A	N/A	A	N/A	A
308	2045	10.4	5.71	N/A	A	N/A	A	N/A	N/A	A	N/A	A
278	2267	2.2	6.33	A	A	A	A	A	A	A	A	A
245	2568	10.0	7.17	A	A	A	A	A	A	A	A	A
202	3115	9.0	8.70	A	A	A	A	A	A	A	A	A
186	3388	8.1	9.46	A	A	A	A	A	A	A	A	A
164	3835	7.7	10.71	A	A	A	A	A	A	A	A	A
135	4655	6.7	13.00	A	A	A	A	A	A	A	A	A
114	5508	5.6	15.38	A	A	A	A	A	A	A	A	A
100	6299	5.2	17.59	A	A	A	A	A	A	A	A	A
93	6761	2.9	18.88	A	A	A	A	A	A	A	A	A
86	7291	2.6	20.36	A	A	A	A	A	A	A	A	A
70	8953	2.6	25.00	A	A	A	A	A	A	A	A	A
58	10922	2.3	30.50	A	A	A	A	A	A	A	A	A
53	11971	1.7	33.43	A	A	A	A	A	A	A	A	A
50	12698	1.9	35.46	A	N/A	A	N/A	A	A	N/A	A	N/A
43	14610	1.5	40.80	A	A	A	A	A	A	A	A	A
42	15019	1.9	41.94	A	N/A	A	N/A	A	A	N/A	A	N/A
34	18439	1.5	51.49	A	N/A	A	N/A	A	A	N/A	A	N/A

\* Thermostat (TW) Included

Nord High Efficiency		132MH/4VR	160MH/4VN
230/460V or 575V	ADD:	\$324	\$350

Nord SK205E VFD			
3PH, 380-480V	ADD:	\$2,845	N/A
			\$2,845
			N/A



10 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE						REDUCER w/NEMA C-FACE ADAPTER FRAME 210TC	REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		WEG	BALDOR MOTOR				
				132M/4VR	160M/4VN	132MH/4VR 215TC	160MH/4VN 254TC-TW*	300601009 215TC	VEWDM3714T 215TC	IDWNM22938T 254TC			
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	TENV			
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V			
				5:1 CT	10:1 CT	5:1 CT	10:1 CT	4:1 CT	10:1 CT	20:1 CT			

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 5,296	\$ 6,159	\$ 5,625	\$ 7,310	\$ 6,273	\$ 6,933	\$ 9,562	\$ 4,619	\$ 5,333
361	1748	14.6	4.88	N/A	A	A	A	A	A	A	A	A
320	1970	13.8	5.50	N/A	A	A	A	A	A	A	A	A
304	2070	13.4	5.78	N/A	A	A	A	A	A	A	A	A
261	2414	14.7	6.74	A	A	A	A	A	A	A	A	A
225	2800	11.4	7.82	A	A	A	A	A	A	A	A	A
187	3363	9.7	9.39	A	A	A	A	A	A	A	A	A
165	3810	13.4	10.64	A	A	A	A	A	A	A	A	A
143	4423	11.8	12.35	A	A	A	A	A	A	A	A	A
119	5311	10.0	14.83	A	A	A	A	A	A	A	A	A
94	6696	7.8	18.70	A	A	A	A	A	A	A	A	A
77	8218	6.5	22.95	A	A	A	A	A	A	A	A	A
68	9329	5.8	26.05	A	A	A	A	A	A	A	A	A
59	10707	5.0	29.90	A	A	A	A	A	A	A	A	A
45	14138	2.0	39.48	A	A	A	A	A	A	A	A	A
35	17815	2.0	49.75	A	A	A	A	A	A	A	A	A
29	21873	1.8	61.08	A	A	A	A	A	A	A	A	A

\* Thermostat (TW) Included

Nord High Efficiency	132MH/4VR	160MH/4VN
230/460V or 575V	ADD: \$324	\$350

Nord SK205E VFD				
3PH, 380-480V	ADD: \$2,845	N/A	\$2,845	N/A

15 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR MOTOR		
				160M/4VR	160L/4VN	160MH/4VN	160LH/4VR	CWDM23933T	CEWDM23933T	
						254TC-TW*	256TC-TW*	254TC	254TC	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	
				4:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$	3,684	\$	4,102	\$	4,351	\$	5,123	\$	5,812	\$	7,062	\$	2,206
----	-------	----	-------	----	-------	----	-------	----	-------	----	-------	----	-------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$	3,320	\$	3,738	\$	3,987	\$	4,759	\$	5,448	\$	6,698	\$	1,842
374	2524	3.3	4.70	A	A	A	A	A	A	A	A	A	A	A	A	A	A
352	2686	3.2	5.00	A	A	A	A	A	A	A	A	A	A	A	A	A	A
324	2916	3.2	5.43	A	A	A	A	A	A	A	A	A	A	A	A	A	A
290	3255	3.0	6.06	A	A	A	A	A	A	A	A	A	A	A	A	A	A
247	3830	2.8	7.13	A	A	A	A	A	A	A	A	A	A	A	A	A	A
211	4474	2.5	8.33	A	A	A	A	A	A	A	A	A	A	A	A	A	A
191	4957	2.9	9.23	A	A	A	A	A	A	A	A	A	A	A	A	A	A
162	5828	2.6	10.85	A	A	A	A	A	A	A	A	A	A	A	A	A	A
139	6810	2.3	12.68	A	A	A	A	A	A	A	A	A	A	A	A	A	A
116	8164	2.0	15.20	A	A	A	A	A	A	A	A	A	A	A	A	A	A
97	9764	1.6	18.18	A	A	A	A	A	A	A	A	A	A	A	A	A	A

**Pump 320 U2; Reducer SK5282AZH66**

				\$	4,020	\$	4,439	\$	4,681	\$	5,453	\$	6,142	\$	7,392	\$	2,536
407	2320	8.7	4.32	A	A	A	A	A	A	A	A	A	A	A	A	A	A
351	2691	8.3	5.01	A	A	A	A	A	A	A	A	A	A	A	A	A	A
333	2841	8.1	5.29	A	A	A	A	A	A	A	A	A	A	A	A	A	A
308	3067	7.7	5.71	A	A	A	A	A	A	A	A	A	A	A	A	A	A
278	3400	8.1	6.33	A	A	A	A	A	A	A	A	A	A	A	A	A	A
245	3851	2.5	7.17	A	A	A	A	A	A	A	A	A	A	A	A	A	A
202	4673	6.6	8.70	A	A	A	A	A	A	A	A	A	A	A	A	A	A
186	5081	5.9	9.46	A	A	A	A	A	A	A	A	A	A	A	A	A	A
164	5752	5.7	10.71	A	A	A	A	A	A	A	A	A	A	A	A	A	A
135	6982	3.1	13.00	A	A	A	A	A	A	A	A	A	A	A	A	A	A
114	8261	2.8	15.38	A	A	A	A	A	A	A	A	A	A	A	A	A	A
100	9448	2.6	17.59	A	A	A	A	A	A	A	A	A	A	A	A	A	A
93	10140	2.3	18.88	A	A	A	A	A	A	A	A	A	A	A	A	A	A
86	10935	2.5	20.36	A	A	A	A	A	A	A	A	A	A	A	A	A	A
70	13428	1.9	25.00	A	A	A	A	A	A	A	A	A	A	A	A	A	A
58	16382	1.6	30.50	A	A	A	A	A	A	A	A	A	A	A	A	A	A

\* Thermostat (TW) Included

Nord High Efficiency		160MH/4VR	160LH/4VN
230/460V or 575V	ADD:	\$350	\$350

15 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR MOTOR		
				160M/4VR	160L/4VN	160MH/4VN 254TC-TW*	160LH/4VR 256TC-TW*	CWDM23933T 254TC	CEWDM23933T 254TC	
				TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	
				4:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 6,159	\$ 6,577	\$ 7,478	\$ 8,250	\$ 8,939	\$ 10,189	\$ 5,333
361	2621	10.8	<b>4.88</b>	A	A	A	A	A	A	A
320	2954	10.2	<b>5.50</b>	A	A	A	A	A	A	A
304	3104	9.8	<b>5.78</b>	A	A	A	A	A	A	A
261	3620	10.8	<b>6.74</b>	A	A	A	A	A	A	A
225	4200	8.4	<b>7.82</b>	A	A	A	A	A	A	A
187	5043	7.2	<b>9.39</b>	A	A	A	A	A	A	A
165	5715	9.9	<b>10.64</b>	A	A	A	A	A	A	A
143	6633	8.7	<b>12.35</b>	A	A	A	A	A	A	A
119	7965	7.4	<b>14.83</b>	A	A	A	A	A	A	A
94	10044	5.8	<b>18.70</b>	A	A	A	A	A	A	A
77	12326	3.3	<b>22.95</b>	A	A	A	A	A	A	A
68	13991	2.9	<b>26.05</b>	A	A	A	A	A	A	A
59	16059	2.5	<b>29.90</b>	A	A	A	A	A	A	A

\* Thermostat (TW) Included

Nord High Efficiency		160MH/4VR	160LH/4VN
230/460V or 575V	ADD:	\$350	\$350

20 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR MOTOR		
				160L/4VR	160L/4VZF	160LH/4VR	160LH/4VZF	CWDM23934T	CEWDM23934T	
						256TC-TW*	256TC-TW*	256TC	256TC	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEBC	TEFC	TEBC	TEFC	TEFC	
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	
				4:1 CT	20:1 CT	5:1 CT	20:1 CT	CONSTANT	10:1 CT	

**Pump 045/060/130 U2; Reducer SK4282SWAZH66**

\$ 4,102	\$ 4,612	\$ 4,955	\$ 5,465	\$ 6,390	\$ 7,839	\$ 2,206
----------	----------	----------	----------	----------	----------	----------

**Pump 180/220 U2; Reducer SK4282AZH66**

				\$ 3,738	\$ 4,248	\$ 4,591	\$ 5,101	\$ 6,026	\$ 7,475	\$ 1,842
374	3366	2.5	4.70	A	A	A	A	A	A	A
352	3581	2.4	5.00	A	A	A	A	A	A	A
324	3889	2.4	5.43	A	A	A	A	A	A	A
290	4340	2.2	6.06	A	A	A	A	A	A	A
247	5107	2.1	7.13	A	A	A	A	A	A	A
211	5966	1.9	8.33	A	A	A	A	A	A	A
191	6611	2.2	9.23	A	A	A	A	A	A	A
162	7771	1.9	10.85	A	A	A	A	A	A	A
139	9081	1.7	12.68	A	A	A	A	A	A	A
116	10886	1.5	15.20	A	A	A	A	A	A	A

**Pump 320 U2; Reducer SK5282AZH66**

				\$ 4,439	\$ 4,949	\$ 5,285	\$ 5,795	\$ 6,720	\$ 8,169	\$ 2,536
407	3094	6.1	4.32	A	A	A	A	A	A	A
351	3588	5.8	5.01	A	A	A	A	A	A	A
333	3789	5.6	5.29	A	A	A	A	A	A	A
308	4090	5.3	5.71	A	A	A	A	A	A	A
278	4534	5.7	6.33	A	A	A	A	A	A	A
245	5135	2.5	7.17	A	A	A	A	A	A	A
202	6231	2.3	8.70	A	A	A	A	A	A	A
186	6775	2.6	9.46	A	A	A	A	A	A	A
164	7671	2.5	10.71	A	A	A	A	A	A	A
135	9311	2.3	13.00	A	A	A	A	A	A	A
114	11015	2.1	15.38	A	A	A	A	A	A	A
100	12598	1.9	17.59	A	A	A	A	A	A	A
93	13522	1.7	18.88	A	A	A	A	A	A	A
86	14582	1.9	20.36	A	A	A	A	A	A	A
70	17905	1.4	25.00	A	A	A	A	A	A	A

\* Thermostat (TW) included

Nord High Efficiency	160LH/4VR	160LH/4VZF
230/460V or 575V ADD:	\$350	\$350

20 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 250TC
						NORD MOTOR		BALDOR MOTOR		
				160L/4VR	160L/4VZF	160LH/4VR 256TC-TW*	160LH/4VZF 256TC-TW*	CWDM23934T 256TC	CEWDM23934T 256TC	
				TEFC	TEBC	TEFC	TEBC	TEFC	TEFC	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	
				4:1 CT	20:1 CT	5:1 CT	20:1 CT	CONSTANT	10:1 CT	

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 6,577	\$ 7,087	\$ 8,082	\$ 8,592	\$ 9,517	\$ 10,966	\$ 5,333
361	3495	7.5	<b>4.88</b>	A	A	A	A	A	A	A
320	3939	7.1	<b>5.50</b>	A	A	A	A	A	A	A
304	4140	6.8	<b>5.78</b>	A	A	A	A	A	A	A
261	4827	7.5	<b>6.74</b>	A	A	A	A	A	A	A
225	5601	5.8	<b>7.82</b>	A	A	A	A	A	A	A
187	6725	5.0	<b>9.39</b>	A	A	A	A	A	A	A
165	7620	6.9	<b>10.64</b>	A	A	A	A	A	A	A
143	8845	6.0	<b>12.35</b>	A	A	A	A	A	A	A
119	10621	2.5	<b>14.83</b>	A	A	A	A	A	A	A
94	13393	2.5	<b>18.70</b>	A	A	A	A	A	A	A
77	16437	2.4	<b>22.95</b>	A	A	A	A	A	A	A
68	18657	2.2	<b>26.05</b>	A	A	A	A	A	A	A
59	21414	1.9	<b>29.90</b>	A	A	A	A	A	A	A

\* Thermostat (TW) included

Nord High Efficiency		160LH/4VR	160LH/4VZF
230/460V or 575V	ADD:	\$350	\$350

25 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE				REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC
						NORD MOTOR		BALDOR MOTOR		
				180MX/4VR	180LX/4VN	180MH/4VR	180LH/4VN	VCP4103T	VECP4103T	
						284TC-TW*	286TC-TW*	284TC	284TC	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC	TEFC	TEFC	TEFC	TEFC	TEFC	
				230/460V	230/460V	230/460V	230/460V	230/460V	230/460V	
				4:1 CT	10:1 CT	5:1 CT	10:1 CT	CONSTANT	10:1 CT	

**Pump 320 U2; Reducer SK5282AZH66**

				\$ 4,764	\$ 4,933	INQUIRE	IINQUIRE	\$ 7,164	\$ 7,804	\$ 3,482
407	3867	3.5	4.32	A	A			A	A	A
351	4485	3.3	5.01	A	A			A	A	A
333	4736	3.3	5.29	A	A			A	A	A
308	5112	3.1	5.71	A	A			A	A	A
278	5667	3.3	6.33	A	A			A	A	A
245	6419	3.0	7.17	A	A			A	A	A
202	7788	2.7	8.70	A	A			A	A	A
186	8469	2.4	9.46	A	A			A	A	A
164	9588	2.3	10.71	A	A			A	A	A
135	11638	2.0	13.00	A	A			A	A	A
114	13768	1.7	15.38	A	A			A	A	A
100	15747	1.5	17.59	A	A			A	A	A
93	16901	1.4	18.88	A	A			A	A	A
86	18226	1.5	20.36	A	A			A	A	A

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 7,003	\$ 7,172	INQUIRE	IINQUIRE	\$ 9,235	\$ 9,875	\$ 5,553
401	3930	5.8	4.39	A	A			A	A	A
361	4369	5.5	4.88	A	A			A	A	A
320	4924	5.2	5.50	A	A			A	A	A
304	5174	5.0	5.78	A	A			A	A	A
294	5362	5.0	5.99	A	A			A	A	A
261	6034	5.5	6.74	A	A			A	A	A
225	7000	4.3	7.82	A	A			A	A	A
187	8406	3.6	9.39	A	A			A	A	A
165	9525	4.0	10.64	A	A			A	A	A
143	11056	3.5	12.35	A	A			A	A	A
119	13276	3.0	14.83	A	A			A	A	A
94	16740	2.3	18.70	A	A			A	A	A
77	20545	1.9	22.95	A	A			A	A	A
68	23320	1.7	26.05	A	A			A	A	A
59	26766	1.5	29.90	A	A			A	A	A

\* Thermostat (TW) included

Nord High Efficiency		180MH/4VR	180LH/4VN
230/460V or 575V	ADD:	\$664	\$664

30 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE			REDUCER w/NEMA C-FACE ADAPTER FRAME 280TC
						NORD MOTOR		BALDOR	
				180LX/4VR	180LX/4VZF	180LH/4VR 286TC-TW*	180LH/4VZF 286TC-TW*	CECP4104T 286TC	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V 4:1 CT	TEBC 230/460V 20:1 CT	TEFC 230/460V 5:1 CT	TEBC 230/460V 10:1 CT	TEFC 230/460V CONSTANT	

**Pump 320 U2; Reducer SK5282AZH66**

				\$ 4,933	\$ 5,619	INQUIRE	INQUIRE	\$ 8,559	\$ 3,482
407	4641	2.9	<b>4.32</b>	A	A			A	A
351	5382	2.8	<b>5.01</b>	A	A			A	A
333	5683	2.7	<b>5.29</b>	A	A			A	A
308	6134	2.6	<b>5.71</b>	A	A			A	A
278	6800	2.7	<b>6.33</b>	A	A			A	A
245	7703	2.5	<b>7.17</b>	A	A			A	A
202	9346	2.2	<b>8.70</b>	A	A			A	A
186	10163	2.0	<b>9.46</b>	A	A			A	A
164	11506	1.9	<b>10.71</b>	A	A			A	A
135	13966	1.7	<b>13.00</b>	A	A			A	A
114	16523	1.4	<b>15.38</b>	A	A			A	A

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 7,172	\$ 7,858	INQUIRE	INQUIRE	\$ 10,630	\$ 5,553
401	4716	4.6	<b>4.39</b>	A	A			A	A
361	5243	4.4	<b>4.88</b>	A	A			A	A
320	5909	4.2	<b>5.50</b>	A	A			A	A
304	6209	4.0	<b>5.78</b>	A	A			A	A
294	6435	4.0	<b>5.99</b>	A	A			A	A
261	7241	4.4	<b>6.74</b>	A	A			A	A
225	8401	3.4	<b>7.82</b>	A	A			A	A
187	10088	2.4	<b>9.39</b>	A	A			A	A
165	11431	3.3	<b>10.64</b>	A	A			A	A
143	13268	2.9	<b>12.35</b>	A	A			A	A
119	15932	2.5	<b>14.83</b>	A	A			A	A
94	20089	1.9	<b>18.70</b>	A	A			A	A
77	24655	1.6	<b>22.95</b>	A	A			A	A
68	27986	1.4	<b>26.05</b>	A	A			A	A

\* Thermostat (TW) included

Nord High Efficiency		180LH/4VR	180LH/4VZF
230/460V or 575V	ADD:	\$664	\$664

40 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 320TC
				200L/4VR-TW*	200L/4VZF-TW*	NORD	BALDOR	
				TEFC 230/460V 4:1 CT	TEBC 230/460V 20:1 CT	OR OTHER BRAND  ALTERNATE  INQUIRE	CECP4110T 324TC TEFC 230/460V 10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO					

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 9,128	\$ 10,294	INQUIRE	\$ 12,331	\$ 5,850
404	6235	2.9	<b>4.39</b>	A	A		A	A
364	6931	2.8	<b>4.88</b>	A	A		A	A
323	7812	2.6	<b>5.50</b>	A	A		A	A
307	8209	2.5	<b>5.78</b>	A	A		A	A
296	8508	2.5	<b>5.99</b>	A	A		A	A
263	9573	2.8	<b>6.74</b>	A	A		A	A
227	11107	2.1	<b>7.82</b>	A	A		A	A
189	13337	1.8	<b>9.39</b>	A	A		A	A
167	15112	2.5	<b>10.64</b>	A	A		A	A
144	17541	2.2	<b>12.35</b>	A	A		A	A
120	21063	1.9	<b>14.83</b>	A	A		A	A
95	26560	1.5	<b>18.70</b>	A	A		A	A

\* Thermostat (TW) included

Nord High Efficiency		200LH/4VR-TW	200LH/4VZF-TW
230/460V or 575V	ADD:	\$883	\$883



50 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 320TC
						NORD	BALDOR	
				225S/4VR-TW*	225S/4VZF** TW*	OR OTHER BRAND	CECP4115T 326TC	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC 230/460V 4:1 CT	TEBC 230/460V 20:1 CT	ALTERNATE	TEFC 230/460V 10:1 CT	
						INQUIRE		

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 10,173	\$ 11,339	INQUIRE	\$ 13,307	\$ 5,850
404	7794	2.3	<b>4.39</b>	A	A		A	A
364	8664	2.2	<b>4.88</b>	A	A		A	A
323	9765	2.1	<b>5.50</b>	A	A		A	A
307	10262	2.0	<b>5.78</b>	A	A		A	A
296	10635	2.0	<b>5.99</b>	A	A		A	A
263	11966	2.2	<b>6.74</b>	A	A		A	A
227	13884	1.7	<b>7.82</b>	A	A		A	A
189	16671	1.5	<b>9.39</b>	A	A		A	A
167	18890	2.0	<b>10.64</b>	A	A		A	A
144	21926	1.8	<b>12.35</b>	A	A		A	A
120	26329	1.5	<b>14.83</b>	A	A		A	A

\* Thermostat included

\*\* Allow 6 week delivery for Nord 50 & 60 HP motor with CONSTANT velocity fan (225S/4VZF & 225M/4VZF)

Nord High Efficiency		225SH/4VR	225SH/4VZF
or 575V	ADD:	\$1,217	\$1,217

60 HP WASHDOWN TRU-FIT™				INTEGRAL NORD MOTOR		C-FACE		REDUCER w/NEMA C-FACE ADAPTER FRAME 360TC
				225M/4VR-TW*	225M/4VZF** TW*	NORD  OR OTHER BRAND  ALTERNATE  INQUIRE	BALDOR  CECP84314T-4  364TC  TEFC  230/460V  10:1 CT	
RPM	INCH LBS	SERVICE FACTOR	GEAR RATIO	TEFC  230/460V  4:1 CT	TEBC  230/460V  20:1 CT			

**Pump 320 U2; Reducer SK6282SWAZH66**

				\$ 11,250	\$ 12,416	INQUIRE	\$ 17,749	\$ 7,012
404	9352	1.9	<b>4.39</b>	A	A		A	A
364	10396	1.8	<b>4.88</b>	A	A		A	A
323	11717	1.7	<b>5.50</b>	A	A		A	A
307	12314	1.7	<b>5.78</b>	A	A		A	A
296	12761	1.7	<b>5.99</b>	A	A		A	A
263	14359	1.8	<b>6.74</b>	A	A		A	A
227	16660	1.4	<b>7.82</b>	A	A		A	A
167	22667	1.7	<b>10.64</b>	A	A		A	A
144	26310	1.5	<b>12.35</b>	A	A		A	A

\* Thermostat included

\*\*Allow 6 week delivery for Nord 50 & 60 HP motor with CONSTANT velocity fan (225S/4VZF & 225M/4VZF)

Nord High Efficiency or 575V	225MH/4VR	225MH/4VZF
	\$1,217	\$1,217